





Whether you're dreaming of an intimate patio, a practical driveway or a luxurious outdoor living space, Unilock® has a variety of paver and wall options to choose from.









PAVER: Natural Stone (Indian Coast) with Natural Stone (Black River) accents

WALL AND PILLARS: Lineo* Dimensional Stone (Limestone)

LEFT


PAVER: Natural Stone (Stone Cliff Grey)
GRILL ISLAND AND FIREPIT: Rivercrest* Wall
(Buff) and Rivercrest Firepit Kit (Buff)

RIGHT

PAVER: Richcliff* (Pebble Taupe and Dawn Mist Blend) with Copthorne* (3 Color Blend) accent

SEAT WALL AND FIREPIT:

Brussels Dimensional System™ (Limestone) and Ledgestone™ (Buff) steps







PAVER: Artline™ (Steel Mountain)

STEPS AND PILLARS: Brussels Dimensional System" (Limestone) with Natural Stone coping

PAVER: Umbriano* (Summer Wheat) with Town Hall* (Burnt Clay) accent and paver rug **STEPS:** Natural Stone (Indian Coast) with Natural Stone (Indian Coast) coping

воттом

Courtstone* (Basalt) with Copthorne* (3 Color Blend) and Brussels Block* (Sandstone) accents







PAVER: Umbriano* (French Grey) with Town Hall* (Basalt) accent

SEAT WALL AND FIRE FEATURE: U-Cara* (Steel Mountain) Pitched Face with U-Cara (Opal) Smooth Face accent and Universal (Light Grey) coping

PLANTERS AND STEPS: U-Cara (Steel Mountain)
Pitched Face with U-Cara (Opal) Smooth Face
accent and Universal (Light Grey) coping

PILLARS: U-Cara (Opal) Smooth Face with U-Cara (Steel Mountain) Pitched Face accent and Ledgestone" (Grey) pillar caps

TOF

PAVER: Bristol Valley* (Bavarian Blend) with Copthorne* (Basalt) accent and walkway

WALL, PILLARS AND GRILL ISLAND: Rivercrest* Wall (Buff) with Natural Stone coping

BOTTOM

Artline (Umbriano* Finish - Midnight Sky and Winter Marvel) with Series™ (Black Granite) accent



TOP

PAVER: Richcliff (Dawn Mist) with Courtstone* (Basalt) accent GRILL ISLAND, WALL AND WATER FEATURE: Brussels Dimensional System™ (Limestone) with Natural Stone (Black River) coping


воттом

PAVER: Richcliff' (Dawn Mist) with Brussels Block' (Sandstone) accent FIREPLACE: Lineo* Dimensional Stone (Limestone) with Series™ (Black Granite) accent and Ledgestone™ (Grey) coping SEAT WALL: Rivercrest* Wall (Coastal Slate) with Ledgestone™ (Grey) coping

OPPOSITE

WALL: U-Cara* (Steel Mountain Pitched Face) with (Opal Smooth Face) accent and Natural Stone step treads and coping PAVER: Beacon Hill* Smooth (Opal) with Copthorne* (Basalt) accent









Tribeca Cobble" (Crystalline Basalt) with Tribeca Cobble (Peppered Granite) accent and Copthorne" (3 Color Blend) insert

TOP

PAVER: Copthorne* (3 Color Blend) with Brussels Block* (Sierra) accent


PILLARS: Brussels Dimensional System[™] (Sierra) with Brussels Fullnose[™] (Sierra) coping

воттом

PAVER: Artline™ (Steel Mountain) with Town Hall" (Basalt) accent

WATER FEATURE, SEAT WALL AND FIREPIT: Lineo* Dimensional Stone (Sierra) with Ledgestone" (Buff) coping and pillar caps





TOP

PAVER: Beacon Hill Smooth (Steel Mountain)

WALL: Lineo^{*} Dimensional Stone (Sierra) with Ledgestone[™] (Grey) coping

воттом

PAVER: Thornbury™ (Almond Grove)
FIRE FEATURE: Rivercrest* Wall
(Coastal Slate) with Natural Stone
(Black River) coping

OPPOSITE

Richcliff* (Dawn Mist)











PAVER: Umbriano (Winter Marvel) with Town Hall* (Basalt)

GRILL ISLAND, PILLARS AND FIREPIT:

Rivercrest Wall (Coastal Slate) with Copthorne (Basalt) accent and Ledgestone (Grey) coping and pillar caps

TOP

PAVER: U-Cara® (Steel Mountain) with Umbriano® (Midnight Sky) accent and Ledgestone™ (Grey) coping

PAVERS: Umbriano* (Winter Marvel) with Copthorne (Basalt) accent

воттом

PAVER: Umbriano (Summer Wheat) with Series™ (Black Granite) accent and Artline™ (Steel Mountain) circle inset with Series (Black Granite) accent

SEAT WALL, PILLARS AND FIREPIT:

Brussels Dimensional System[®] (Sierra) with Series (Black Granite) accent and Ledgestone (Buff) coping and pillar caps







Umbriano" (Summer Wheat) with Town Hall" (Burnt Clay) accent and Natural Stone (Indian Coast) step

TOP

Beacon Hill™ Flagstone (Tuscany) with Copthorne® (Basalt) accent

воттом

PAVER: Beacon Hill" Flagstone (Almond Grove) with Richcliff (Dawn Mist) and Copthorne* (Burgundy Red) circle inset WALL: Estate* Wall (Sierra) with

Ledgestone (Grey) coping and pillar caps



TOP

PAVER: Beacon Hill" Flagstone
(Almond Grove) with Courtstone* (Basalt)
and Copthorne* (3 Color Blend) accents
WALL: Estate Wall* (Almond Grove) with
Estate Wall (Almond Grove) coping and
steps and Copthorne* (3 Color Blend) insert

воттом

PAVER: Umbriano" (Summer Wheat) with Town Hall" (Burgundy Red) accent and walkway with Ledgestone" (Buff) treads

WALL, GRILL ISLAND, PILLARS AND FIREPLACE:
Brussels Dimensional System™ (Sierra) with
Town Hall (Burgundy Red) accent and
Ledgestone (Buff) coping and pillar caps

OPPOSITE

Town Hall* (3 Color Blend and Heritage Red)







TOP

Umbriano* (Summer Wheat) and Courtstone* (Basalt) accent

воттом

Thornbury™ (Sierra) with Town Hall* (Basalt) accent

OPPOSITE

PAVER: Town Hall* (3 Color Blend) with Brussels Block* (Sandstone) accent and walkway

WALL AND STEPS: Rivercrest* Wall (Buff) and Ledgestone™ (Buff) coping









BEST IN SHOW

OPPOSITE:Thornbury" (Bavarian Blend) with Courtstone' (Belgian Blue) accent

TOP:Natural Stone (Stone Cliff Grey) with Natural Stone (Black River) coping

Tribeca Cobble™ (Crystalline Basalt) with Courtstone (Pebble Taupe) accent



LEARN LOOK BEYOND THE SURFACE There's more to a successful project than what you see on the finished surface. The construction of the base and the technology that goes into

the products you choose, will determine how it looks in the years to come.



UNILOCK®

THE ORIGINAL AND STILL THE BEST

All products are NOT created equal. Many products look great when they're first installed, but after time the difference in quality shows. For over 45 years, the very best designers and contractors have relied on Unilock to supply cutting edge paving and wall products that enable them to build extraordinary projects that stand the test of time.

Today, we remain the **only company** in North America with memberships in Eurobeton and Stein + Design, two **prestigious European concrete product innovation groups.** These exclusive relationships continue to put us on the leading edge of style and technology.



CONCRETE AT ITS BEST



GOOD CLASSIC

Our budget-friendly, Unilock Classic pavers and walls are manufactured to exceed ASTM standards for quality and strength. Available in classic shapes and styles, these products utilize a traditional **product mix of large and small aggregates** that's consistent from top to bottom with color mixed throughout.

BETTER ENDURACOLOR

The refined surface of Unilock EnduraColor products is achieved with a **two step** manufacturing process that combines a base of coarser aggregates for a **stronger foundation**, with concentrated color and **wear-resistant finer aggregates on top**. This process protects the surface from the appearance of fading over time because the top layer prevents large, lighter color aggregates from ever showing through.

BEST **SELEGANCE**

Deep, rich colors and a multitude of unique Reala™ textures combine to deliver the timeless beauty of Unilock Elegance. From the timeworn look of European cobblestones, to the classic luxury of riven natural stone slabs, our Elegance collection offers styles you can't get anywhere else, and thanks to Ultima Concrete, the look you purchase is the look that will last, with up to 4x the strength of poured in place concrete.



The cost of pavers is only a small portion of the overall project budget.

DON'T COMPROMISE

Project Cost



20% Pavers

80% Excavation Gravel Base Labor

Construction
Cross Section

EXCLUSIVE UNILOCK® TECHNOLOGIES

REALA

A multitude of natural stone surfaces, brick and historic cobblestones were cast to create Unilock products utilizing Reala technology. The result is a wide variety of authentic textures with consistent dimensions which are more cost efficient to install.

REALA TECHNOLOGY PRODUCTS:

COPTHORNE', COURTSTONE', RICHCLIFF', RIVERCREST' WALL AND TOWN HALL'

ULTIMA

Only Unilock has the technology to manufacture Ultima Concrete here in North America, resulting in pavers and walls with up to four times the strength of poured concrete. The look you purchase is the look that will last.

pavers are built to last

Unilock

Town Hall

Deteriorating clay brick pavers exposed to deicing salt



ULTIMA CONCRETE TECHNOLOGY PRODUCTS:

COPTHORNE', COURTSTONE', RICHCLIFF' AND TOWN HALL'



Color and granite particles are randomly dispersed using proprietary ColorFusion technology to achieve a unique mottled surface that resembles natural granite.



UMBRIANO® AND U-CARA®

EASYCLEAN

Unlike after-market sealers which merely coat the top, EasyClean goes beyond the surface and becomes integral to the product during manufacturing. The result is enhanced surface color and protection from stains.

EASYCLEAN STAIN RESISTANCE PRODUCTS:

BRISTOL VALLEY, SENZO, UMBRIANO AND WESTPORT™

There are two EasyClean Factors (CF*) to choose from:

CLEAN FACTORS (CF)	CF 90	CF 100
Pavers are pre-sealed at the factory	*	*
Enhanced resistance to weathering	*	*
Reduced dirt absorption	*	**
Stains from leaves, coffee, ketchup, mustard, wine and BBQ oils are easier to remove	*	**

CONSTRUCTION 101

The long-term performance of your project is determined by the **quality of the work** that's done to prepare the base **below** your pavers and walls.



1 | EXCAVATION

The first step in any project is excavation of grass and topsoil.

The depth will depend on two factors:

- Soil Type Clay soil requires deeper excavation; sandy soil requires less.
- | Use Heavy loads like driveways and retaining walls require deeper excavation; lighter loads like patios and walkways require less. Depth of excavation can be reduced by adding DriveGrid™ once the soil has been removed.

2 | GRAVEL BASE

The excavated area will be filled with a base gravel.

This gravel base needs to be:

- Strong enough to handle the load of whatever is placed on the surface
- Free draining so that water drains out of the base into the subsoil.

 Retaining walls may require a perforated drain pipe in the gravel base to direct water away from the base of the wall.
- **Extended** at least six inches beyond the edges of the finished paver surface.
- | Compacted in several layers, using the proper equipment.

3 | BEDDING LAYER

A 1" (25mm) layer of sand or tiny stone chips is spread out and smoothed on top of the solid gravel base. This layer allows paver or wall units to be leveled or sloped for smoothness and drainage. Some contractors may recommend a poured concrete surface instead of a typical bedding layer, which is fine as long as the concrete is accurately poured and sits on a stable and well-drained base. *Note:* Once concrete is poured, the height of paver or wall units can no longer be adjusted.

4 | RESTRAINT SYSTEM

For pavers, an edge restraint will be secured with long metal spikes to prevent perimeter pavers from drifting out. For walls, glue may be used to secure rows of blocks and for larger retaining walls may require geogrid may be used every few layers to secure the wall into the soil that is being retained.

5 | JOINT MATERIAL

The color you choose for joint material impacts the overall aesthetic. It also plays an important role between pavers, in keeping weeds and other debris out. Your contractor can help you decide which joint material is right for your project.



BLACK SAND



TAN SAND



GREY SAND

Visit Unilock.com for joint material recommendations by product.

There are two types of joint material to choose from:

Basic Jointing Sand - Years ago, this was the only joint material available. As it wore away, issues with weeds could arise. If you choose a basic sand, we recommend that you use a joint stabilizing sealer and be prepared to replenish the sand when needed.

Polymeric Sand - This special sand stays in place longer because it is combined with a binding agent. However, it's not right for every project and needs to be installed with care to prevent hazing.

6 | SEALING

Unilock pavers will be durable with, or without, a sealer. Some homeowners choose to apply a sealer to enhance the color of the pavers, while others choose to appreciate the color of the pavers as they are. Some Unilock pavers are sold factory sealed. If you choose to seal, you should plan to re-seal every 3-5 years.




REMEMBER A quality project relies on a quality foundation. We recommend hiring a professional contractor.


Need help finding a qualified contractor?


Call us at 1-800-UNILOCK or register online at Unilock.com and we'll match you with a Unilock* Authorized Contractor in your area.

PAVER CONSTRUCTION



WALL CONSTRUCTION







PERMEABLE PROJECTS A GREENER CHOICE!

More and more homeowners are installing **permeable** paver projects to help direct rainwater away from storm sewer systems and back into the **natural ecosystem**.

We take pride in offering the widest selection of permeable pavers in North America. From traditional finishes such as Town Hall*, the only rustic style permeable paver in North America, to the contemporary styling of Eco-line*, there is a permeable Unilock product to suit any project.



Look for these Unilock Permeable Products:

Eco-Priora[™]
Town Hall^{*}
Thornbury[™]
Tribeca Cobble[™]




The pavers used in a permeable installation look similar to traditional pavers, but are made with extra space between them so rainwater can more easily flow back into the earth below.

Special materials are used in the permeable base and joints to encourage water to flow through.



Some homeowners install rainwater collection systems underneath their paver projects to supply water to in-ground sprinkler systems!





INTERESTING FACT Permeable pavers will accumulate less ice because water drains from the paver surface before it has time to freeze.

PROJECT MAINTENANCE

WEEDS CAN BE PREVENTED

When a proper base is installed, there is no soil directly beneath your pavers from which weeds can grow. However, if the joints are not kept full with jointing material, it is possible for dirt and weed seeds to blow in from the surrounding area and germinate in the joints.

In the past - a basic sand was the only jointing material available. Unless it was replenished regularly, rain would erode the sand, leaving joints vulnerable to weeds.

Today - new varieties of sand stabilizing compounds and polymeric jointing material are available which **relieves homeowners from this maintenance burden.** See page 31 for more information on jointing material choices.

A SOLID FOUNDATION PREVENTS SETTLING

When the base of your project is properly constructed, water will not accumulate underneath and cause settling.

See page 30 for more information on proper construction.

TO SEAL OR NOT TO SEAL

Some homeowners choose to apply a sealer to their project surface when it's finished, to enhance the color of their pavers. Others choose to appreciate the color of the pavers as they are. Unilock pavers will be durable with or without a sealer. If you choose to seal your project after its installed, you should plan to re-seal every three to five years.

THE CHOICE OF DESIGN PROFESSIONALS

The same Unilock* products available to homeowners are relied on by architects, landscape architects and engineers, to create world class commercial spaces across North America.















THE CHOICE OF THE BEST CONTRACTORS & CRAFTSMEN

Like a good artist needs the right paint, the best contractors use exclusive Unilock colors, textures and styles to showcase their creativity and workmanship.





CHOOSING A CONTRACTOR

Choosing the right contractor for your project is the most **important decision.** Even the best materials can be spoiled by poor installation and workmanship.

WORKMANSHIP

ago so you can see how their work holds up over time.
Ask to see projects the contractor completed more than two years

- Are the pavers laid in a way that minimizes awkward cuts? Are the curves of the project cut in a way that minimizes large gaps?
- ☐ Have edge restraints been used and still in place?
- ☐ How long does the contractor **guarantee** the work? How many warranty claims has the company had in the past two years?

SUB-CONTRACTING

Some contractors will hire other companies to perform parts of the work, like lighting and irrigation. Be sure to ask the contractor about these sub-contractors and how they will be managed.

RELEVANT EXPERIENCE

- ☐ How long has the contractor been installing pavers and walls?
- ☐ Has the contractor installed projects in the past with the features you're considering (e.g., a raised patio, retaining wall or water feature)?

BASE PREPARATION

- ☐ What are the contractor's base preparation methods? What materials are used and why?
- ☐ Is there a standard procedure for base preparation or will the contractor assess **your site's unique needs?**





HAVING TROUBLE FINDING A CONTRACTOR?

Contact us at **1-800-UNILOCK** or register online at **Unilock.com** to take advantage of our Unilock* Authorized Contractor referral program. We'll match you with a local contractor who is guaranteed to do the job right.

TIMING

- Ask the contractor how far in advance they are booking projects and **how long your project might take.**
- ☐ What is the contractor's payment terms?
- ☐ Is an upfront deposit required to **secure the timing** of the project?

DOCUMENTATION

- ☐ Does the contractor have the **proper licensing** for their work?
- ☐ Does the contractor have **liability insurance** and are employees covered by Workers Compensation?
- ☐ Will there be permits required for the job and if so, who is responsible to secure them?

COMPATIBILITY

- ☐ Do you like this contractor? Can you **easily communicate** and understand each other? Is this someone you can trust?
- Ask if the person you're meeting will be on site throughout the project or if someone else in the company will be your day-to-day contact person.
- ☐ Contacting **references** can help you understand how the contractor operates throughout a project.



DESIGN

- ☐ Does the contractor offer a design service? Is there a cost for this? Is the design hand drawn or rendered in 3D?
- Are the contractor's designs something you would like for your project?

PROJECT MANAGEMENT TIPS

1 | BUDGET

Ask your contractor to provide **good/better/best versions** of the project, or perhaps a budget that phases your project into several stages. Some contractors can even offer **payment plans** so you don't have to pay for your project right away.

2 | TIMELINE

Be sure to tell your contractor if there is a **deadline** by which the project absolutely must be completed. Rainy weather sometimes impacts the timing of projects, so be sure to understand what happens in the event of a delay.

3 | GROUND RULES

Your contractor's crew will be on your property on a daily basis. Agree to **ground rules** before the project begins. What time will work begin and end each day? What is their daily clean up routine? Where will products and equipment be stored on the site? Will they require access to your home or garage?

4 | COMMUNICATION

Establish in advance **who to contact if you have concerns** and how often you'd like your contractor to provide you with updates. If you notice something that doesn't look right on your project, be sure to let your contractor know right away.

5 | CHANGES

Even the best managed projects occasionally run into unforeseen circumstances. Be sure to understand the contractor's procedure for handling changes.

6 | PROJECT WRAP UP

If you're happy with the completed project, be sure to recommend your contractor to friends and neighbors, and don't forget to register for your Unilock product warranty at Unilock.com.

DESIGN CONSIDERATIONS

OUTDOOR LIVING

EXPAND YOUR HOME

A new outdoor living space can **add functional square footage** to your existing home by providing a new space to relax and entertain. Consider first how you would like to use the space, and then design it as an extension of your interior decorating style. Even a small space can appear bigger by using different paver colors, paver borders, elevation changes and seat walls to define distinct areas for cooking, eating and relaxing.

OUTDOOR ROOMS

Fire features are growing in popularity because they add visual interest and warmth that makes the space more enjoyable to use in cooler weather. Lighting installed in gardens, low walls, steps and pillars will also help draw people outside in the evening and adds visual appeal that you can enjoy from inside your home. Snow-covered pillars and walls can make beautiful accents to your property in the winter months.





POOL DECKS

SIZE MATTERS

When planning your pool deck, **four feet is the minimum perimeter** around the pool for basic access. However, if you intend to use the pool deck as a patio for entertaining or sunbathing, you'll need to increase this significantly. Be sure to keep in mind the size of your outdoor furniture; it's typically much bigger than indoor furniture!

SAFETY CONSIDERATIONS

The paver you choose for your pool deck deserves special consideration because you'll be **walking on it in your bare feet!** Be sure to choose a color that **won't absorb too much heat** from the summer sun. A smoother surface is pleasing to walk on, but make sure it's sufficiently **non-slip.** Umbriano is our most popular choice for pool decks. For the coping around the edge of the pool, avoid products with abrasive edges. A contrasting coping color or inset border is also something to consider, as it helps define the pool edge.

DRIVEWAYS

CURB APPEAL

A paver driveway is **an investment that adds instant curb appeal** and value to your home. When choosing a paver product it's generally a good idea to complement the main color of your home rather than to try to match it. Then, consider borders and accents to draw out specific colors from your home and create continuity. Consider adding vertical features like pillars, planters and decorative walls to further enhance the beauty of your driveway.

THINK GREEN

Permeable pavers allow rainwater to flow between the joints, through special base materials and into the subsoil below. This reduces puddling on the driveway surface when it rains, and reduces ice build-up in winter. It also provides a dual "green" benefit; not only does it reduce the amount of water that flows into storm sewers but it also provides moisture to surrounding plant material.







ENTRANCES

WELCOME GUESTS

A great looking front entrance gives guests a warm welcome. Attractive steps that are wide enough to easily navigate, **low garden walls and planter boxes**, and smartly placed lighting all contribute to a cozy feeling that smooths the transition from the street to your home. As a general rule, the minimum width for any walkway is four feet.

A PLACE TO SIT

Even a modest front yard can usually accommodate a small courtyard seating space, where a morning coffee can be enjoyed or parents can observe their children playing with neighborhood friends.



NEED MORE DESIGN IDEAS? VISIT OUR UNILOCK OUTDOOR IDEA CENTER

SEE


An expansive display of Unilock' products in a life-size outdoor setting.

TALK To our **knowledgeable staff** and we'll help you create a plan to achieve the outdoor space you're dreaming about.

TAKE FREE samples of Unilock paver and wall products home with you.



Please feel free to walk around and browse our Outdoor Idea Center at any time. Call 1-800-UNILOCK or visit Unilock.com for more details.



VISUALIZING YOUR PROJECT DESIGN

A detailed design requires a great deal of time and effort, so you can understand why many contractors charge for this service in advance.

TRADITIONALLY, LANDSCAPE DESIGNS WERE HAND DRAWN TO SCALE ON GRAPH PAPER.

While there are many contractors and designers who still prefer to draw by hand, more and more plans today are being created digitally and in 3D.

If you're having trouble imagining what your project will look like when it's complete, a 3D design can really help.



Contact us at **1-800-UNILOCK** or register online at **Unilock.com** to take advantage of our Unilock* Authorized Contractor referral program. We'll take the time to understand your project, and will match you with a local contractor who offers a 3D design service and is guaranteed to do the job right.



3D Rendering



Completed Job





Whether it's a classic paver or wall that you're looking for, or a luxurious product with all the bells and whistles of the latest technology, Unilock® has the perfect choice for your project.

CLASSIC

Our budget-friendly, Unilock Classic pavers and walls are manufactured to exceed ASTM standards for quality and strength. Available in classic shapes and styles, these products utilize a traditional product mix of large and small aggregates that is consistent from top to bottom with color mixed throughout.

STONEMARK

The highly detailed surface texture of StoneMark products is created using Reala Technology.

Combined with careful color blending, the result is surface texture and color variation resembling natural stone, but with the durability and precision of a manufactured paver or wall product.

ENDURACOLOR

The refined surface of Unilock EnduraColor products is achieved with a **two step manufacturing process** that combines a base of coarser aggregates for a **stronger foundation,** with concentrated color and **wear-resistant finer aggregates on top.** This process protects the surface from the appearance of fading over time because the top layer prevents large, lighter color aggregates from ever showing through.

PERMEABLE

To reduce the amount of rainwater that flows off the surface of your new pavers and into storm sewers, consider a permeable paving system. Unilock permeable pavers have extra wide joint spaces and are installed on a special aggregate base so water flows through, replenishing the natural ecosystem.

ELEGANCE

Deep, rich colors and a multitude of unique Reala™ textures combine to deliver the timeless beauty of Unilock Elegance. From the timeworn look of European cobblestones, to the classic luxury of riven natural stone slabs, our Elegance collection offers styles you can't get anywhere else and thanks to Ultima™ Concrete, the look you purchase is the look that will last, with up to 4x the strength of poured in place concrete.








UNILOCK' COLLECTION OF

PAVERS & SLABS

Whether your project is a light-duty patio or a heavy-duty driveway, the range of Unilock choices has never been better. From classic pavers to luxurious large-scale options, Unilock offers style and technology you can't get anywhere else.





BRUSSELS BLOCK®



ALMOND GROVE



NEW YORK BLEND



81/4 x 133/4 x 23/4" 20.8 x 34.8 x 7cm



COFFEE CREEK



SANDSTONE



STANDARD STONE 67/8 x 81/4 x 23/4" 17.3 x 20.8 x 7cm



LIMESTONE



SIERRA



HALF STONE 41/8 x 67/8 x 23/4" 10.4 x 17.3 x 7cm

TECHNICAL ADVANTAGES

CLASSIC

ANTIQUED FINISH

Distressed, timeworn finish

DRIVE FRIENDLY

Can handle vehicular loads

FULLNOSE COPING 6 x 12 x 2¾" 15 x 30 x 7cm





CASSOVA®









COLORS

ANTARA®







CLASSIC

LARGE RECTANGLE 6 x 9 x 23/8" 15 x 22.5 x 6cm

Distressed, timeworn finish

Can handle vehicular loads

ANTIQUED FINISH

DRIVE FRIENDLY



SQUARE $6 \times 6 \times 2^{3/8}$ " 15 x 15 x 6cm

CLASSIC

ANTIQUED FINISH

8½ x 4¼ x 2¾" 21.8 x 10.8 x 6cm

Distressed, timeworn finish

DRIVE FRIENDLY

Can handle vehicular loads



RUSTIC RED

CAMELOT[™]



ALMOND GROVE



SIERRA





RECTANGLE 6 x 9 x 23/8" 15 x 22.5 x 6cm



GRANITE



CHARCOAL RECTANGLE ONLY NEW FOR 2019



SQUARE $6 \times 6 \times 2^{3}/8$ " 15 x 15 x 6cm

TECHNICAL ADVANTAGES

CLASSIC

DRIVE FRIENDLY

Can handle vehicular loads

Visit Unilock.com for laying patterns.

51



ECO-PRIORA





LARGE SQUARE 10 x 10 x 31/8" 24 x 24 x 8cm SPECIAL ORDER



RECTANGLE 5 x 10 x 31/8" 12 x 24 x 8cm

SIERRA



SQUARE 5 x 5 x 31/8" 12 x 12 x 8cm SPECIAL ORDER

Also Available in Umbriano', Series", Premier or Tumbled finish as Special Order.

TECHNICAL ADVANTAGES

CLASSIC

DRIVE FRIENDLY

Can handle vehicular loads

PERMEABLE

Can be installed to allow water to flow through



HOLLANDSTONE



ALMOND GROVE



SIERRA



CHARCOAL



RUSTIC RED



GRANITE







RED

TECHNICAL ADVANTAGES

CLASSIC

DRIVE FRIENDLY

Can handle vehicular loads

STANDARD

8cm thickness is available $10 \times 20 \times 6 cm$ by Special Order.

53



TREO® CLASSIC







TECHNICAL ADVANTAGES

CLASSIC

DRIVE FRIENDLY

Can handle vehicular loads



RANDOM BUNDLE

LARGE RECTANGLE 13½ x 8½ x 2½" 33.75 x 22.5 x 6cm



SQUARE 8% × 8% × 2%" 22.5 × 22.5 × 6cm

SMALL RECTANGLE 4½ × 8% × 2¾" 11.25 × 22.5 × 6cm



WESTPORT[™]



BAVARIAN NEW FOR 2019



NEW YORK BLEND NEW FOR 2019 SIERRA NEW FOR 2019





STEEL MOUNTAIN NEW FOR 2019



CHARCOAL NEW FOR 2019 AVAILABLE IN RECTANGLE ONLY

TECHNICAL ADVANTAGES

ENDURACOLOR

Refined surface and long-lasting color

DRIVE FRIENDLY

Can handle vehicular loads

NEW FOR 2019

EASYCLEAN™ STAIN RESISTANCE - CF 90

Factory sealed to provide integral surface protection from stains



RANDOM BUNDLE

LARGE RECTANGLE

10 x 15 x 2¾" 25.4 x 38 x 7cm



10 x 10 x 23/4" 25.4 x 25.4 x 7cm



RECTANGLE 5 x 10 x 2¾" 12.7 x 25.4 x 7cm



RECTANGLE 5 x 10 x 2¾" 12.7 x 25.4 x 7cm SOLD SEPARATELY



TREO PREMIER

COLORS*

ALMOND GROVE



NEW YORK BLEND



TUSCANY



LARGE RECTANGLE 131/4 x 81/8 x 23/8" 33.75 x 22.5 x 6cm



BAVARIAN

SIERRA

SQUARE 8% x 8% x 2%" 22.5 x 22.5 x 6cm



SMALL RECTANGLE 4½ x 8¾ x 2¾" 11.25 x 22.5 x 6cm

RANDOM BUNDLE



CHARCOAL AVAILABLE IN SMALL RECTANGLE ONLY



BROWN AVAILABLE IN SMALL RECTANGLE ONLY



COPPER RIDGE



STEEL MOUNTAIN

TECHNICAL ADVANTAGES

ENDURACOLOR

Refined surface and long-lasting color

DRIVE FRIENDLY

Can handle vehicular loads



SMALL RECTANGLE 4½ x 8% x 2%" 11.25 x 22.5 x 6cm SOLD SEPARATELY



TREO° PREMIER

TOP

New York Blend

воттом

Bavarian

OPPOSITE

Almond Grove with Brussels Dimensional System™ Sunset Firepit (Sierra)









NEW YORK BLEND

TRANSITION



TECHNICAL ADVANTAGES

ENDURACOLOR

Refined surface and long-lasting color

DRIVE FRIENDLY

Can handle vehicular loads

61





THORNBURY









TECHNICAL ADVANTAGES

ENDURACOLOR®

Refined surface and long-lasting color

DRIVE FRIENDLY

Can handle vehicular loads

PERMEABLE

Can be installed to allow water to flow through



RANDOM BUNDLE

LARGE RECTANGLE 13¾ × 16½ × 2¾" 35 × 42 × 7cm



MEDIUM RECTANGLE 13¾ × 8¼ × 2¾" 35 × 21 × 7cm



SMALL RECTANGLE 6% x 8¼ x 2¾" 17.3 x 21 x 7cm

THORNBURY SMOOTH AVAILABLE IN STEEL MOUNTAIN AND ALMOND GROVE AS SPECIAL ORDER

Laying patterns can be found on page 148.

63



BEACON HILL FLAGSTONE







BAVARIAN



COFFEE CREEK





NEW YORK BLEND



SIERRA



TUSCANY

FOSSIL



STEEL MOUNTAIN



LARGE RECTANGLE 21 x 14 x 2³/₈" 54 x 36 x 6cm



SQUARE 14 x 14 x 23/8" 36 x 36 x 6cm



SMALL RECTANGLE 7 x 14 x 23/8" 18 x 36 x 6cm

RANDOM BUNDLE





TECHNICAL ADVANTAGES

ENDURACOLOR

6cm pedestrian traffic only

DRIVE FRIENDLY

Refined surface and long-lasting color

8cm drive friendly available by special order



BEACON HILL™ **FLAGSTONE**

TOP

PAVER: Almond Grove

WALL: Estate Wall* (Sierra) with Town Hall* (Basalt) accent

воттом

Tuscany with Copthorne* (Basalt) accent

OPPOSITE
PAVER: Almond Grove with Copthorne
(Burgundy Red) accent

WALL: Estate Wall (Sierra) and Ledgestone (Grey) coping







BEACON HILL SMOOTH



COPPER RIDGE



SIERRA



TUSCANY



LARGE RECTANGLE 21 x 14 x 23/8" 54 x 36 x 6cm



SQUARE 14 x 14 x 2³/₈" 36 x 36 x 6cm

FOSSIL NEW FOR 2019

STEEL MOUNTAIN



SMALL RECTANGLE 7 x 14 x 23/8" 18 x 36 x 6cm

RANDOM BUNDLE



Laying patterns can be found on page 148.

XL UNIT 21 x 35 x 23/8" 54 x 90 x 6cm SOLD SEPARATELY

TECHNICAL ADVANTAGES

ENDURACOLOR

Refined surface and long-lasting color

DRIVE FRIENDLY

6cm pedestrian traffic only 8cm drive friendly available by special order





BEACON HILL™ SMOOTH

TOP

PAVER: Steel Mountain with Copthorne* (Basalt) accent

WALL, FIREPIT AND WATER FEATURE:

Rivercrest* Wall (Buff) with Ledgestone™ (Buff) coping

воттом

Tuscany with Natural Stone coping

OPPOSITE

PAVER: Steel Mountain SEAT WALL AND PILLAR:

U-Cara" (Steel Mountain Pitched Face) with U-Cara (Opal Blend Smooth Face) and Universal Coping (Light Grey) with Ledgestone" (Grey) pillar cap










BRISTOL VALLEY®





STEEL MOUNTAIN

BAVARIAN



RANDOM BUNDLE

LARGE RECTANGLE 21¼ X 14½ x 2¾" 54 x 36 x 6cm

SQUARE 141/8 x 141/8 x 23/8" 36 x 36 x 6cm

CHEST ST.

SMALL RECTANGLE 71/16 x 141/8 x 23/8" 18 x 36 x 6cm TECHNICAL ADVANTAGES

ENDURACOLOR

Refined surface and long-lasting color

PEDESTRIAN ONLY

NEW FOR 2019

EASYCLEAN™ STAIN RESISTANCE - CF 90

Factory sealed to provide integral surface protection from stains



BRISTOL VALLEY®

TOP

PAVER: Steel Mountain WALL: Rivercrest* Wall (Coastal Slate) and Ledgestone™ (Buff) coping and pillar caps


воттом

PAVER: Steel Mountain with Copthorne* (Basalt) accent

WALL: Brussels Dimensional System[™] (Sierra)

OPPOSITE

PAVER: Bavarian with Brussels Block* (Sandstone) and Copthorne* (Burnt Clay) accents









MATTONI







TECHNICAL ADVANTAGES

ENDURACOLOR

Refined surface and long-lasting color

ANTIQUED FINISH

Distressed, timeworn finish

DRIVE FRIENDLY

Can handle vehicular loads

STANDARD 21/4 x 91/2 x 23/4"

6 x 24 x 7cm



ARTLINE

COLORS*

STEEL MOUNTAIN - SMOOTH FINISH



TUSCANY - SMOOTH FINISH

TECHNICAL ADVANTAGES

ENDURACOLOR

Refined surface and long-lasting color

DRIVE FRIENDLY

Can handle vehicular loads



COPPER RIDGE - SMOOTH FINISH



FRENCH GREY - UMBRIANO FINISH

UMBRIANO® FINISH


COLORFUSION" TECHNOLOGY
Subtly mottled color finish

EASYCLEAN[™] STAIN RESISTANCE - CF 90

Factory sealed to provide integral surface protection from stains



2 COLOR BLEND (WINTER MARVEL & FRENCH GREY) - UMBRIANO FINISH BLENDED ON SITE



79



$\mathbf{ARTLINE}^{\scriptscriptstyle\mathsf{TM}}$

TOP

Steel Mountain with Series[™] (Black Granite) accent

воттом

2 Color Blend (French Grey and Winter Marvel)

OPPOSITE

Steel Mountain with Series (Black Granite) accent







TOP

Indian Coast with Black River banding

воттом

PAVER: Stone Cliff Grey

GRILL ISLAND AND FIREPIT:

Rivercrest" Wall (Buff) and Rivercrest Firepit (Buff)



NATURAL STONE

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

SANDSTONE



PLEASE CONTACT YOUR CONTRACTOR OR A LOCAL UNILOCK AUTHORIZED DEALER FOR MORE INFORMATION AND AVAILABILITY.

LOOKING FOR MORE INFORMATION? Contact us at 1-800-UNILOCK to receive your free Natural Stone catalog today!

72 x 16 x 2"

183 x 40 x 5cm

48 x 16 x 2"

120 x 40 x 5cm

83



TOP

Gotham Nero

воттом

Rimini



PORCELAIN TILE

Suitable for wood deck and concrete overlays.













GOTHAM NERO







TRAVSTONE BEIGE

TRAVSTONE NOCE

ARBOR BIANCO NEW FOR 2019















EIKON GEA



GRAUSTEIN

RIMINI NEW FOR 2019



235/8 x 235/8 x 3/4" 60 x 60 x 2cm



ARBOR BIANCO, ARBOR GRAY AND ARBOR NATURAL SIZES ONLY



UMBRIANO®

TECHNICAL ADVANTAGES

ENDURACOLOR

protection from stains

COLORFUSION™ **TECHNOLOGY** Subtly mottled color finish

can handle vehicular loads

PEDESTRIAN ONLY

Refined surface and long-lasting color

Factory sealed to provide integral surface

16 x 16", 8 x16" and 8 x 8" sizes of 7cm

EASYCLEAN™ STAIN RESISTANCE - CF 90



FRENCH GREY



MIDNIGHT SKY



WINTER MARVEL









ARTLINE SIZE - FRENCH GREY See page 79 for more information



HARVEST BROWN



ARTLINE SIZE - WINTER MARVEL See page 79 for more information



LARGE RECTANGLE 21 x 14 x 23/8" 54 x 36 x 6cm

SPECIAL ORDER



SQUARE 14 x 14 x 23/8" 36 x 36 x 6cm



SMALL RECTANGLE 7 x 14 x 23/8" 18 x 36 x 6cm

RANDOM BUNDLE





12 x 24 x 2¾' 30 x 60 x 7cm SPECIAL ORDER





8 x 16 x 23/4" 20 x 40 x 7cm SPECIAL ORDER



8 x 8 x 2¾" 20 x 20 x 7cm SPECIAL ORDER



UMBRIANO®

TOP

PAVER: Summer Wheat with Town Hall*

(Burnt Clay) accent

STEPS: Natural Stone (Indian Coast)

coping and steps

воттом


French Grey with Copthorne* (Basalt) accent

OPPOSITE

Summer Wheat









LEFT

SERIES BANDING IDEA FOR WALL

Rivercrest* Wall (Coastal) with Black Granite accent and Ledgestone™ (Grey) coping

RIGHT

SERIES BANDING IDEA FOR PAVER

Richcliff* (Dawn Mist) with Black Granite accent

воттом

SERIES BANDING IDEA FOR PAVER

Artline (Steel Mountain) with Black Granite accent





SERIES[™]



TECHNICAL ADVANTAGES

ENDURACOLOR

Refined surface and long-lasting color Granite, Quartz and Marble surface materials

BLACK GRANITE AVAILABLE IN 6 x 6" AND 4 x 8" ONLY



LARGE RECTANGLE 21 x 14 x 23/8" 54 x 36 x 6cm



SQUARE 14 x 14 x 23/8" 36 x 36 x 6cm

PEPPERED GRANITE



SMALL RECTANGLE 7 x 14 x 23/8" 18 x 36 x 6cm

RANDOM BUNDLE



4 x 8 x 2¾" 10 x 20 x 7cm **AVAILABLE IN BLACK GRANITE ONLY**



12 x 12 x 2¾" 30 x 30 x 7cm SPECIAL ORDER



 $6 \times 12 \times 2\frac{3}{4}$ " 15 x 30 x 7cm SPECIAL ORDER



6 x 6 x 2¾" 15 x 15 x 7cm SPECIAL ORDER





TRIBECA COBBLE[™]





CRYSTALLINE BASALT

PEPPERED GRANITE



LARGE RECTANGLE 51/8 x 12 x 23/4" 13 x 30.5 x 7cm

MEDIUM RECTANGLE 51/8 x 9 x 23/4" 13 x 23 x 7cm



SMALL RECTANGLE 51/8 x 7 x 23/4" 13 x 17.5 x 7cm

TECHNICAL ADVANTAGES

ENDURACOLOR

Refined surface and long-lasting color

Granite, Quartz and Marble surface materials

DRIVE FRIENDLY

Can handle vehicular loads



Can be installed to allow water to flow through

CURB UNIT 11.5 x 9 x 4 x 7" 29 x 23 x 10 x 18cm

RANDOM BUNDLE





SENZO[™]







ENDURACOLOR"

TECHNICAL ADVANTAGES

Refined surface and long-lasting color

EASYCLEAN™ STAIN RESISTANCE - CF 100

Factory sealed to provide integral surface protection from stains

DRIVE FRIENDLY

Can handle vehicular loads



8 x 16 x 2³/₄" 20 x 40 x 7cm SPECIAL ORDER

95






Inspired by the texture of natural cut flagstone, Richcliff offers superior durability and timeless appeal for driveways, patios, walkways and commercial projects.

A multitude of stone textures were cast using Reala[™]
Technology, to ensure that finished projects will have a completely random, and natural appearance. And unlike natural stone, which can crack, split and fade, Richcliff is virtually indestructible. Ultima[™] Concrete
Technology makes Richcliff up to four times stronger than conventional poured concrete. A new large rectangle size is now available for use on its own or in combination with the traditional 3-stone random bundle for expanded patterning options and a larger scale look.







DAWN MIST



PEBBLE TAUPE / DAWN MIST BLENDED ON SITE



-

SQUARE 9 x 9 x 23/8" 22.6 x 22.6 x 6cm



SMALL RECTANGLE 6 x 9 x 23/8" 15 x 22.6 x 6cm

RICHCLIFF®

TECHNICAL ADVANTAGES

♦ ELEGANCE

Deep rich colors and unique textures

REALA™ TECHNOLOGY

Cast natural stone

ULTIMA™ CONCRETE TECHNOLOGY

Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY

Random Bundle can handle vehicular loads



LARGE RECTANGLE 21 × 12 × 2¾" 52.8 × 30.2 × 6cm SOLD SEPARATELY

PEBBLE TAUPE

SMOKE SHALE






♦ ELEGANCE

COURTSTONE®

The polished look of Courtstone brings a luxurious, old-world elegance to driveways and walkways, with Ultima™ which provides up to four times the strength of conventional poured concrete. Using Reala™ Technology, the unique shapes of Courtstone were cast from real European cobblestones, but manufactured with a consistent base for efficient installation and superior interlock. It's a look that has remained popular for centuries. The stone's non-linear shape means it's possible to create smooth looking curves with minimal cuts. This, in combination with a rich color palette, makes Courtstone a frequent choice for borders and banding accents.







BASALT



DAWN MIST



BELGIAN BLUE



PEBBLE TAUPE



BASALT / BELGIAN BLUE BLENDED ON SITE



DAWN MIST / PEBBLE TAUPE

COURTSTONE®

TECHNICAL ADVANTAGES

ELEGANCE

Deep rich colors and unique textures

REALA™ TECHNOLOGY

Cast from historic European cobble stones

ULTIMA™ CONCRETE TECHNOLOGY

Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY

Can handle vehicular loads



XL RECTANGLE 51/8 x 83/8 x 23/8" 13 x 21.5 x 6cm



LARGE RECTANGLE 51/8 x 71/4 x 23/8" 13 x 18.5 x 6cm



RECTANGLE 51/8 x 61/2 x 23/8" 13 x 16.5 x 6cm



SMALL RECTANGLE 51/8 x 53/4 x 23/8" 13 x 14.5 x 6cm



SQUARE 51/8 x 51/8 x 23/8" 13 x 13 x 6cm

RANDOM BUNDLE

Laying patterns can be found on page 148.





♦ ELEGANCE

TOWN HALL

The substantial proportions and unique color blending of Town Hall is modeled after historic North American clay street pavers. The timeless look makes it an excellent choice for driveways, patios, walkways and more, in either traditional or permeable applications. The rich colors and classic shape also make it popular for borders, banding and other accents in pavers, walls and vertical features. To ensure projects have a random appearance, Town Hall textures were cast from a multitude of different surfaces using Reala™ Technology, and Ultima™ Concrete Technology was used to create superior durability. The result is vintage, streetscape charm that stands the test of time.







BURGUNDY RED



HERITAGE RED





STANDARD $4 \times 9\frac{3}{4} \times 2\frac{3}{4}$ " 10 x 25 x 7cm



BURNT CLAY



HERITAGE CLAY





HERITAGE 2 COLOR BLEND BLENDED ON SITE



3 COLOR BLEND BLENDED ON SITE



BASALT

TOWN HALL®

TECHNICAL ADVANTAGES

ELEGANCE

Deep rich colors and unique textures

REALA™ TECHNOLOGY

Cast from historic brick

ULTIMA™ CONCRETE TECHNOLOGY

Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY

Can handle vehicular loads



Can be installed to allow water to flow through

Laying patterns can be found on page 148.

107





ELEGANCE* COPTHORNE*

Inspired by the rich color and timeworn beauty of European street pavers, Copthorne offers more delicate dimensions than Town Hall*. These proportions make it possible to design curved walkways and borders using Copthorne, without the need for cutting. Cast using Reala™ Technology for an authentic surface appearance, and using Ultima™ Concrete Technology to deliver up to four times the strength of conventional poured concrete, Copthorne offers timeless beauty for driveways, walkways, patios, vertical feature accents and more.







BURGUNDY RED



3 COLOR BLEND BLENDED ON SITE



BURNT CLAY



BASALT



OLD OAK



STEEL BLUE

COPTHORNE®

TECHNICAL ADVANTAGES



Deep rich colors and unique textures

REALA™ TECHNOLOGY

Cast from historic brick

ULTIMA™ CONCRETE TECHNOLOGY

Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY

Can handle vehicular loads



STANDARD 2½ x 7½ x 2¾" 6.5 x 20 x 6cm

111





PAVERS

BORDERS & BANDING

Like crown molding provides the finishing touch to a room in your home, smartly planned borders and banding in your driveway, walkway or patio can elevate your project from good to great.





PAVER Artline™ (French Grey & Winter Marvel)
ACCENT Series™ (Black Granite)



PAVER Mattoni (Sable Blend)
ACCENT Mattoni (Dark Charcoal)



PAVER Umbriano* (Harvest Brown)
ACCENT Brussels Block* (Sandstone)



PAVER Bristol Valley* (Bavarian)
ACCENT Town Hall (Basalt)



PAVER Treo* (Tuscany)
ACCENT Copthorne* (Burnt Clay)



PAVER Artline (Copper Ridge)ACCENT Senzo™ (Cremo)



PAVER Richcliff* (Pebble Taupe & Dawn Mist)
ACCENT Courtstone* (Basalt)



PAVER Natural Stone (Hearthstone)
ACCENT Copthorne (3 Color blend)



PAVER Umbriano (Winter Marvel)
ACCENT Senzo (Nuvola)

113





UNILOCK' COLLECTION OF

RETAINING WALLS & VERTICALS

Unlimited creative possibilities exist for retaining soil or building vertical features like grill islands and firepits. Now the durability of EnduraColor™ is available, thanks to our new U-Cara® multi-face wall system.



U-CARA

The U-Cara Multi-Face Wall System represents a revolution in wall design.

This patented system, exclusive to Unilock*, is comprised of two basic components:

Sure Track™ backer blocks provide dimensionally accurate structure

U-Cara fascia panels provide unlimited design options



1

CHOOSE YOUR BLOCK



SURE TRACK STANDARD BACKER 6 x 8 x 6" 15 x 20 x 15cm



SURE TRACK LARGE BACKER 6 x 7 x 12" 15 x 17.5 x 30cm



SELECT YOUR FASCIA STYLE



STANDARD FASCIA PANEL 6 x 18½ x 2¾"
15 x 46.6 x 6cm



U-Cara fascia panels are available in a variety of colors and textures, including **exclusive Unilock EnduraColor**™ **finishes**.

CLOSED END PANELS FOR CORNERS

CORNER BUNDLE



STANDARD FASCIA HALF PANEL (Umbriano, Series, Pitched & Smooth) 6 × 9¼ × 2¾" 15 × 23.3 × 6cm



CLOSED-END FASCIA PANEL (Umbriano, Series, Pitched & Smooth) 6 × 21 × 2³/₈" 15 × 53 × 6cm

COPING AND BASE UNITS




UNIVERSAL COPING 19 x 14 x 2³/₄" 48.2 x 35.5 x 7cm



UNIVERSAL BASE UNIT 19 x 14 x 2" 48.2 x 35.5 x 5.5cm



SURE TRACK CORNER INSERT L = 2" 5cm



U-CARA®

TOP

WALL AND FIREPIT:

Opal (Smooth Face) with Universal Coping (Light Grey) **PAVER:** Artline™

(French Grey - Umbriano* Finish)

воттом

ISLAND AND PILLARS:

Steel Mountain (Pitched Face) PAVER: Beacon Hill™ Smooth (Steel Mountain) with Umbriano* (Midnight Sky) accent

OPPOSITE

GRILL ISLAND:

Opal (Smooth Face) with Steel Mountain (Pitched Face) accent and Universal Coping (Light Grey) **WALL:** Steel Mountain (Pitched Face) with Universal Coping (Light Grey)









LEFT - SEAT WALL

Summer Wheat (Umbriano* Finish) with Natural Stone (Indian Coast) coping PAVER: Umbriano (Summer Wheat) with Town Hall* (3 Color Blend) accent

RIGHT - SEAT WALL

Sierra (Pitched Face) with Ledgestone™ Fullnose Coping (Buff) **PAVER:** Beacon Hill™ Flagstone with Mattoni

GRILL ISLAND

Opal (Smooth Face) with Steel Mountain (Pitched Face) accent and Universal Coping (Light Grey)



U-CARA

Refined surface and long-lasting color

UMBRIANO° FINISH







SUMMER WHEAT

FRENCH GREY

SERIES™ FINISH





PEPPERED GRANITE

SERIES FINISH

UMBRIANO FINISH

Granite, Quartz and Marble surface materials

TECHNICAL ADVANTAGES

ENDURACOLOR

COLORFUSION™ TECHNOLOGYSubtly mottled color finish

PITCHED FACE





BAVARIAN STEEL MOUNTAIN

SMOOTH FACE








SIERRA TUSCANY OPAL

U-Cara Fascia panels can be placed anywhere along the Sure Track Backer Block, allowing for a variety of patterns, color and texture combinations not possible with other systems.



121





LEFT

PILLARS AND STEPS: Rapid Pillar System (Buff) with Ledgestone™ (Buff) treads

RIGHT

FIRE FEATURE: Coastal Slate with Natural Stone (Black River) coping

воттом

GRILL ISLAND: Coastal Slate with Copthorne* (Basalt) accent PAVERS: Umbriano* (Winter Marvel) and Courtstone* (Basalt) accent



RIVERCREST WALL

COLORS*

COASTAL SLATE

TECHNICAL ADVANTAGES

STONEMARK

Naturally detailed surface

REALA™ TECHNOLOGY

Cast from natural stone



In 2013, Rivercrest Wall received the "red dot" award for high design quality and innovation.

www.registration.pd.red-dot.de

RAPID PILLAR SYSTEM



BUFF





STANDARD UNIT 2 12 x 9-10 x 21/4" 31 x 23-25 x 6cm



STANDARD UNIT 4 17 x 9-10 x 21/4" 42.5 x 23-25 x 6cm

RANDOM BUNDLE



JUMPER UNIT 1 8 x 9-10 x 4½" 20 x 23-25 x 11.4cm



JUMPER UNIT 2 12 x 9-10 x 4½" 31 x 23-25 x 11.4cm



JUMPER UNIT 3 12 x 9-10 x 4½" 31 x 23-25 x 11.4cm



JUMPER UNIT 4 17 x 9-10 x 4½" 42.5 x 23-25 x 11.4cm

JUMPER BUNDLE



LONG CORNER UNIT 17 ½ x 9-10 x 2 ¼" 45 x 23-25 x 5.7cm





SHORT CORNER UNIT 14 ½ x 9-10 x 2 ¼" 37.5 x 23-25 x 5.7cm



JUMPER CORNER UNIT 12 x 9-10 x 4½" 31 x 23-25 x 11.4cm



UNIVERSAL BASE UNIT 19 x 14 x 2" 48.2 x 35.5 x 5.5cm



20 x 20 x 4½" 50 x 50 x 11.4cm

Pillar cap sold separately.

COPING

For Rivercrest Wall we recommend using Ledgestone 24" x 12" coping (page 143). For coping options see pages 140-147.





RIVERCREST FIREPIT KIT

See page 133 for more information.





LEFT


GRILL ISLAND: Sierra PAVER: Artline™ (Sierra) with Town Hall® (Basalt) accent

RIGHT

PILLAR AND WALL: Limestone with Series™ (Black Granite) accent and Ledgestone™ (Grey) coping and pillar cap

воттом


SEAT WALL AND WATER FEATURE: Limestone with Natural Stone (Stone Cliff Grey) coping PAVER: Richcliff' (Dawn Mist and Pebble Taupe) with Courtstone' (Basalt) accent



LINEO® DIMENSIONAL STONE



SIERRA MIDNIGHT CHARCOAL AVAILABLE IN PILLAR/CORNER UNIT ONLY



LINEO FIREPIT KIT Available in Almond Grove, Limestone and Sierra. See page 134 for more information.



COPING

For Lineo Dimensional Stone pillar we recommend using Lineo 29" x 29" pillar cap. For coping options we recommend using Natural Stone (page 83) or Ledgestone (page 143).





LEFT

WALL AND FIREPIT: Sierra **PAVERS:** Beacon Hill™ (Almond Grove) with Copthorne* (Basalt) accent

RIGHT
SEAT WALL AND PILLARS: Almond Grove

воттом

GRILL ISLAND: Almond Grove with Copthorne (Basalt) accent



ESTATE WALL®





ALMOND GROVE

GRANITE

SIERRA



6" LARGE UNIT 15 (12½) x 6 x 9" 38 (32) x 15 x 23cm



6" MEDIUM UNIT 12½ (10) x 6 x 9" 32 (25) x 15 x 23cm



6" SMALL UNIT 10 (7½) x 6 x 9" 25 (19) x 15 x 23cm



6" CORNER 12½ x 6 x 9" 32 x 15 x 23cm



COPING UNIT 3 x 12 x 9 x 12" 7.5 x 30 x 22.8 x 30cm

COPING BUNDLE



COPING UNIT 3 x 12 x 11 x 12" 7.5 x 30 x 28 x 30cm

6" RANDOM BUNDLE



3" LARGE UNIT 15 (12½) x 3 x 9" 38 (32) x 7.5 x 23cm

3" RANDOM BUNDLE



3" MEDIUM UNIT 12½ (10) x 3 x 9" 32 (25) x 7.5 x 23cm



3" SMALL UNIT 10 (7½) x 3 x 9" 25 (19) x 7.5 x 23cm



3" (ORNER 12½ x 3 x 9" 32 x 7.5 x 23cm



UNIVERSAL BASE UNIT 19 x 14 x 2" 48.2 x 35.5 x 5.5cm

COPING

For Estate Wall we recommend using Ledgestone $24" \times 12"$ coping (page 143). For coping options see pages 140-147.



127





LEFT

WATER FEATURE: Limestone with Copthorne* (Basalt) accent and Ledgestone™ (Grey) coping PAVER: Copthorne (Basalt)

RIGHT

FIREPIT AND TV UNIT: Sandstone with Brussels Fullnose™ (Sandstone) coping

PAVER: Beacon Hill™ Flagstone (Bavarian) with Copthorne® (3 Color Blend) accent

воттом

GRILL ISLAND: Sandstone with Series" (Black Granite) accent and Brussels Fullnose (Sandstone) ledge PAVER: Brussels Block* (Sandstone)



BRUSSELS DIMENSIONAL SYSTEM®







ALMOND GROVE








SANDSTONE SIERRA **NEW YORK BLEND**







12" UNIT 12 {9} x 4 x 8" 30.5 {22.9} x 10 x 20cm



9" UNIT 9 {6} x 4 x 8" 22.9 {15.2} x 10 x 20cm



WALL BUNDLE

STANDARD/CORNER 4 x 8 x 12" 10 x 20 x 30.5cm



TAPERED COPING 12 {9} x 3 x 12" 30.5 {22.9} x 7.6 x 30.5cm



UNIVERSAL BASE UNIT 19 x 14 x 2" 48.2 x 35.5 x 5.5cm

SUNSET FIREPIT KITS

AVAILABLE COLORS: Almond Grove, Limestone and Sierra.



See page 134 for more information.



COPING

For Brussels Dimensional System we recommend using Ledgestone 24" x 12" coping. See page 143 for color options.





ТОР

Sierra XL with Concord Wall Coping


воттом

Almond Grove with Concord Wall Step treads and coping PAVER: Richcliff' (Pebble Taupe and Dawn Mist Blend)

OPPOSITE

Sierra with Concord Wall Coping

PAVER: Beacon Hill* Flagstone
(Steel Mountain) with Copthorne*
(Burgundy Red) accent





CONCORD WALL



ALMOND GROVE



GRANITE



SIERRA



XL UNIT 16 x 6 x 12" 40 x 15 x 30cm



TAPERED 8 x 6 x 12" 20 x 15 x 30cm



CORNER 12 x 6 x 8" 30 x 15 x 20cm



WEDGE CAP UNIT 31/3 x 93/4 {85/8} x 13" 8.6 x 24.8 x 33cm



COPING / STEP TREAD 24 x 3 x 12" 60 x 7.5 x 30cm



UNIVERSAL BASE UNIT 19 x 14 x 2" 48.2 x 35.5 x 5.5cm



ROMAN WALL®







ALMOND GROVE

GRANITE



TAPERED 8 x 6 x 12" 20 x 15 x 30cm



CORNER 12 x 6 x 8" 30 x 15 x 20cm




ROMAN CAP 9¾ x 3⅓ x 13″ 24.8 x 8.5 x 33cm UNIVERSAL BASE UNIT 19 x 14 x 2" 48.2 x 35.5 x 5.5cm

FIREPIT KITS

RIVERCREST FIREPIT KIT This firepit kit is built with the Rivercrest* Wall. See page 123.







FIREPIT GRILL Firepit grill is included and fits securely into the firepit.





ROMANSTACK* FIREPIT KIT This firepit kit uses RomanStack. Accessories available, see page 135.







GRANITE



SIERRA

FIREPIT LID

Firepit lid is available and fits securely into firepit.



FIREPIT KITS

SUNSET FIREPIT KIT This firepit kit uses Brussels Dimensional System™ and is available in both round and square styles. See page 129.











ALMOND GROVE

SIERRA



LINEO® FIREPIT KIT This firepit kit uses Lineo Dimensional Stone. See page 125.





ALMOND GROVE







SIERRA


FIREPIT LID

Firepit lid is available and fits securely into the firepit.

FIREPIT KIT ACCESSORIES

The following accessories are available for any firepit kit.


CONTACT YOUR LOCAL TERRITORY MANAGER FOR DETAILS.



UNILOCK REDUCED SMOKE INSERT

UTILIZING ZENTRO TECHNOLOGY

There's nothing like relaxing around a fire to bring family and friends closer together. But with ordinary fires, smoke always blows in someone's face - usually yours. With Unilock Reduced Smoke Inserts, stinging eyes are a thing of the past. Zentro's patent-pending technology reburns smoke before it gets anywhere near your eyes. Say hello to good time and good-bye to smoke.



ZENTRO TECHNOLOGY FIREPIT INSERT

PRE-BUILT FIREPLACES



BELLA SPECIAL ORDER

The Bella pre-built fireplace is constructed from Rivercrest* Wall (page 123).



BARCELONA SPECIAL ORDER

The Barcelona pre-built fireplace is constructed from Brussels Dimensional System (page 129) available in Sierra with Umbriano* (page 87) accents.



TUSCANY SPECIAL ORDER

The Tuscany pre-built fireplace is constructed from Brussels Dimensional System[™] (page 129) and Copthorne^{*} (page 109) accents.



WOOD BOXES SPECIAL ORDER



HEARTH SPECIAL ORDER

FIRE FEATURES & WATER FEATURES



LINEO' DIMENSIONAL STONE

This contemporary firepit feature is built with Lineo Dimensional Stone (page 125) and Ledgestone™ coping (page 143).



LINEO' DIMENSIONAL STONE

This contemporary water feature is built using Lineo Dimensional Stone (page 125) and Natural Stone (page 147).



U-CARA™

This custom fire feature is built using our new U-Cara Multi-Face Wall System (page 117) and Universal coping (page 145).



RIVERCREST' WALL

This poolside water feature is built using Rivercrest Wall (page 123) and Natural Stone (page 147) coping.



RIVERCREST WALL

The fire table above is built using Rivercrest Wall (page 123) and Ledgestone coping (page 143).



BRUSSELS DIMENSIONAL SYSTEM

The unique water feature above is built with Brussels Dimensional System and Brussels Fullnose[™] (page 129) with Ledgestone pillar cap (page 143) and Copthorne accent (page 111).



LOOKING FOR SOMETHING DIFFERENT? Speak to your contractor about using Unilock products to build a custom fire feature and water feature or pillar that's just right for your project.

GRILL ISLAND & PILLARS



LINEO* DIMENSIONAL STONE

This modern grill island is built using Lineo Dimensional Stone (page 125).



U-CARA

The unique pillar and seat wall is built using our new U-Cara Multi-Face Wall System (page 117) and Universal coping (page 145) with Ledgestone™ pillar cap (page 143).



RIVERCREST' WALL

This exceptional grill island is built using Rivercrest Wall (page 123) with Umbriano (page 87) accent.



BRUSSELS DIMENSIONAL SYSTEM™

This double pillar entrance unit is built using Brussels Dimensional System (page 129) with Ledgestone pillar cap (page 143) and Town Hall* (page 107) accent.



U-CARA*

This unique grill is built using our new U-Cara Multi-Face Wall System (page 117) with Universal coping (page 145) and porcelain tile (page 85) counter-top.



RIVERCREST PILLAR UNIT

The pillar above is built using the Rivercrest Wall Rapid Pillar System (page 123) with Umbriano* (page 87) accent and Ledgestone (page 143) pillar cap.



LOOKING FOR SOMETHING DIFFERENT? Speak to your contractor about using Unilock products to build a custom grill island or pillar that's just right for your project.






WALLS

BORDERS & BANDING

Using contrasting colors and textures to band landscape walls and other vertical features is a popular design touch. These features can be coordinated with borders and banding in the paving portion of your project.






WALL Rivercrest Wall (Buff)
ACCENT Senzo[™] (Castano)



WALL Brussels Dimensional System[™] (Sierra)
ACCENT Copthorne[®] (3 Color Blend)



WALL Lineo* Dimensional Stone (Limestone)
ACCENT Lineo Dimensional Stone (Midnight Charcoal)



WALL Estate Wall (Sierra)ACCENT Copthorne (3 Color Blend)



WALL Brussels Dimensional System[™] (Limestone)ACCENT Copthorne (Basalt)



WALL Rivercrest* Wall (Coastal Slate)
ACCENT Series™ (Black Granite)



WALL U-Cara (Opal) Smooth Face
ACCENT U-Cara (Black Granite) Series Finish



WALL U-Cara (Summer Wheat) Umbriano* Finish
ACCENT Town Hall (Burnt Clay)



WALL U-Cara (Bavarian) Pitched Face
ACCENT U-Cara (Tuscany) Smooth Face

139





UNILOCK COLLECTION OF

STEPS, TREADS & COPING

From classic, fullnose shapes to pitched-face edges, our steps, treads and coping offer a wide variety of choices for the finishing touch on your project.





LEFT

Ledgestone Fullnose Buff with Brussels Dimensional System™ (Sierra)

RIGHT

Ledgestone Step Buff

BOTTOMLedgestone Coping Buff with Brussels Dimensional System (Limestone)



LEDGESTONE STEPS & COPING





TECHNICAL ADVANTAGES

STONEMARK

Naturally detailed surface

REALA™ TECHNOLOGY

Cast from natural stone

BUFF









24 x 12 x 2³/₄"



48" STEP 48 x 24 x 6" 122 x 61 x 15.2cm



NEW FOR 2019

30 x 13½ x 2¾" 122 x 61 x 7cm









30 x 13½ x 2¾" 122 x 61 x 7cm





LEDGESTONE PILLAR CAP

24" PILLAR CAP 24 x 24 x 3½" 60 x 60 x 9cm 28" PILLAR CAP 28.5 x 28.5 x 3½" 72 x 72 x 9cm















BRUSSELS FULLNOSE TUMBLED & CLASSIC





BAVARIAN















NEW YORK

ALMOND GROVE

144





UNIVERSAL COPING & ARCHITECTURAL PILLAR CAP



48.2 x 35.5 x 7cm









TECHNICAL ADVANTAGES

ENDURACOLOR[®]

Refined surface and long-lasting color





CONCORD WALL



GRANITE







ESTATE WALL COPING







24 x 3 x 12"

60 x 7.5 x 30cm



WEDGE CAP UNIT 31/3 x 93/4 {85/8} x 13" 8.6 x 24.8 x 33cm


COPING UNIT

COPING UNIT 3 x 12 x 9 x 12" 7.5 x 30 x 22.8 x 30cm



COPING UNIT 3 x 12 x 11 x 12" 7.5 x 30 x 28 x 30cm

COPING BUNDLE





NATURAL STONE COPING & STEPS



AUTUMN HARVEST



NATURAL EDGE COPING 4' 48 x 12 x 2" 120 x 30 x 5cm

48 x 16 x 2" 120 x 40 x 5cm NATURAL EDGE COPING 6' 72 × 12 × 2" 183 × 30 × 5cm

72 x 16 x 2" 183 x 40 x 5cm



STONE CLIFF GREY



FULLNOSE COPING 4' FULLNOSE COPING 6' 48 × 12 × 2" 72 × 12 × 2" 120 × 30 × 5cm 183 × 30 × 5cm



INDIAN COAST



NATURAL EDGE STEP 4' 48 x 16 x 2" 120 x 40 x 5cm




183 x 40 x 15cm





24" PILLAR (AP 24 x 24 x 2½" 60 x 60 x 6.5cm

28" PILLAR CAP 28.5 x 28.5 x 3" 72 x 72 x 7.5cm


POPULAR LAYING PATTERNS









BEACON HILL / BRISTOL VALLEY G -





BRUSSELS BLOCK Z - 67% XL, 20% Standard,

BEACON HILL / BRISTOL VALLEY H -













COURTSTONE* - 100% Random Bundle










POPULAR LAYING PATTERNS



INDFX

PAVERS AND WALLS

Antara® 50 Architectural Pillar Cap 145 Artline™ 79...6, 9, 13, 17 Beacon Hill™ Flagstone 65...19-20 Beacon Hill™ Smooth 69...14, 46, 114 Bristol Valley® 73...9 Brussels Block® 49...7, 13, 23 Brussels Dimensional System™ 129...5, 10, 13, 17, 20 Brussels Fullnose™ 144...13 Camelot™ 51 50 Cassova® Concord Wall™ 131 Concord Wall Coping & Cap 146 Copthorne* 109...7, 9, 12-13, 20 101...7, 20-21, 23-24 Courtstone® Eco-Priora™ 52 Estate Wall® 127...20 Estate Wall Coping 146 Hollandstone™ 53 Ledgestone™ 143...6, 10, 13, 17, 19 Lineo® Dimensional Stone 125...4, 10, 13 Mattoni 77...18 Natural Stone 83...4-5. 11. 25 147...6 Natural Stone Coping & Steps Porcelain Tile 85 Richcliff* 97...5, 10, 15 Rivercrest® Wall **123...2-3**, 5, 9, 16, 19, 23 Roman Wall® 132 95 Senzo™ Series™ 91...9, 10, 17 Thornbury™ 63...14, 22, 24 Transition™ 61 Treo® Classic 54 Treo® Premier 57 Tribeca Cobble™ 93...12, 25 Town Hall* 105...7, 16, 20-21,23 U-Cara® 117...8, 11, 17, 114

87...2-3, 7-9, 16-18, 20, 22

145...114

55

TOPICS OF INTEREST

Borders and Banding, Pavers 112-113 Borders and Banding, Walls 138-139 Classic ColorFusion™ 29...79, 87, 121 Construction 101 140-147 Coping EnduraColor™ 28 Elegance^{**} EasyClean™ 29...55, 73, 79, 87, 95 **Firepits** 133-135...5, 8, 10, 17 Fireplaces 135...10, 20 Grill Islands 137...10, 16 Joint Material 31 148-149 Laying Patterns 33 Maintenance Outdoor Idea Center 42 Permeable Pavers 32...52, 63, 93, 107 **Pillars** 137...9, 13, 23 Design 40...39 Reala™ 29...97, 101, 105, 109, 123, 143 Retaining Walls 115-132...2, 10, 18-19 Sealing 33 Steps 140-147 Ultima™ 29...97, 101, 105, 109



Water Features

ON THE COVER

136...13, 17

PAVER: Beacon Hill Smooth (Steel Mountain) with Town Hall (Basalt) accent

SEAT WALL: U-Cara (Steel Mountain Pitched Face) with U-Cara (Opal Smooth Face) accent and Universal Coping (Light Grey) with Ledgestone (Light Grey) pillar cap

FIREPIT: U-Cara (Opal Smooth Face)

Unilock Ltd. and Hengestone Holdings, Inc. are the owners or authorized users of all trademarks used in this publication unless otherwise specified.

Senzo[™] and Umbriano[®] are trademarks of Metten Stein + Design GmbH & Co KG used under license by Unilock[®]. Measurements throughout this portfolio are nominal.

Not all products shown are available at all Unilock locations. Log on to Unilock.com for availability.

*Colors shown in this catalog should be used only as a guide. Colors should always be chosen from actual samples. Contact your local Unilock representative for color availability in your area.

©2019 Hengestone Holdings, Inc.

Umbriano[®]

Westport™

Universal Coping

Quality FOR US, IT'S PERSONAL

ver 40 years ago, our founder stumbled upon a unique little European product called the Uni-Stone. Intrigued by the benefits of this revolutionary paving method, he decided to license the product and bring the concept to North America. He purchased a basic paver machine from Europe and hired a small staff to produce the stones.

In those days, most sales of Unilock* were to large-scale commercial properties and streetscapes. Any lapse in quality would be costly and would jeopardize our owner's personal reputation. So quality was of paramount importance.

From these humble beginnings, through to the multinational company we are today, Unilock has remained a

family-owned company that puts quality first. For us, it's not just a matter of dollars and cents, it's our personal reputation that's on the line. Our customers - Homeowners, Contractors, Landscape Designers and Architects, across North America - can rely on us to supply them with quality product every time.



We provide a Transferable
Lifetime Guarantee on the
structural integrity of our
paving stones, slabs and
retaining wall units for
residential use. Any materials
installed and maintained
to our guidelines, and subject
to normal wear, that prove
defective, will be replaced
without cost. Color matching
cannot be guaranteed
and replacement labor
is not included.



Founder Ed Bryant - circa 1972



UNILOCK.COM | 1-800-UNILOCK

BOSTON (508) 278-4536

BUFFALO (716) 822-6074

CHICAGO (630) 892-9191

MILWAUKEE (262) 742-3890

KANSAS (913) 417-7985

MICHIGAN (248) 437-7037 NEW YORK (845) 278-6700

MID-ATLANTIC (202) 798-2060

ONTARIO (416) 646-9000

OHIO / WESTERN PA (330) 927-4000

CINCINNATI / KY / TN (513) 202-0219

