

### **PREMIUM QUALITY**

## NATURAL STONE



FOR OVER 40 YEARS, UNILOCK HAS LED THE LANDSCAPE INDUSTRY with the best selection of manufactured hardscape products. Today we are pleased to extend our reputation for uncompromising quality to an impressive line of premium natural stone from India.

Premium Quality Natural Stone from Unilock is not only aesthetically beautiful, but has also been selected based on its low water absorption, incredible freeze-thaw durability and strength, especially significant in the colder regions of United States and Canada.

### APPLICATION TYPE







Step





### INDIAN COAST





SANDSTONE



- | Subtle range of cream and buff tones
- | Sandblasted and brushed surface
- Sawn edge

### **AVAILABLE SIZES**

12 x 24 x 1/8" 30 x 60 x 2.2cm

24 x 36 x 1/8" 60 x 91 x 2.2cm 24 x 24 x 1/8" 60 x 60 x 2.2cm

18 x 24 x 1/8" 45 x 60 x 2.2cm

**Natural Edge Coping** 12 x 48 x 2" 30 x 120 x 5cm

**Fullnose Coping** 12 x 48 x 2" 30 x 120 x 5cm

Not suitable for vehicular applications. Note: All measurements are nominal.



### STONE CLIFF GREY





SANDSTONE



- | Soft grey tones
- | Riven surface
- | Natural edge

### **AVAILABLE SIZES**

12 x 24 x 1/8" 30 x 60 x 2.2cm

24 x 36 x 1/8" 60 x 91 x 2.2cm 24 x 24 x 1/8" 60 x 60 x 2.2cm

18 x 24 x 1/8" 45 x 60 x 2.2cm

**Natural Edge Coping** 12 x 48 x 2" 30 x 120 x 5cm

**Fullnose Coping** 12 x 48 x 2" 30 x 120 x 5cm

Not suitable for vehicular applications. Note: All measurements are nominal.



### **BLACK RIVER**





LIMESTONE



- | Dark grey and black tones
- | Riven surface
- | Sawn edge

### **AVAILABLE SIZES**

12 x 24 x 1/8" 30 x 60 x 2.2cm

24 x 36 x 1/8"

60 x 91 x 2.2cm

60 x 60 x 2.2cm

18 x 24 x 1/8" 45 x 60 x 2.2cm

 $24 \times 24 \times \%$ "

**Natural Edge Coping** 12 x 48 x 2" 30 x 120 x 5cm

**Fullnose Coping** 12 x 48 x 2" 30 x 120 x 5cm

Not suitable for vehicular applications. Note: All measurements are nominal.

# PREMIUM QUALITY NATURAL STONE

The long-term performance and slip-resistance of Premium Quality Natural Stone from Unilock make it an excellent choice for many applications. It features a low-profile thickness which is particularly well-suited to a concrete or wooden deck overlay where height or weight of the material might be constrained.

Premium Quality Natural Stone from Unilock should always be installed by a qualified contractor for best results. Refer to the Unilock Natural Stone Installation Guide for complete installation specifications.

Fairstone is your assurance that these products are quarried and processed to the strict standards of the ethical trading initiative, ensuring that no child labor is used, fair wages are paid and safe working conditions are maintained.



UNILOCK.COM | 1-800-UNILOCK

BOSTON (508) 278-4536

OHIO (330) 927-4000 NEW YORK (845) 278-6700

BUFFALO (716) 822-6074 MICHIGAN (248) 437-7037 ONTARIO (416) 646-9000

CHICAGO (630) 892-9191 MILWAUKEE (262) 742-3890

Color ranges may vary from order to order. Natural Stone from Unilock is precisely processed with only a +/-  $2 \, \text{mm}$  variance.

©2016 Hengestone Holdings, Inc.

