2019 PRODUCT DATA



UNILOCK QUALITY GUARANTEED



GOOD CLASSIC

Our budget-friendly, Unilock Classic pavers and walls are manufactured to exceed ASTM standards for quality and strength. Available in classic shapes and styles, these products utilize a traditional **product mix of large and small aggregates,** that's consistent from top to bottom, with color mixed throughout.

BETTER ENDURACOLOR

The refined surface of Unilock Enduracolor products is achieved with a **two step manufacturing process** that combines a base of coarser aggregates for a **stronger foundation**, with concentrated color and **wear-resistant finer aggregates on top.** This process protects the surface from the appearance of fading over time because the top layer prevents large, lighter color aggregates from ever showing through.

BEST 🗞 ELEGANCE

Deep, rich colors and a multitude of **unique Reala**[™] **textures** combine to deliver the timeless beauty of Unilock Elegance. From the timeworn look of European cobblestones, to the classic luxury of riven natural stone slabs, our Elegance collection offers styles you can't get anywhere else and thanks to Ultima Concrete, the look you purchase is the look that will last, with up to **4x the strength** of poured in place concrete.



EXCLUSIVE UNILOCK TECHNOLOGIES

REALA[™]

Ultra realistic textures cast from Natural Stone, brick and historic cobblestones.

ULTIMA

A proprietary manufacturing process creates pavers with up to four times the strength of poured concrete.

A proprietary technology that disperses color randomly for a natural granite-like appearance.

EASYCLEAN™


Factory sealed to provide integral surface protection from stains

There are two Clean Factors (CF®) to choose from:

CLEAN FACTORS (CF)	CF 90	CF 100
Pavers are pre-sealed at the factory	*	*
Enhanced resistance to weathering	*	*
Reduced dirt absorption	*	**
Stains from leaves, coffee, ketchup, mustard, wine and BBQ oils are easier to remove	*	**

NEW 2019





PAGE	UNIT PAVERS		PAGE	UNIT PAVERS	
2	Anchorlock		21	Umbriano [®]	
2	Antara®		22	Uni Eco-Stone [™]	
3	Artline™		22	Westport [™] EASYCLEAN	NEW
4	Beacon Hill [™] Flagstone				
4	Beacon Hill™ Smooth				
5	Bristol Valley [®] EASYCLEAN	NEW	PAGE	RETAINING WALLS	
5	Brussels Fullnose [™] & Fullnose Eo	dger™	23		тм
6	Brussels Block [*]		23 24	Brussels Dimensional System Concord Wall [™]	
6	Camelot™		24 25		
7	Cassova®		25 26	DuraHold DuraHold2 [®]	
7	City Park Paver™		26 27		
8	Copthorne [®]		27 33	Estate Wall® Lineo™ Dimensional Stone	
9	Courtstone [*]				
9	Dura Mat™		34 75	Rivercrest [®] Wall	
10	Eco-Line®		35	Roman Wall	
10	Eco-Optiloc™		36 77	SienaStone	
11	Eco-Priora [™]		37	U-CARA®	
12	Eco-Promenade [®]		39	Ledgestone [™] Steps & Coping	Auchite study Dillow
12	Hollandstone™		40	Universal Base & Coping and	Architectural Pillar
13	ll Campo [®]				
13	Mattoni		PAGE	NATURAL STONE & POR	CELAIN
14	Optiloc [*]		41	Natural Stone	
14	Promenade [™] Plank Paver		43	Porcelain	
15	Richcliff"				
15	Senzo™		PAGE	PRODUCT & INSTALLA	TION INFORMATION
16	Series [™]		44	Unilock Elements	
17	Thornbury [™] Permeable		45	Unilock Firepits	
17	Thornbury [™] Smooth	NEW	47	Accessories - Cleaners, Seale	rs & Sands
18	Town Hall [®]		51	Edge Restraints, SilcaSystem	, Paversaver UniMat,
18	Transition™			Unilyft, Landscape Fabric, Sp	ikes and Grid System
19	Treo [™] Classic		53	Special Order Tools & Access	ories
19	Treo™ EnduraColor™		54	Important Notes	
20	Tribeca Cobble™		55	Laying Patterns	
20	Turfstone™		58	Finishes	
			59	Product Directory	


ANCHORLOCK®



NATURAL SPECIAL ORDER



STANDARD 8⁷/₈" x 8⁷/₈" x 3¹/₈" 22.5cm x 22.5cm x 8cm SPECIAL ORDER



	Unit		SqF	t Per		Per B	undle	Sol	dier LnFt	Per	Sa	ilor LnFt j	per		Units Per			Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Uxbridge Manufacturin	g																		
Standard	31/8" (8cm)	78.70	11.24		0.402	7	-	-	-		-	-	-	2.49	-	196	420	-	2,937

Notes: Special Order from standard colors - Lead time required. Minimum quantities apply. This product is optimized for mechanical installation. *Sold in full bundles only. 1/3 stones incorporated within the standard bundle. All measurements are nominal.

Internal Use Only. ANC BO

ANTARA®





ALMOND GROVE

SIERRA



6" x 9" x 2³/₈" 15cm x 22.5cm x 6cm



GRANITE

SQUARE 6" x 6" x 2¾" 15cm x 15cm x 6cm



	Unit		SqF	t Per		Per B	undle	Sol	dier LnFt	Per	Sa	ilor LnFt j	per		Units Per			Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Uxbridge Manufacturing																			
Rectangle 6cm	2¾" (6cm)	104.06		20.81	0.385	-	5	0.783	26.6	132.9	-	-	-	2.60	54	270		585	2,927
Square 6cm	2¾" (6cm)	97.75		13.96	0.259	-	7	0.525	26.6	186.0	-	-	-	3.87	54	378		391	2,737

Notes: All measurements are nominal.

ARTLINE[™]

ENDURACOLOR



STEEL MOUNTAIN ENDURACOLOR FINISH



TUSCANY ENDURACOLOR FINISH



WINTER MARVEL UMBRIANO FINISH



COPPER RIDGE ENDURACOLOR FINISH



2 COLOR BLEND **BLENDED ON SITE**





FRENCH GREY

UMBRIANO FINISH











Random Bundle Individual units cannot be sold separately

6¾" x 4⁷/₈" x 2¾" (16.9cm x 12.5cm x 7cm)

 $10^{3}\!\!/_{8}'' \times 4^{7}\!\!/_{8}'' \times 2^{3}\!\!/_{4}'' \quad 13^{3}\!\!/_{8}'' \times 4^{7}\!\!/_{8}'' \times 2^{3}\!\!/_{4}''$ (26.25cm x 12.5cm (33.75cm x 12.5cm x 7cm) x 7cm)

17¾" x 4¾" x 2¾" (45cm x 12.5cm x 7cm)

8% x 7% x 2%(22.5cm x 18.75cm (33.75cm x 18.75ci x 7cm)

133⁄8" x 7½" x 2¾" x 7cm)

m	17¾" x 7½" x 2¾ (45cm x 18.75cm x 7cm)

	Unit		SqF	t Per		Per E	Bundle	Sol	dier LnFt	Per	Sa	ilor LnFt	per		Units Per			Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Brewster Manufacturing	g																		
Random Bundle		93.25	11.66			8	-	-	-	-	-	-	-	-	-	192	373	-	2,986
10 3⁄8" x 4 7⁄8"	2¾" (7cm)	11.30	-	-	0.353	-	-	-		-	0.41		27.56	2.83		32	-	-	-
13 ¾" x 4 ⁷ ⁄8"	2¾" (7cm)	14.53	-	-	0.454	-	-	-		-	0.41		35.43	2.20		32	-	-	-
13 ¾" x 7 ½"	2¾" (7cm)	10.90	-	-	0.681	-	-	-		-	0.62		17.72	1.47		16	-	-	-
17 ¾" x 4 %"	2¾" (7cm)	19.38	-	-	0.605	-	-	-		-	0.41		47.24	1.65		32	-	-	-
17 ¾" x 7½"	2¾" (7cm)	14.53	-	-	0.91	-	-	-		-	0.62		23.62	1.10		16	-	-	-
6 ¾" x 4 ⁷ / ₈ "	2¾" (7cm)	7.28	-	-	0.227	-	-	-		-	0.41		17.74	4.40		32	-	-	-
8 1⁄8" x 71⁄2"	2¾" (7cm)	14.53	-	-	0.454	-	-	-		-	0.62		23.62	2.20		32	-	-	-

Notes: Product sold in full bundles only. All measurements are nominal. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Contact Unilock for information. Internal Use Only. ART NY

BEACON HILL[™] FLAGSTONE



ALMOND GROVE



LARGE RECTANGLE

54cm x 36cm x 6cm

21" x 14" x 2³/₈"

SIERRA



STEEL MOUNTAIN

SQUARE

14" x 14" x 2³/₈"

36cm x 36cm x 6cm



COFFEE CREEK




be sold separately Random Bund

FOSSIL

SMALL RECTANGLE

18cm x 36cm x 6cm

7" x 14" x 2³/8"





XL UNIT

21 x 35 x 2³/₈" 53 x 88 x 6cm SOLD SEPARATELY

ENDURACOLOR

	Unit		SqF	t Per		Per B	lundle	Sol	dier LnFt	Per	Sa	ilor LnFt	oer		Units Pe	·		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Layer	Bundle	Layer	Section	Bundle
Brewster Manufacturing	9																		
Random Bundle		93.62	10.40	-	-	9	-	-	-	-	-	-	-	-	-	72	282	-	2,541
Large Rectangle	2¾" (6cm)		-	-	2.09	-	-	1.77	-	21.26	1.18	-	31.89	0.48	2	18	-	-	-
Small Rectangle	2%" (6cm)		-	-	0.70	-	-	1.18	-	15.94	0.59	-	31.89	1.43	3	27	-	-	-
Square	2¾" (6cm)		-	-	1.40	-	-	1.18	-	31.89	1.18	-	31.89	0.72	3	27	-	-	-
XL Unit	2¾" (6cm)	94.16	10.46	-	-	9	-	-	-	-	-	-	-	-	2	18	287	-	2,584

Notes: Sold in full bundles only. All measurements are nominal. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Contact Unilock for information. 6cm product is not intended for vehicular applications. 8cm thickness available via Special Order. Please contact your local representative for details Internal Use Only. BHF NY

BEACON HILL[™] SMOOTH



SIERRA



STEEL MOUNTAIN

TUSCANY



FOSSIL **NEW FOR 2019**



LARGE RECTANGLE

54cm x 36cm x 6cm

21" x 14" x 2³/₈"



SQUARE 14" x 14" x 2³/₈" 36cm x 36cm x 6cm



be sold separately Random Bund



XL UNIT

21 x 35 x 2³/₈" 53 x 88 x 6cm SOLD SEPARATELY

Unit SQFT Per Per Bundle Soldier LnFt Per Sailor LnFt per Units Per Stones & Bundling Thickness Bundle Layer Section Layers Sections SqFt Section Bundle SqFt																			
		Jnits Per	Units Pe	Units		per	ilor LnFt j	Sa	Per	ldier LnFt	Sol	lundle	Per B		t Per	SqF		Unit	
Brewster Manufacturing	undle L	Section E	Section	t Secti	SqFt	Bundle	Section	SqFt	Bundle	Section	SqFt	Sections	Layers	Stone	Section	Layer	Bundle	Thickness	Stones & Bundling
																		g	Brewster Manufacturing
Random Bundle 93.62 10.40 - - 9 - - - - - 72	72	-	-	7 -	0.77	-	-	-	-	-	-	-	9	-	-	10.40	93.62		Random Bundle
Large Rectangle 2 [%] " (6cm) 37.67 2.093 1.77 - 21.26 1.18 - 31.89 0.48 - 18	18	-	-	8 -	0.48	31.89	-	1.18	21.26	-	1.77	-	-	2.093	-	-	37.67	2¾" (6cm)	Large Rectangle
Small Rectangle 2%" (6cm) 18.83 0.698 1.18 - 15.94 0.59 - 31.89 1.43 - 27	27	-	-	3 -	1.43	31.89	-	0.59	15.94	-	1.18	-	-	0.698	-	-	18.83	2¾" (6cm)	Small Rectangle
Square 2¾" (6cm) 37.67 1.395 1.18 - 31.89 1.18 - 31.89 0.72 - 27	27	-	-	2 -	0.72	31.89	-	1.18	31.89	-	1.18	-	-	1.395	-	-	37.67	2¾" (6cm)	Square
XL Unit 2¾" (6cm) 94.16 10.46 9 2 18	18 2	2	2	2	-	-	-	-	-	-	-	-	9	-	-	10.46	94.16	2¾" (6cm)	XL Unit

Notes: Sold in full bundles only. All measurements are nominal. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Contact Unilock for information. 6cm product is not intended for vehicular applications. 8cm thickness available via Special Order. Please contact your local representative for details.

ENDURACOLOR

4 **UNILOCK**

BRISTOL VALLEY[®] EASYCLEAN

ENDURACOLOR





STEEL MOUNTAIN



LARGE RECTANGLE 21¼" x 141/8" x 23/8" 54cm x 36cm x 6cm



SQUARE 141/8" x 141/8" x 23/8" 36cm x 36cm x 6cm



stain can develop.

TECHNICAL ADVANTAGE EasyClean[™] Stain Resistance - CF 90 An integral surface protection that allows for easier cleanup of spills when they happen, and before a

SMALL RECTANGLE 7¹/₁₆" x 14¹/₈" x 2³/₈" 18cm x 36cm x 6cm



	Unit		SqF	t Per		Per B	undle	Sol	dier LnFt	Per	Sa	ilor LnFt j	per		Units Pe	r		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Uxbridge Manufacturin	g																		
Random Bundle		104.00	10.40			10	-	-	-	-	-	-	88.58	-	-	80	293	-	2,929
Large Rectangle	2¾" (6cm)	41.68	-	-	2.084	-	-	-		-	-		35.43	0.48		20	-	-	-
Small Rectangle	2¾" (6cm)	20.77	-	-	0.692	-	-	-		-	-		17.72	1.43		30	-	-	-
Square	2¾" (6cm)	41.55	-	-	1.395		-	-		-	-		35.43	0.72		30	-	-	-

be sold separately Random Bundle

Notes: Sold in full bundles only. All measurements are nominal. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Read the Polymeric Sand advisory on page 50. Contact Unilock for information. Product is not intended for vehicular applications.

Internal Use Only. BRV BO

BRUSSELS FULLNOSE[™] & FULLNOSE EDGER[™]

SIERRA



ALMOND GROVE





COFFEE CREEK LIMESTONE



BAVARIAN



NEW YORK



SANDSTONE

BRUSSELS FULLNOSE 6" x 12" x 2³/₄" 15cm x 30cm x 7cm

FULLNOSE EDGER 6" x 12" x 2³/₄" 15cm x 30cm x 7cm

	Unit		SqF	t Per		Per B	lundle	Sol	dier LnFt	Per	Sa	ilor LnFt p	ber		Units Per			Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Uxbridge Manufacturin	g																		
Standard	2¾" (7cm)	96.00		24.00	0.500	8	4	-	24	96	-	-	-	2.00	48	192	-	706	2,740

Notes: Units can be adhered to pool edge using Unilock Concrete Adhesive, or with mortar. Always observe proper construction techniques when adhering pavers to a surface. Consult your local pool contractors for installation specifics. All measurements are nominal.

Internal Use Only. BFN NE FUL BO

BRUSSELS BLOCK®



ALMOND GROVE



COFFEE CREEK



LIMESTONE



NEW YORK BLEND



SANDSTONE

SIERRA



20.8cm x 34.8cm x 7cm



STANDARD STONE 6⁷/₈" x 8¹/₄" x 2³/₄" 17.3cm x 20.8cm x 7cm



HALF STONE 4¹/₈" x 6⁷/₈" x 2³/₄" 10.4cm x 17.3cm x 7cm

	Unit		SqF	t Per		Per B	lundle	Sol	dier LnFt	Per	Sa	ilor LnFt	per		Units Per	r		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Uxbridge Manufacturin	g																		
Half	2¾" (7cm)	88.70	-	12.67	0.198	-	7	0.580	21.8	152.9	0.34	37.38	261.63	5.05	64	448	-	398	2,789
Standard	2¾" (7cm)	88.60	-	12.66	0.396	-	7	0.677	18.7	130.8	0.58	21.84	152.86	2.53	32	224	-	398	2,788
XI	2¾" (7cm)	76.53	-	25.51	0.797	-	3	1.168	21.8	65.5	0.70	36.54	109.61	1.25	32	96	-	836	2,507

Notes: All measurements are nominal.

Internal Use Only. BBK BO

CAMELOT™



ALMOND GROVE



GRANITE



RUSTIC RED







RECTANGLE

6" x 9" x 2³/8"



SQUARE 6" x 6" x 2³/8" 15cm x 22.5cm x 6cm 15cm x 15cm x 6cm

CHARCOAL

RECTANGLE ONLY

	Unit		SqF	t Per		Per B	undle	Sol	dier LnFt	Per	Sa	ilor LnFt	per		Units Per	r		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Uxbridge Manufacturin	Uxbridge Manufacturing																		
Rectangle	2¾" (6cm)	112.50	-	22.50	0.417	-	5	0.847	26.6	132.9	-	-	-	2.40	54	270	-	630	3,150
Square	2¾" (6cm)	116.00	-	16.57	0.276	-	7	0.561	29.5	206.7	-	-	-	3.62	60	420	-	464	3,247

Notes: Tumbled available by special order only. Lead Time Required. Minimum quantities apply. All measurements are nominal.

CASSOVA[®]



ALMOND GROVE



GRANITE

SIERRA





STANDARD 4¼" x 8½" x 23/8" 10.8cm x 21.8cm x 6cm

	Unit		SqF	t Per		Per B	undle	Sol	dier LnFt	Per	Sa	ilor LnFt j	oer		Units Per			Lbs Per	
Stones & Bundling	Thickness	Bundle	ndle Layer Section Stone La			Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Uxbridge Manufacturin	g																		
Rectangle 6cm	2¾" (6cm)	95.06	-	19.01	0.264	-	5	0.745	25.5	127.6	-	-	-	3.79	72	360	-	532	2,661

Notes: Product is shipped on a refundable skid. All measurements are nominal.

Internal Use Only. CAS BO

ENDURACOLOR

CITY PARK PAVER[™] 《

CUSTOM COLORS & FINISHES AVAILABLE



BRUSHED FINISH



STANDARD FINISH





UMBRIANO[®] FINISH

WASHED FINISH





8" x 8" x 31/8" 20cm x 20cm x 8cm SPECIAL ORDER

 $8'' \times 8'' \times 2^3/_4''$ 20cm x 20cm x 7cm SPECIAL ORDER

	Unit		SqF	t Per		Per B	undle	Sol	dier LnFt	Per	Sa	ilor LnFt j	oer		Units Per			Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Brewster Manufacturing																			
Non-Permeable	2¾" (7cm)	73.92			0.385	-	-	-	-		-	-	-	2.60	-	192	-	-	2,450
Permeable	31/8" (8cm)	59.24			0.385	-	-	-	-		-	-	-	2.60	-		-	-	2,168

Notes: Special Order - Lead Time Required. Minimum quantities apply. Sold in full bundles only and is shipped on a refundable skid. Follow installation procedures for brushed and smooth finished. Permeable version is also available by special order. Contact Unilock for more information. All measurements are nominal. Internal Use Only. CPP NY

COPTHORNE[®]



BURGUNDY RED

BASALT



BURNT CLAY

STEEL BLUE



OLD OAK



BURGUNDY RED/

BURNT CLAY/OLD OAK Sold Separately/ Blended on Site

TECHNICAL ADVANTAGES

Reala[™] Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

Ultima[™] Concrete Technology

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.



	Unit		SqF	t Per		Per B	undle	Sol	dier LnFt	Per	Sa	ilor LnFt	per		Units Per			Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Ayr Manufacturing																			
2.5"x8" Full Bundle	2¾" (6cm)	89.20	11.15		0.149	8	-	0.697	-	127.9	0.23	49.21	393.69	6.73	75	600	294	-	2,349
2.5"x8" Half Bundle	2¾" (6cm)	44.60	11.15		0.149	4	-	0.697	-	64.0	0.23	-	196.85	6.73	-	300	294	-	1,174

Notes: *Sold in full or half bundles only and shipped on a refundable skid. Half bundles are available in all colors and are Special Order with lead time required and subject to a fee. All measurements are nominal. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Read the Polymeric Sand advisory on page 50. Contact Unilock for information.

Internal Use Only. COP ON

STANDARD 2¹/₂" x 7⁷/₈" x 2³/₈" 6.5cm x 20cm x 6cm

8

COURTSTONE[®]



BASALT

BASALT/

BELGIAN BLUE

Sold Separately/

Blended on Site



BELGIAN BLUE

DAWN MIST/

PEBBLE TAUPE

Sold Separately/

Blended on Site

DAWN MIST

PEBBLE TAUPE

TECHNICAL ADVANTAGES

Reala[™] Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

Ultima[™] Concrete Technology

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.









XL RECTANGLE LARGE RECTANGLE 5¹/₈" x 8³/₈" x 2³/₈" 13cm x 21.5cm x 6cm

5¹/₈" x 7¹/₄" x 2³/₈" 13cm x 18.5cm x 6cm

RECTANGLE 5¹/₈" x 6¹/₂" x 2³/₈" 13cm x 16.5cm x 6cm

SMALL RECTANGLE $5^{1}/8'' \times 5^{3}/4'' \times 2^{3}/8''$ 13cm x 14.5cm x 6cm



ndividual

units cannot Bundl

aom

	Unit		SqF	t Per		Per B	lundle	Sol	dier LnFt	Per	Sa	ilor LnFt	per		Units Pe	r		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Ayr Manufacturing																			
Full Bundle		98.30	12.29			8	-	-	-	-	-	-	221.5	3.91	-	384	291	-	2,326
Large Rectangle	2¾" (6cm)	16.57	-	-	0.259	-	-	-		-	0.427		38.8	3.86		64	-	-	-
Rectangle	2¾" (6cm)	14.78	-	-	0.231	-	-	-		-	0.427		34.6	4.33		64	-	-	-
Small Rectangle	2¾" (6cm)	12.99	-	-	0.203	-	-	-		-	0.427		30.4	4.93		64	-	-	-
Square	2¾" (6cm)	11.64	-	-	0.182	-	-	-		-	0.427		27.3	5.50		64	-	-	-
XL Rectangle	2¾" (6cm)	38.51	-	-	0.301	-	-	-		-	0.427		90.3	3.32		128	-	-	-
Half Bundle		49.15	12.29			4	-	-	-	-	-	-	110.8	3.91	-	192	291	-	1,163
Large Rectangle	2¾" (6cm)	8.28	-	-	0.259	-	-	-		-	0.427		19.4	3.86		32	-	-	-
Rectangle	2¾" (6cm)	7.39	-	-	0.231	-	-	-		-	0.427		17.3	4.33		32	-	-	-
Small Rectangle	2¾" (6cm)	6.49	-	-	0.203	-	-	-		-	0.427		15.2	4.93		32	-	-	-
Square	2¾" (6cm)	5.82	-	-	0.182	-	-	-		-	0.427		13.6	5.50		32	-	-	-
XL Rectangle	2¾" (6cm)	19.25	-	-	0.301	-	-	-		-	0.427		45.1	3.32		64	-	-	-

Notes: *Sold in full or half bundles only and shipped on a refundable skid. Half bundles are available in all colors and are Special Order with lead time required and subject to a fee. All measurements are nominal. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Read the Polymeric Sand advisory on page 50. Contact Unilock for information.

Internal Use Only. CRT ON



Section Bundle Section Bundle Stones & Bundling Thickness Bundle Layer Section Stone Layers Sections SqFt SqFt SqFt Section Bundle Section Bundle Layer Gormley Manufacturin 2,240 4" (10cm) 78.40 0.36 Standard 11.20 2.80 7 28 320 -

Notes: Sold in full bundles only and is shipped on a refundable skid. All measurements are nominal.

Internal Use Only. DMT ON

ECO-LINE®

 \bigcirc

x 10cm)

CUSTOM COLORS & FINISHES AVAILABLE UMBRIANO[®] FINISH WASHED FINISH **BRUSHED FINISH ENDURACOLOR**[™] FINISH Individual units cannot be sold separately Random Bund 14" x 35/16" x 4' 121/2"x 35/16" x 4" 11" x 35/16" x 4" 9³/₈" x 3⁵/16" x 4" (35.7cm x 8.4cm (31.7cm x 8.4cm (27.7cm x 8.4cm (23.7cm x 8.4cm x 10cm) x 10cm) x 10cm) x 10cm) e 14" x 4½" x 4 12½ x 4½" x 4" 11" x 4½" x 4" 9³/₈" x 4¹/₂" x 4" (35.7cm x 11.4cm (31.7cm x 11.4cm (27.7cm x 11.4cm (23.7cm x 11.4cm

	Unit		SqF	t Per		Per B	Bundle	Sol	dier LnFt	Per	Sa	ilor LnFt	per		Units Per	r		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Brewster Manufacturing	9																		
Random Bundle		55.17														192			2,522
11 x 3.3125	4" (10cm)	6.01	-	-	0.250	-	-	-	-	-	-	-	-	3.99	-	24	-	-	-
11 x 4.5	4" (10cm)	8.16	-	-	0.340	-	-	-	-	-	-	-	-	2.94	-	24	-	-	-
12.5 x 3.3125	4" (10cm)	6.88	-	-	0.287	-	-	-	-	-	-	-	-	3.49	-	24	-	-	-
12.5 x 4.5	4" (10cm)	9.34	-	-	0.389	-	-	-	-	-	-	-	-	2.57	-	24	-	-	-
14x3.3125	4" (10cm)	10.51	-	-	0.438	-	-	-	-	-	-	-	-	2.28	-	24	-	-	-
14 x 4.5	4" (10cm)	7.75	-	-	0.323	-	-	-	-	-	-	-	-	3.10	-	24	-	-	-
9.375 x 3.3125	4" (10cm)	5.14	-	-	0.214	-	-	-	-	-	-	-	-	4.67	-	24	-	-	-
9.375 x 4.5	4" (10cm)	6.98	-	-	0.291	-	-	-	-	-	-	-	-	3.44	-	24	-	-	-

Notes: Sold in full bundles only. ALL Eco-Line is Special Order. Custom finish and color options are available - Ask your Territory Manager. All measurements are nominal. Internal Use Only. EOL ON

x 10cm)

ECO-OPTILOC[™] (2)

CUSTOM COLORS & FINISHES AVAILABLE



x 10cm)

BRUSHED FINISH FINISH

> STANDARD 10¼" x 10¼" x 31/8" 26cm x 26cm x 8cm SPECIAL ORDER



x 10cm)



STANDARD FINISH



WASHED FINISH



	Unit		SqF	t Per		Per B	lundle	Sol	dier LnFt	Per	Sa	ilor LnFt	per		Units Per	·		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Uxbridge Manufacturin	ng																		
Standard	3¼" (8cm)	64.33	9.19		0.511	7	-	-	-		-	-	-	1.96	-	126	292	-	2,047

Notes: Most standard colors are available by special order only and subject to minimum quantities. Contact your representative for details. This product is optimized for mechanical installation. Sold in full bundles only and is shipped on a refundable skid. All measurements are nominal. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Contact Unilock for information.

ECO-PRIORA[™] (∕)



COFFEE CREEK





LARGE SQUARE 10" x 10" x 3¹/₈" 24cm x 24cm x 8cm **SPECIAL ORDER**



GRANITE BLEND

RECTANGLE 5" x 10" x 3¹/₈" 12cm x 24cm x 8cm



SIERRA

SQUARE 5" x 5" x 3¹/₈" 12cm x 12cm x 8cm **SPECIAL ORDER**







LARGE SQUARE 10" x 10" x 3¹/₈" 24cm x 24cm x 8cm **SPECIAL ORDER**

COFFEE CREEK

SPECIAL ORDER

GRANITE BLEND SPECIAL ORDER

RECTANGLE

5" x 10" x 31/8"

12cm x 24cm x 8cm

SPECIAL ORDER



SIERRA SPECIAL ORDER

Note: 10" x 10" tumbled finish has

different packaging than standard finish.





AUT







24cm x 24cm x 8cr SPECIAL ORDER



MIDNIGHT SKY SPECIAL ORDER

RECTANGLE

5" x 10" x 31/8"

12cm x 24cm x 8cm

SPECIAL ORDER



SQUARE 5" x 5" x 3¹/₈" 12cm x 12cm x 8cm **SPECIAL ORDER**



T WINTER MARVEL
R SPECIAL ORDER



	ů ,				Per B	undle	Sol	dier LnFt	Per	Sa	ilor LnFt	per		Units Per			Lbs Per		
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Uxbridge Manufacturin	g																		
10"x10"	31⁄8" (8cm)	86.60	12.37		0.619	7	-	0.786	-	110.2	0.79	-	110.24	1.62	-	140	443	-	3,099
5"x10"	31⁄8" (8cm)	74.59	10.66		0.304	7	-	0.773	-	96.4	0.39	-	192.89	3.28	-	245	381	-	2,669
5"x5"	31∕₃" (8cm)	74.59	10.66		0.152	7	-	0.387	-	192.9	0.39	-	192.89	6.57	-	490	381	-	2,669

Notes: Special Order - Lead Time Required. Minimum quantities apply. Sold in full bundles only and is shipped on a refundable skid. Eco-Priora[™] can be manufactured in a variety of custom colors and textures. Specially graded aggregates must be used for the joints. Contact Unilock for information. All measurements are nominal.


UNILOCK 11

ECO-PROMENADE®

CUSTOM COLORS & FINISHES AVAILABLE

ENDURACOLOR





ENDURACOLOR[®] FINISH BRUSHED FINISH

WASHED FINISH

UMBRIANO[®] FINISH

Eco-Promenade pavers are available in these finishes. Customized colors and finishes can be made to complement your design requirements. Contact us for details.



3" x 12" x 4" 7.5cm x 30cm x 10cm

	Unit		SqF	t Per		Per B	undle	Sol	dier LnFt	Per	Sa	ilor LnFt j	per		Units Pe	r		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Brewster Manufacturing	g																		
3"X12"	4" (10cm)	53.30	10.66		0.242	5	-	-	-		-	-	-	4.13	-	220	483	-	2,415
3"X12" Permeable	4" (10cm)	53.30	10.66		0.242	5	-	-	-		-	-	-	4.13	-	220	483	-	2,415

Notes: Special Order - Lead Time Required. Sold in full bundles only. All measurements are nominal.

Internal Use Only. ECP NE



Notes: Standard finish. Also available in 2³/₄ (7cm) and 3¹/₉" (8cm) as a special order; minimum quantities apply. All measurements are nominal.





IL CAMPO®

ENDURACOLOR





COFFEE CREEK SPECIAL ORDER GRANITE SPECIAL ORDER

4" x 12" x 2¾"







HERITAGE BROWN

SPECIAL ORDER

12" x 12" x 2³/₄" 30cm x 30cm x 7cm SPECIAL ORDER

6" x 8" x 2¾" 10cm x 30cm x 7cm 15cm x 20cm x 7cm SPECIAL ORDER SPECIAL ORDER



	Unit	BundleLayerSectionStoneLay93.0411.630.969				Per B	lundle	Sol	dier LnFt	Per	Sa	ilor LnFt	per		Units Per	•		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Georgetown Manufacto	uring																		
12" x 12"	2¾" (7cm)	93.04	11.63		0.969	8	-	0.985	-	94.5	-	-	-	1.03	-	96	372	-	2,980
4" x 12"	2¾" (7cm)	93.04	11.63		0.323	8	-	0.985	-	94.5	-	-	-	3.10	-	288	372	-	2,980
6" x 8"	2¾" (7cm)	93.00	11.63		0.330	8	-	0.670	-	138.7	-	-	-	3.03	-	282	372	-	2,978

Notes: Sold in full bundles only. All measurements are nominal. Important: Textured surfaces may require a buffer between the plate compactor and the paver surface to prevent scuffing. Read the Polymeric Sand advisory on page 50. Contact Unilock for information.

Internal Use Only. ILC ON

ENDURACOLOR

MATTONI



COCOA BROWN

DARK CHARCOAL SABLE BLEND





21/2" × 91/2" × 23/4" 6cm x 24cm x 7cm SPECIAL ORDER

	Unit		Layer Section Stone Lay				lundle	Sol	dier LnFt	Per	Sa	ilor LnFt	per		Units Per	•		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Georgetown Manufact	uring																		
2.5" x 9.5"	2¾" (7cm)	89.28	11.16		0.155	8	-	0.787	-	113.4	0.197	-	453.5	6.45	-	576	357	-	2,859

Notes: Product is layered. All measurements are nominal. Important: Textured surfaces may require a buffer between the plate compactor and the paver surface to prevent scuffing. Read the Polymeric Sand advisory on page 50. Contact Unilock for information.

Internal Use Only. MAT ON

OPTILOC®

Standard



Notes: Special Order - Lead Time Required. Minimum quantities apply. Sold in full bundles only and is shipped on a refundable skid. Contact your representative for details. This product is optimized for mechanical installation. All measurements are nominal.

Internal Use Only. OPT NY&NE

ENDURACOLOR

2,516

128

359

1.86

PROMENADE[®] PLANK PAVER

68.76

9.82

0.537

7

31/8" (8cm)

ENDURACOLOR" IL CAMPO" FINISH SERIES[™] FINISH UMBRIANO[®] FINISH SPECIAL ORDER FINISH SPECIAL ORDER SPECIAL ORDER SPECIAL ORDER For Eco-Promenade, 3" x 12", permeable and non-permeable information, please 4" x 12" x 4" 8" x 24" x 4" 4" x 16" x 4" see page 12. (20cm x 60cm x 10cm) (10cm x 40cm x 10cm) (10cm x 30cm x 10cm) SPECIAL ORDER SPECIAL ORDER SPECIAL ORDER

	Unit		Adle Layer Section Stone Layer .13 11.63 0.363				lundle	Sol	dier LnFt	Per	Sa	ilor LnFt	per		Units Per	r		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Brewster Manufacturin	g																		
4" x 12"	4" (10cm)	58.13	11.63		0.363	5	-	1.11	-	52.49	0.37	-	157.48	2.75	-	160	532	-	2,659
4" x 16"	4" (10cm)	51.67	10.33		0.431	5	-	1.31	-	39.37	0.33	-	157.48	2.32	-	120	455	-	2,275
8" x 24"	4" (10cm)	51.67	10.33		1.292	5	-	1.97	-	26.25	0.66	-	78.74	0.77	-	40	490	-	2,449

Notes: SPECIAL ORDER - Lead time required. Sold in full bundles only. See your Unilock Sales Representative for choices of colors and finishes to complement your design requirements. All measurements are nominal.

ASPECT RATIO

Simply defined, the aspect ratio is the overall length of a paver divided by its height.

LENGTH/HEIGHT = ASPECT RATIO

If an insufficient aspect ratio is used, any flexing or rocking caused by movement on the surface such as pedestrian or vehicular traffic, could result in breakage of the paver units. Not only is this breakage unsightly, but it can also compromise the integrity of the segmental system.

3 : 1 or less Heavy-Duty Vehicular 4 : 1 Light-Duty Vehicular over 5 : 1 Pedestrian

14 **UNILOCK**

RICHCLIFF





PEBBLE TAUPE

SQUARE

9" x 9" x 2³/₈"

DAWN MIST

RECTANGLE

12" x 9" x 2³/₈"

30cm x 22.6cm x 6cm





22.6cm x 22.6cm x 6cm 15cm x 22.6cm x 6cm



ē

DAWN MIST/

PEBBLE TAUPE Sold Separately/



SMOKE SHALE



LARGE RECTANGLE 21 x 12 x 2³/₈' 52.8 x 30.2 x 6cm SOLD SEPARATELY



TECHNICAL ADVANTAGES

Reala[™] Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

Ultima[™] Concrete Technology

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.

	Unit		SqF	t Per		Per B	Bundle	Sol	dier LnFt	Per	Sa	ilor LnFt	per		Units Per	•		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Ayr Manufacturing			,			,		·									,		
Full Bundle		90.30	11.29	-	-	8	-	-	-	-	-	-	134.2	-	-	160	322	-	2,574
Rec 12" X 9"	2¾" (6cm)	-	-		0.730	-					0.741		63.0	1.37		64	-		
Small Rec 6" X 9"	2¾" (6cm)	-	-		0.365	-					0.492		47.5	2.74		64	-		
Square 9" X 9"	2¾" (6cm)	-	-		0.550	-					0.741		23.7	1.82		32	-		
Half Bundle		45.15	11.29	-	-	4	-	-	-	-	-	-	67.1	-	-	80	322	-	1,287
Rec 12" X 9"	2¾" (6cm)	-	-		0.730	-					0.741		31.5	1.37		32	-		
Small Rec 6" X 6"	2¾" (6cm)	-	-		0.365	-					0.492		23.7	2.74		32	-		
Square 9" X 9"	2¾" (6cm)	-	-		0.550	-					0.741		11.9	1.82		16	-		
Large Rectangle	2¾" (6cm)	82.38	10.30	-	1.716	8	-	-	-	-	-	-	-	-	-	48	-	-	2,410

Notes: Sold as full bundles or half bundles only on a refundable skid. There is a 48 hour lead time required on all half bundles; half bundles are also subject to a fee. Half bundles are Special Order with lead time required. All measurements are nominal. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Read the Polymeric Sand advisory and review Polymeric Sand and Sealer Usage chart on page 50. Contact Unilock for information. Internal Use Only. RIC ON

SENZO[®]



CASTANO SPECIAL ORDER



NUVOLA SPECIAL ORDER

TECHNICAL ADVANTAGE EasyClean[™] Stain

Resistance - CF 100 An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.



RECTANGLE SPECIAL ORDER

 $8'' \times 16'' \times 2^{3/4''}$

SQUARE SPECIAL ORDER 8" x 8" x 2³/4" 20.8cm x 41.6cm x 7cm 20.8cm x 20.8cm x 7cm

SPECIAL ORDER

CREMO

	Unit		SqF	t Per		Per B	undle	Sol	dier LnFt	Per	Sa	ilor LnFt j	per		Units Per	r		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Georgetown Manufactu	uring																		
8"x16"	2¾" (7cm)	82.67	10.33		0.861	8	-	1.26	-	65.51	0.63	-	131.02	1.16	-	96	331	-	2,710
8"x8"	2¾" (7cm)	82.67	10.33		0.431	8	-	0.63	-	131.02	0.63	-	131.02	2.32	-	192	339	-	2,710

Notes: Product sold at factory in full bundle quantities. Senzo is Special Order with lead time required. Product is shipped on skids. Colors shown should be used only as a guide. Colors should always be chosen from actual samples. All measurements are nominal. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Read the Polymeric Sand advisory on page 50.

Internal Use Only. SZO ON


SERIES™





BLACK GRANITE AVAILABLE IN 4"X8" & 6"X6" ONLY

PEPPERED GRANITE



21 × 14 × 2¾" 36 x 36 x 6cm 54 x 36 x 6cm





SMALL RECTANGLE 18 x 36 x 6cm



 $6'' \times 6'' \times 2^3\!\!/4''$

SPECIAL ORDER

15cm x 15cm x 7cm



7 x 14x 2¾″

4" x 8" x 2¾" 10cm x 20cm x 7cm AVAILABLE ONLY IN **BLACK GRANITE**

 $12'' \times 12'' \times 2^{3}\!\!\!/ 4''$ 30cm x 30cm x 7cm SPECIAL ORDER



 $6''\times12''\times2^3\!\!/4''$ 15cm x 30cm x 7cm SPECIAL ORDER



	Unit		SqF	t Per		Per B	lundle	Sol	dier LnFt	Per	Sa	ilor LnFt	per		Units Pe	r		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Layer	Bundle	Layer	Section	Bundle
Brewster Manufacturing	g (6cm):																		
Random Bundle		93.62	10.40	-		9	-	-	-	-	-	-	-	-	-	72	282	-	2,541
Large Rectangle	2¾" (6cm)	37.67	-		2.09	-		1.77		21.26	1.18		31.89	0.48	2	18	-		-
Small Rectangle	2¾" (6cm)	18.83	-		0.7	-		1.18		15.94	0.59		31.89	1.43	3	27	-		-
Square	2¾" (6cm)	37.67	-		1.4	-		1.18		31.89	1.18		31.89	0.72	3	27	-		-
Brewster Manufacturing	g (7cm):																		
12" x 12"	2¾" (7cm)	93.04	-	23.26	0.969	-	4	0.985	23.6	94.5	0.98	23.62	94.49	1.03	24	96	-	745	2,980
4" x 8"	2¾" (7cm)	94.32	-	15.72	0.218	-	6	0.665	23.6	141.7	0.33	47.24	283.47	4.58	72	432	-	492	2,950
6" x 12"	2¾" (7cm)	93.04	-	23.26	0.485	-	4	0.985	23.6	94.5	0.49	47.24	188.98	2.06	48	192	-	745	2,979
6" x 6"	2¾" (7cm)	81.36	-	11.62	0.242	-	7	0.492	23.6	165.4	0.49	23.62	165.36	4.13	48	336	-	372	2,605

Notes: *Available by special order. Lead Time Required. Minimum quantities apply. Both 6cm and 7cm product is sold in full bundles only. 31/s" (8cm) thick product is available by special order only. Custom colors and finishes available. Minimum quantities apply. See terms and conditions of sale. All measurements are nominal.

Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Read the Polymeric Sand advisory on page 50. Contact Unilock for information.

Internal Use Only. S3K NY

THORNBURY[™] PERMEABLE \bigcirc

ENDURACOLOR









ALMOND GROVE

BAVARIAN

NEW YORK BLEND

SIERRA

Bundle

Indivi Random sold



					9
	LARGE RECTANGLE 13¾" x 16½" x 2¾" (35cm x 42cm x 7cm)	13¾″	IUM RECTANGLE x 16½" x 2¾" m x 21cm x 7cm)	SMALL RE 6 ⁷ ⁄ ₈ ″ x 8 ¹ ⁄ ₄ ″ (17.3cm x 2	
ſ					

	Unit		SqF	t Per		Per B	undle	Sol	dier LnFt	Per	Sa	ilor LnFt	per		Units Per	•		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Brewster Manufacturing	9																		
Random Full Bundle		88.61	11.08	-		8	-	-	-	-	-	-	-	-	-	96	355	-	2,838
Large Rectangle	2¾" (7cm)	-	-		1.582	-							-	0.63		32	-		-
Medium Rectangle	2¾" (7cm)	-	-		0.791	-							-	1.26		32	-		-
Small Rectangle	2¾" (7cm)	-	-		0.391	-							-	2.56		32	-		-

Notes: *Sold in full bundles only on a refundable skid. All measurements are nominal. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing.

Internal Use Only. THB NY

THORNBURY[™] SMOOTH



ALMOND GROVE SPECIAL ORDER



STEEL MOUNTAIN SPECIAL ORDER



13³⁄₄" x 16¹⁄₂" x 2³⁄₄⁴" (35cm x 42cm x 7cm)

(35cm x 21cm x 7cm) (17.3cm x 21cm x 7cm)

be sold separately Random Bundle DOL



	Unit		SqF	t Per		Per B	undle	Sol	dier LnFt	Per	Sa	ilor LnFt	per		Units Per	ſ		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Brewster Manufacturing	9																		
Random Full Bundle		88.61	11.08	-		8	-	-	-	-	-	-	-	-	-	-	355	-	2,838
Large Rectangle	2¾" (7cm)	-	-		1.582	-								0.63		32	-		-
Medium Rectangle	2¾" (7cm)	-	-		0.791	-								1.26		32	-		-
Small Rectangle	2¾" (7cm)	-	-		0.391	-								2.56		32	-		-

Notes: *Sold in full bundles only. Special order with lead times required. Minimum quantities apply. Permeable - can be installed to allow water to flow through. All measurements are nominal. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing.

Internal Use Only. THB NY

TOWN HALL[®]

ELEGANCE



BURGUNDY RED

BASALT

STANDARD

4" x 9¾" x 2¾"

10cm x 25cm x 7cm



BURNT CLAY

HERITAGE RED

OLD OAK

HERITAGE CLAY



BURGUNDY RED BURNT CLAY/OLD OAK Sold Separately/ Blended on Site



HERITAGE 3 COLOR BLEND Sold Separately/ Blended on Site

TECHNICAL ADVANTAGES

Reala[™] Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

Ultima[™] Concrete Technology

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.

	Unit		SqF	t Per		Per B	lundle	Sol	dier LnFt	Per	Sa	ilor LnFt	per		Units Pe	•		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Ayr Manufacturing																			
Standard - Full Bundle	2¾" (7cm)	88.41			0.276	8	-	0.842	-	105.0	-	-	-	3.62	-	320	364	-	2,912
Standard - Half Bundle	2¾" (7cm)	44.20			0.276	4	-	0.842	-	52.5	-	-	-	3.62	-	160	364	-	1,456

Notes: Sold as full bundles or half bundles only on a refundable skid. There is a 48 hour lead time required on all half bundles; half bundles are also subject to a fee. Half bundles are Special Order with lead time required. All measurements are nominal. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Read the Polymeric Sand advisory and review Polymeric Sand and Sealer Usage chart on page 50. Contact Unilock for information.

Internal Use Only. TWH ON

TRANSITION[™]



ALMOND GROVE





SIERRA



RECTANGLE 6" x 9" x 23/8" 15cm x 23cm x 6cm



15cm x 15cm x 6cm



BAVARIAN

STEEL MOUNTAIN

	Unit		SqF	t Per		Per B	undle	Sol	dier LnFt	Per	Sa	ilor LnFt	per		Units Pe	r		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Layer	Bundle	Layer	Section	Bundle
Brewster Manufacturing	g																		
Square	2¾" (6cm)	116.00	11.60	-	0.276	10	-	0.561	-	206.7	-	-	-	3.62	42	420	325	-	3,247
Rectangle	2¾" (6cm)	112.50	12.50	-	0.417	9	-	0.847	-	132.9	-	-	-	2.40	30	270	350	-	3,150

Notes: All measurements are nominal. Contact Unilock for information. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing.









TREO[™] CLASSIC



CLASSIC



ALMOND GROVE CLASSIC

GRANITE BLEND



SIERRA CLASSIC




ALMOND GROVE ENDURACOLOR





LARGE RECTANGLE

13¼" x 8%" x 2%"





4½" x 8⁷/₈" x 2³/₈" (11.25cm x 22.5cm x 6cm)



Random Bundle





BROWN

ENDURACOLOR

Rectangle Only

Available in Small



BAVARIAN ENDURACOLOR

CHARCOAL

ENDURACOLOR

Rectangle Only

Available in Small



SIERRA

ENDURACOLOR

COPPER RIDGE

ENDURACOLOR

NEW YORK BLEND ENDURACOLOR



TUSCANY



ENDURACOLOR



STEEL MOUNTAIN ENDURACOLOR





ALMOND GROVE ENDURACOLOR



LARGE RECTANGLE 13¼" x 8%" x 2%" (33.75cm x 22.5cm x 6cm)



SQUARE 81/8" x 81/8" x 23/8" (22.5cm x 22.5cm x 6cm)



SMALL RECTANGLE 4½" x 8⁷/₈" x 2³/₈" (11.25cm x 22.5cm x 6cm) he sold separately landom Bundle



SMALL RECTANGLE 4½" x 8%" x 2%" (11.25cm x 22.5cm x 6cm) Available in EnduraColor **Colors Only**

	Unit		SqF	t Per		Per B	Bundle	Sol	dier LnFt	Per	Sa	ilor LnFt	per		Units Pe	·		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Layer	Bundle	Layer	Section	Bundle
Uxbridge Manufacturin	g / EnduraCo	lor - Brew	ster Man	ufacturing															
Random Full Bundle		108.99	-	-	-	10	-	-	-	-	-	-	-	-	-	240	296	-	2,960
Large Rectangle	2¾" (6cm)		-	-	0.817	-	-	-	-	-	-	-	-	1.22	5	50	-	-	-
Small Rectangle	2¾" (6cm)		-	-	0.272	-	-	-	-	-	-	-	-	3.67	13	130	-	-	-
Square	2¾" (6cm)		-	-	0.545	-	-	-	-	-	-	-	-	1.84	6	60	-	-	-
Small Rectangle	2¾" (6cm)	108.99	10.90	-	0.27	10	-	-	-	-	-	-	-	3.67	40	400	299	-	2,992

Notes: Sold in full bundles only. All measurements are nominal. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Contact Unilock for information.

Internal Use Only. TRO BO

TRIBECA COBBLE[™] 🥢





CRYSTALLINE BASALT

PEPPERED GRANITE



LARGE RECTANGLE 5¹/₈" x 12" x 2³/₄" (13cm x 30.5cm x 7cm)




RECTANGLE 5½" x 9" x 2¾" (13cm x 23cm x 7cm)



Individual units cannot be sold separately

SMALL RECTANGLE 5¹/₈" x 7" x 2³/₄" (13cm x 17.5cm x 7cm)





CURB UNIT 11½" x 9 x 4" x 7" (29cm x 23cm x 10cm x 18cm)

	Unit		SqF	t Per		Per B	lundle	Sol	dier LnFt	Per	Sa	ilor LnFt	per		Units Pe	•		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Layer	Bundle	Layer	Section	Bundle
Brewster Manufacturing	9																		
Random Bundle		97.53	12.19	-		8	-	-	-	129.7	-	-	-		-	304	398	-	3,186
Large Rectangle	2¾" (7cm)				0.427			1.001		37.5	0.43		88.06	2.34	11	88			
Rectangle	2¾" (7cm)				0.322			0.755		37.5	0.43		66.40	3.11	11	88			
Small Rectangle	2¾" (7cm)				0.245			0.574		54.6	0.43		73.49	4.08	16	128			

Notes: **Sold in full bundles only.** All measurements are nominal. Also available in permeable. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Read the Polymeric Sand advisory on page 50. Contact Unilock for information.

	Face F	eet Per	Linear F	eet Per	Units	s Per	Per B	undle	Lbs	Per
Stones & Bundling	Bundle	Bundle Unit		Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Brewster Manufacturing										
Curb			34.5	1.00	36		3		46	1663.5

Internal Use Only. TRC NY

TURFSTONE 🥢



NATURAL



STANDARD 15¾" x 23¾" x 3⅛" 40cm x 60cm x 8cm



	Unit		SqF	t Per		Per B	lundle	Sol	dier LnFt	Per	Sa	ilor LnFt p	ber		Units Per			Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Uxbridge Manufacturin	ng																		
16" x 24"	31/8" (8cm)	72.00	-	-	2.571	-	-	-	-		-	-	-	0.39	-	28	-	-	1,748

Notes: Call for availability. **Sold in full bundles only** and shipped on a refundable skid. Void is 40% of the paver and is approximately 3" in diameter. All measurements are nominal.

UMBRIANO[®]

ENDURACOLOR





MIDNIGHT SKY

AUTUMN SUNSET SPECIAL ORDER



FRENCH GREY



HARVEST BROWN Random Bundle Only



24" x 24" x 2¾"* 60cm x 60cm x 7cm SPECIAL ORDER

12" x 24" x 2³/₄"* 30cm x 60cm x 7cm SPECIAL ORDER



16" x 16" x 2¾" 40cm x 40cm x 7cm SPECIAL ORDER



20cm x 20cm x 7cm SPECIAL ORDER



LARGE RECTANGLE

21" x 14" x 23/8" 52.5cm x 35cm x 6cm

14" x 14" x 2³/₈"

35cm x 35cm x 6cm

SQUARE



SMALL RECTANGLE 7" x 14" x 2³/₈" 17.5cm x 35cm x 6cm

SUMMER WHEAT

TECHNICAL ADVANTAGES

An integral surface protection that allows for easier cleanup of spills when they happen, and

A proprietary technology that disperses color randomly for a natural, granite-like appearance.

EasyClean[™] Stain Resistance

before a stain can develop.

ColorFusion[™] Technology

WINTER MARVEL




	Unit		SqF	t Per		Per B	lundle	Sol	dier LnFt	Per	Sa	ilor LnFt	per		Units Per	·		Lbs Per	
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Brewster Manufacturing	9																		
Random Bundle		93.62	10.40			9	-	-	-	-	-	-	-	-	-	72	282	-	2,730
Large Rectangle	2¾" (6cm)	37.67			2.093			1.77		21.26	1.18		31.89	0.48		18			
Small Rectangle	2¾" (6cm)	18.83			0.698			1.18		15.94	0.59		31.89	1.43		27			
Square	2¾" (6cm)	37.67			1.395			1.18		31.89	1.18		31.89	0.72		27			
12" x 24"	2¾" (7cm)	93.00	11.63	-	1.938	8	-	1.969	-	47.2	0.98	-	94.49	0.52	-	48	372	-	2,978
24" x 24"	2¾" (7cm)	61.79	7.72	-	3.862	8	-	1.962	-	31.5	1.96	-	31.5	0.26	-	16	247	-	1,979
16" x 16"	2¾" (7cm)	82.67	10.33	-	1.722	8	-	1.312	-	63.0	1.31	-	62.99	0.58	-	48	331	-	2,646
8" x 16"	2¾" (7cm)	82.67	10.33	-	0.861	8	-	1.312	-	63.0	0.66	-	125.98	1.16	-	96	331	-	2,646
8" x 8"	2¾" (7cm)	82.67	10.33	-	0.431	8	-	0.656	-	126.0	0.66	-	125.99	2.32	-	192	331	-	2,646

om Bunc

Notes: Umbriano 24" and Random Bundle pavers are not suitable for vehicular applications. All measurements are nominal. Product is not sectionable and is shipped on a refundable skid. Available in full bundles only / Half bundles are available with lead time. There is a 48 hour lead time required on all half bundles; half bundles are also subject to a fee. Product is not to be installed on stone dust. * 24" x 24" and 12" x 24" are available only by special order. Lead Time Required. Minimum quantities apply. Premium pricing applies. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Read the Polymeric Sand advisory on page 50. Contact your Unilock representative for additional information.

Internal Use Only. UMB NY/ON



UNI ECO-STONE



BRUSHED FINISH

SPECIAL ORDER



STANDARD FINISH

SPECIAL ORDER



WASHED FINISH SPECIAL ORDER



UNI ECO-STONE 4½" × 9" × 31/8" 11.5cm x 23cm x 8cm SPECIAL ORDER



	Unit	SqFt Per		Per Bundle		Sol	Soldier LnFt Per		Sailor LnFt per		Units Per			Lbs Per					
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Uxbridge Manufacturin	g																		
Standard	31/8" (8cm)	67.00	-	-	0.273	-	-	-	-		-	-	-	3.66	-	245	-	-	2,445

Notes: Special Order from standard colors. Lead Time Required. Minimum quantities apply. Sold in full bundles only. 40-50 bundle minimum order required. This product is optimized for mechanical installation. All measurements are nominal.

Internal Use Only. UES BO

ENDURACOLOR

WESTPORT[™] EASYCLEAN

FNDURACOLOR







NEW YORK

BLEND



Individual units cannot be sold separately Random Bundle NEW

STEEL MOUNTAIN



RECTANGLE

5" x 10" x 2³/₄"

RECTANGLE

5" x 10" x 2³/₄"

12.7cm x 25.4cm x 7cm

ALMOND GROVE



5"x10" Rectangle Only

MIDNIGHT

CHARCOAL

12.7cm x 25.4cm x 7cm



LARGE RECTANGLE 10" x 15" x 2³/₄" 25.4cm x 38cm x 7cm

TECHNICAL ADVANTAGE

EasyClean[™] Stain Resistance - CF 90 An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.



2019

FOR

ENDURACOLOR

	Unit		SqFt Per		Per Bundle		Soldier LnFt Per		Sailor LnFt per		Units Per			Lbs Per					
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Layer	Bundle	Layer	Section	Bundle
Uxbridge Manufacturin	g																		
5"x10" Rectangle	2¾" (7cm)	94.19	11.77	-	0.336	8	-	-	-	-	-	-	-	2.97	35	280	357	-	2,857
Random Bundle		94.19	-	-		8	-	-	-	-	-	-	-	-	-	160	-	-	2,857
Large Rectangle	2¾" (7cm)				1.039									0.96	4	32			
Rectangle	2¾" (7cm)				0.347									2.88	9	72			
Square	2¾" (7cm)				0.694									1.44	7	56			

Notes: All measurements are nominal. Random Bundle is sold in full bundles only. Contact Unilock for information. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing.

BRUSSELS DIMENSIONAL SYSTEM[™]



ALMOND GROVE



COFFEE CREEK



LIMESTONE



SANDSTONE





STANDARD/CORNER 4" x 8" x 12" 10cm x 20cm x 30.5cm

TAPERED COPING 12" (9") x 3" x 12" 30.5cm (22.9cm) x 7.6cm x 30.5cm



9" UNIT 9" (6") x 4" x 8" 22.9cm (15.2cm) x 10cm x 20cm



12" UNIT 12" (9") x 4" x 8" 30.5cm (22.9cm) x 10cm x 20cm



Wall Bundle

Q

15" (12") x 4" x 8" 38.1cm (30.5cm) x 10cm x 20cm




UNIVERSAL BASE UNIT $19'' \times 14'' \times 2''$ 48.2cm x 35.5cm x 5.5cm

	Face Feet Per		Linear Feet Per		Unit	s Per	Per B	undle	Lbs Per	
Stones & Bundling	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Uxbridge Manufacturing										
Coping Rammed	24.00	0.250	81.00	0.844	96	4.00	8		30	2,902
Standard/Corner	36.00	0.333	108.00	1.000	108	3.00	-	6	30	3,274
Wall Tapered	30.00	-	-	-	90	-	-	5	-	2,320
Universal Base Unit	99.46				54	9			46.295	2,500

Notes: Maximum height 27"-31.5" depending on site conditions. Maximum height for planter wall is 16" (under optimal conditions). To construct higher walls, contact a Unilock representative. Product is installed using Unilock Adhesive to secure corners and top row units. Weathered finish. *20.9 sq. ft. face per bundle based on random pattern creating 12" solid wall. 32 sq. ft. face per bundle based on running bond creating 8" deep wall. Tapered Bundle: Connector units provided with every bundle of product. Double-sided wall is 26.25 face feet per bundle. Internal Use Only. BDS NE

Vertical Wal Battered Wal Coping Copina SET BACK & VERTICAL WALL Dimple -(C)- \cap Max 31.5' \cap ()Ð Plastic Plastic Inser

All cross sections are examples, and must not be used for construction.



All cross sections are examples, and must not be used for construction.

CONCORD WALL[™]





ALMOND GROVE

SIERRA



TAPERED 8" x 6" x 12" 20cm x 15cm x 30cm



GRANITE

CORNER 12" x 6" x 8" 30cm x 15cm x 20cm





 COPING / STEP TREAD
 WEDGE

 24" x 3" x 12"
 3 ¹/₃" x 9²

 60cm x 7.5cm x 30cm
 8.6cm x 2³

WEDGE CAP UNIT 3 ¹/₃" x 9³/₄" (8 ⁵/₈)" x 13" 8.6cm x 24.8cm x 33cm

UNIVERSAL BASE UNIT 19" x 14" x 2" 48.2cm x 35.5cm x 5.5cm



	Face Feet Per		Linear Feet Per		Units	s Per	Per B	undle	Lbs Per	
Stones & Bundling	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Uxbridge Manufacturing										
Corner Unit	15.00	0.833	-	-	18	1.20	3	-	43	820
Wall Tapered Unit	20.00	0.333	-	-	60	3.00	3	-	43	2,580
XL Tapered Unit	21.33	0.667	-	-	32	1.50	4	-	77	2,419
Coping/Step Tread - 24"	-	-	64.00	4.000	16	-	-	2	145	2,320
Wedge Cap (Single Units)	64	-	60.00	0.625	96	1.50	8	-	27.6	2,544
Universal Base Unit	99.46		85.39	1.58	54	9			46.295	2,500


Notes: Maximum height without setback 36" (under optimum conditions). Maximum height with setback is 42" (under optimum conditions). Higher walls can be achieved using geogrid reinforcement.


Tapered units will allow for a minimum 7ft. outside radius. Wedge cap radius = 7', contains 8 Closed-end units per bundle. Closed-end not sold separately. All Concord Wall" is layered and shipped on refundable skid. Step Tread is sectioned. Closed-end step tread is available.

Unilock, through Risi Stone* Systems International, can provide preliminary site engineering for most commercial projects.

Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. Contact your local Unilock Representative for details. Retaining wall engineering software is also available free of charge at www.unilock.com.

Internal Use Only. CWL NE





All cross sections are examples, and must not be used for construction.

Cross sections are examples, and must not be used for construction.

DURAHOLD[®]



NATURAL



STANDARD 72" x 12" x 24" 183cm x 30cm x 60cm SPECIAL ORDER





COPING CLOSED-END COPING 72" x 12" x 24" 183cm x 30cm x 60cm 72" x 12" x 24" 183cm x 30cm x 60cm SPECIAL ORDER SPECIAL ORDER



TIE-BACK 72" x 12" x 24" 183cm x 30cm x 60cm SPECIAL ORDER

1/2 COPING 36" x 12" x 24" 91.5cm x 30cm x 60cm SPECIAL ORDER



1/2 STANDARD 36" x 12" x 24" 91.5cm x 30cm x 60cm SPECIAL ORDER




	Face F	eet Per	Linear F	Linear Feet Per		s Per	Per B	undle	Lbs	Per
Stones & Bundling	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Coping Closed End 72"	6.02	6.02	6.02	6.02	1	0.17	1		1,560	1,560
1/2 Coping	3	3	3	3	1	0.33	1		780	780
Corner 45° Right		7.042	-	-	1	0.14			1,480	1,480
Corner 90° Right		7.042	-	-		0.14			1,320	
Coping		6.024	6.02	6.024	1	0.17			1,560	1,560
1/2 Standard		3.003	-	-	1	0.33			800	800
Wall Standard		6.024	-	6.000		0.17			1,680	
Wall Tieback		1.170	-	-	1	0.86			1,660	1,660


Notes: ALL DURAHOLD[®] IS SPECIAL ORDER ONLY. Lead Time Required. Minimum quantities apply.

Closed-end coping units are available and are closed on both ends so that they may be used as left or right. Tie-back units are reinforced with steel. 1/2 Standard Units are slightly tapered and can be used to create a 45 foot radius. Refer to terms and conditions for placement rates. Unilock, through Risi Stone Systems International, can provide you with preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide you with this engineering. Contact your local representative for details. Retaining wall engineering software is also available free of charge at www.unilock.com. All measurements are nominal.

Internal Use Only. DH1 ON



Cross sections are examples, and must not be used for construction.



Cross sections are examples, and must not be used for construction.

DURAHOLD2[®]



NATURAL



STANDARD 72" x 12" x 14" 183cm x 30cm x 36m SPECIAL ORDER



72" x 12" x 14" 183cm x 30cm x 36m SPECIAL ORDER





TIE-BACK 72" x 12" x 14" 183cm x 30cm x 36m SPECIAL ORDER

CORNER 90° 36" x 12" x 14" 90cm x 30cm x 36m SPECIAL ORDER (Right Corner Shown)



CLOSED-END COPING 72" x 12" x 14" 183cm x 30cm x 36m SPECIAL ORDER




	Face Feet Per		Linear Feet Per		Units	Per	Per B	undle	Lbs Per	
Stones & Bundling	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Coping Closed End 72"		5.988	-	6.000		0.17			820	
Coping 72"		5.988	-	6.000		0.17			884	
Corner 90° right)		4.167	-	-		0.24			460	
Wall Standard		5.988	-	6.000		0.17			940	
Wall Tieback		1.170	-	1.170		0.86			940	

Notes: ALL DURAHOLD2* IS SPECIAL ORDER ONLY. Lead Time Required. Minimum quantities apply.


*Closed-end coping units are available and are closed on both ends so that they may be used as lefts or rights. Tie-back units are reinforced with steel. Refer to terms and conditions for placement rates.

For DuraHold^{and} DuraHold², Unilock, through Risi Stone[®] Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. Contact your local Unilock representative for details. Retaining wall engineering software is also available free of charge at www.unilock.com. All measurements are nominal.

Internal Use Only. DH2 ON




Cross sections are examples, and must not be used for construction.



Cross sections are examples, and must not be used for construction.




ESTATE WALL® SYSTEM








ESTATE WALL SYSTEM




The new enhanced Estate Wall® System with 3" high and 6" high units, is ideal for all residential landscape walls and vertical element construction. The front and back of each unit is rock-faced making it perfect for seat walls and the unique tapered units can be used for both straight or curved applications.

MAXIMUM HEIGHT FOR VERTICAL APPLICATION - 21" MAXIMUM HEIGHT FOR SETBACK APPLICATION - 30" MINIMUM RADIUS - 3' 9" INSIDE RADIUS 4'6" OUTSIDE RADIUS *Adding geogrid may increase installation heights. Contact your Unilock® Territory Manager.


CROSS SECTIONS



VERTICAL




MAXIMUM HEIGHT 30"




SETBACK

CONSTRUCTING A RANDOM WALL




The easiest way to construct a random faced wall is to build them in linear clusters as shown here to the left. This is the simplest way to keep track of the pattern. Remember, the units are totally reversible to alternate between straight and curved sections in the wall.

There is really no wrong or right when it comes to the pattern. Most important thing is to try to have consistent random look which is repeatable.




CORNERS





ESTATE WALL[®] -SYSTEM PATTERNS

RANDOM PATTERN A = 73% - 3" UNITS - 27% - 6" UNITS




RANDOM PATTERN B = 67% - 3" UNITS - 33% - 6" UNITS







3" Linear Pattern




6" Linear Pattern







3" & 6" with Vertical Units




3" with Vertical Units



6" with Vertical Units



Installing a random pattern in linear rows such as Pattern B is easier to construct, however, the 6" jumper units in Pattern A gives you the look and feel of an elaborate ashlar pattern.





ESTATE WALL[®]





SIERRA

ALMOND GROVE

GRANITE



7.5cm x 31.7cm x 22.8cm

3" CORNER

3" x 12½" x 9"



6" CORNER 6" x 12½" x 9" 15cm x 31.7cm x 22.8cm



UNIVERSAL BASE UNIT 19" x 14" x 2" 48.2cm x 35.5cm x 5.5cm




3" x 12" (9") x 12" 7.5cm x 30cm (22.8cm) x 30cm



COPING 3" x 12" (11") x 12" 7.5cm x 30cm (28cm) x 30cm







LARGE WEDGE

3" x 16" (13¾") x 9"



MEDIUM WEDGE 3" x 12" (10") x 9" 7.5cm x 37.5cm (35cm) x 22.8cm 7.5cm x 30cm (25cm) x 22.8cm



SMALL WEDGE 3" x 8" (6") x 9"



7.5cm x 20cm (15cm) x 22.8cm



LARGE WEDGE 6" x 16" (13¾") x 9" 15cm x 40cm (35cm) x 22.8cm



MEDIUM WEDGE 6" x 12" (10") x 9" 15cm x 30cm (25cm) x 22.8cm



SMALL WEDGE 6" x 8" x 9"



15cm x 20cm (15cm) x 22.8cm

	dividual be sold	6" Wa
2.8cm	dividual units canno be sold separately	ll Bundle


Face Feet Per Linear Feet Per Units Per Per Bundle Lbs Per Bundle Stones & Bundling Bundle Unit Bundle Unit Face Feet Layers Sections Unit Bundle Uxbridge Manufacturing Coping 14.70 0.233 56.87 0.903 63 4.29 7 2,060 Corner Unit 3" 16.38 0.256 3.91 8 29 64 1,828 Corner Unit 6" 16.39 0.512 32 1.95 4 54 1.743 --Std 6" 24.00 0.500 48 2.00 49 2,341 4 Std 3" 96 23 24.00 0.250 4 00 8 2,209 --Universal Base Unit 99.46 85.39 54 9 46.295 1.58 2,500

Notes: Product is layered and shipped on refundable skids. *24 sq.ft face per bundle based on single-sided layout. 18 sq. ft. face per bundle based on doublesided layout. Maximum height for vertical installation - 21" (under optimum conditions). Maximum height for setback installation - 31.5" including the stone in the ground (under optimum conditions). All measurements are nominal.

Internal Use Only. EWL NE


ESTATE WALL[®] cont'd





TYPICAL SEAT WALL CROSS SECTION

For vertical application - Place device parallel to channel



For setback application - Place device perpendicular to channel with round section facing the back of the unit

Sand Cours 25 mr



Maximum Height (setback installed) = 31.5" Maximum Height (vertical installed) = 21"

LINEO[™] DIMENSIONAL STONE



Stones & Bundling	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Uxbridge Manufacturing / Unive	rsal Base Unit - Ch	nicago Manufactu	ring							
Pillar Unit	47.68	0.662	54.00	0.750	72	1.51	3		39	2,821
Wall Random	29.92		89.06		60		3		44	2,643
Large Rectangle	8.23	0.549	25.10	1.673	15	1.82				
Rectangle	6.46	0.431	19.68	1.312	15	2.32				
Small Rectangle	4.84	0.323	14.76	0.984	15	3.10				
XL Rectangle	9.69	0.646	29.52	1.968	15	1.55				
Pillar Cap 28.5"x28.5"			-	-	5			5	302	1,510
Universal Base Unit	99.46		85.39	1.58	54	9			46.295	2,500


Notes: Sold in full bundle only. For coping options, we recommend using Natural Stone or Ledgestone. All measurements are nominal. Architectural Pillar Cap available - see page 40.

Shadow Box - Spacers (supplied with bundle of product)


Adhesive "mound" is placed every 4 inches apart.

Mound must be minimum 3/8" high so that the top and bottom are securely adhered.

"T" Spacers 1" x 4³⁄16" x 2"



"Strip" Spacers ³/16" x ³/8" x 22"



RIVERCREST[®] WALL



COASTAL SLATE



STANDARD UNIT 2

12" x 9-10" x 2¼"

31cm x 23-25cm

TECHNICAL ADVANTAGES Reala[™] Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.





STANDARD UNIT 1

8" x 9-10" x 2¼"

x 5.7cm

20cm x 23-25cm


JUMPER UNIT 1 8" x 9-10" x 4½" 20cm x 23-25cm x 11.4cm

x 5.7cm

BUFF



JUMPER UNIT 3 12" x 9-10" x 4½" 31cm x 23-25cm



STANDARD UNIT 3

12" x 9-10" x 2¹/₄"

31cm x 23-25cm

x 5.7cm



JUMPER UNIT 4 17" x 9-10" x 4½" 42.5cm x 23-25cm x 11.4cm

STANDARD UNIT 4

17" x 9-10" x 2¹/₄"

x 5.7cm

42.5cm x 23-25cm



PILLAR UNIT 20" x 20" x 4½" 50cm x 50cm x 11.4cm



PILLAR UNIT



17" x 9-10" x 2¼"



LONG CORNER UNIT SHORT CORNER UNIT 14½" x 9-10" x 2¼" 45cm x 23-25cm x 5.7cm 37.5cm x 23-25cm x 5.7cm



JUMPER CORNER UNIT 12" x 9-10" x 4½" 31cm x 23-25cm x 11.4cm

lumper Bundle

sold separately



UNVERSAL BASE UNIT 19" x 14" x 2" 48.2cm x 35.5cm x 5.5cm

	Face F	eet Per	Linear F	Feet Per	Unit	s Per	Per B	undle	Lbs	Per
Stones & Bundling	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Standard Units - Ayr Manufactu	uring - Jumpers, I	Pillar units Manuf	actured in Georg	getown						
Wall Standard Bundle:	24.30		130.69		128		8		15	2,015
Standard Unit 1	3.93	0.123	20.99	0.66	32	8.15				
Standard Unit 2	6.09	0.190	32.54	1.02	32	5.26				
Standard Unit 3	6.09	0.190	32.54	1.02	32	5.26				
Standard Unit 4	8.20	0.256	44.61	1.39	32	3.90				
Wall Jumper Unit Bundle:	24.30		65.34		64		4		39	2,495
Jumper Unit 1	3.93	0.250	10.50	0.67	16	4.07				
Jumper Unit 2	6.09	0.380	16.27	1.02	16	2.63				
Jumper Unit 3	6.09	0.380	16.27	1.02	16	2.63				
Jumper Unit 4	8.20	0.510	22.30	1.39	16	1.95			29	1,173
Corner Unit Bundle:	16.21				40					
Long Corner Unit	8.52	0.430	29.90	1.50	20	2.35			31.56	631.3
Short Corner Unit	7.69	0.380	25.39	1.30	20	2.60			27.07	541.37
Corner Jumper Unit	12.20	0.380	32.54	1.02	32	2.62			37	1,172
Pillar 20" x 20"			-	-	8				117	934
Universal Base Unit	99.46		85.39	1.58	54		9		46.295	2,500

Notes: Sold on refundable skid - full bundles only. Rivercrest* is recommended for walls under 2ft. Ideal for straight or curved walls, seat walls, pillars, tree rings, planters, firepits and grill islands. Integrated connectors require no pins or clips. Minimum radius using equal amounts of each unit is 1.25m / 4.1ft. Using only unit 1 & 3 a 1.055 m / 3.5ft radius can be achieved. Pillar Cap available - see page 39 for Ledgestone. Engineering services are available; please contact your Unilock Territory Manager for further information .

ROMAN WALL[®]





ALMOND GROVE





GRANITE



SIERRA

TAPERED 8" x 6" x 12" 20cm x 15cm x 30cm

CORNER 12" x 6" x 8"



30cm x 15cm x 20cm 25cm x 8.5cm x 33cm



UNIVERSAL BASE UNIT 19" x 14" x 2" 48.2cm x 35.5cm x 5.5cm




	Face F	eet Per	Linear Feet Per		Units Per		Per B	undle	Lbs	Lbs Per	
Stones & Bundling	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle	
Uxbridge Manufacturing											
Corner Unit	20.00	0.833	-	-	24	1.20		3	48	1,152	
Tapered	20.00	0.333	-	-	60	3.00		4	48	2,880	
Сар	64.00	0.667	60.00	0.625	96	1.50	8		27	2,210	
Universal Base Unit	99.46		85.39	1.58	54		9		46.295	2,500	

Notes: Maximum height: 36" (under optimum conditions). Higher walls can be achieved using geogrid reinforcement. Tapered units allow for a minimum 5' radius.

Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. Contact your local Unilock representative for details. Retaining wall engineering software is also available free of charge at www.unilock.com.

Internal Use Only. RWL NE



Note: Poor site conditions can affect the stability of the structure. Consult

a qualified professional engineer to determine site specific construction details.

SIENASTONE®



STANDARD 925

39" x 71/4" x 361/2"

SPECIAL ORDER

100cm x 18.5cm x 92.5cm

CORNER 45° (left & right)

43¹/₃" x 7¹/₄" x 20"

SPECIAL ORDER

110cm x 18.5cm x 50cm



NATURAL

SPECIAL ORDER

STANDARD 500

39" x 71/4" x 20"

COPING

39" x 7¹/₄" x 20"

100cm x 18.5cm x 50cm

100cm x 18.5cm x 50cm



STANDARD 333

39" x 7¹/₄" x 13¹/₂"

100cm x 18.5cm x 33cm

CLOSED-END COPING **

120cm x 18.5cm x 50cm

48" x 7¹/₄" x 20"

GRANITE

48" CLOSED-END COPING AVAILABLE IN NATURAL AND GRANITE ONLY



CORNER 90° (left & right) 36¹/₂" x 7¹/₄" x 20" 92.5cm x 18.5cm x 50cm



SIENASTONE SMOOTH 48" STEP 48" x 7" x 20" 120cm x 18cm x 50cm NEW FOR 2019 Available in Light Grey, Midnight Charcoal & Tan






UNIVERSAL COPING 19" x 14" x 234" 48.2cm x 35.5cm x 7cm Available in Tan, Light Grey & Charcoal

					Midnight Ch	arcoal & Tan				
	Face F	eet Per	Linear F	Feet Per	Unit	s Per	Per B	undle	Lbs	Per
Stones & Bundling	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Uxbridge Manufacturing										
Wall 925 - 39" (single unit)	6.00	2.000	-	-	3	0.50		3	954	2,862
Wall 500 - 39" (single unit)	12.00	2.000	-	-	6	0.50		3	477	2,862
Wall 333 (single unit)	18.00	2.000	-	-	9	0.50		3	318	2,862
Corner 90° (single unit)	17.19	2.865	-	-	6	0.35		3	477	2,862
Coping 39" (single unit)	12.00	2.000	19.50	3.250	6	0.50		3	463	2,780
Coping Closed End 48"	14.49	2.415	24.00	4.000	6	0.41		3	570	3,420
SMOOTH 48" Step	13.95	2.326	24.00	4.000	6	0.43			798	1,596
Universal Coping			75.90	1.581	48				57	2,747


Notes: **Closed-end 48" coping available in Natural and Granite only. *Special Order for Standard 925, and Corner units (45°). Lead Time Required. Minimum quantities apply. Closed-end coping units can be used to construct steps. Custom colors available (minimums apply). All measurements are nominal.

Unilock, through Risi Stone[®] Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide you preliminary site engineering. Contact your local Unilock Representative for details. Retaining wall engineering software is also available free of charge from www.unilock.com.

Internal Use Only. SST_NE, SST_CECOP_ON



Cross sections are examples, and must not be used for construction.



Cross sections are examples, and must not be used for construction.

U-CARA®

ENDURACOLOR[®]







U-Cara Fascia panels can be placed anywhere along the Sure Track Backer Block, allowing for a variety of patterns, color and texture combinations not possible with other systems.

1/2 Ru	nning Bor	nd	

1/2 Running Bond with Linear Accents

1/2 Running Bond with Random Accents

1/3 Running Bond



Stacked Bond



Stacked Bond with Accents





U-CARA®

ENDURACOLOR

The U-Cara Multi-Face Wall System represents a revolution in wall design.

This patented system, exclusive to Unilock, is comprised of two basic components: | Sure Track[™] backer blocks provide dimensionally accurate structure | U-Cara fascia panels provide unlimited design options






FRENCH GREY UMBRIANO[®] FINISH



BAVARIAN PITCHED FACE



WINTER MARVEL UMBRIANO FINISH



STEEL MOUNTAIN PITCHED FACE



SUMMER WHEAT UMBRIANO FINISH



SIERRA SMOOTH FACE



BLACK GRANITE SERIES[™] FINISH



TUSCANY SMOOTH FACE



PEPPERED GRANITE SERIES FINISH



OPAL SMOOTH FACE



SURE TRACK STANDARD BACKER 6" x 8" x 6" 15cm x 20cm x 15cm



STANDARD FASCIA HALF PANEL 6" × 9¼" × 2¾" 15cm × 23.3cm × 6cm UMBRIANO, SERIES, PITCHED & SMOOTH



SURE TRACK LARGE BACKER 6" x 7" x 12" 15cm x 17.5cm x30cm



CLOSED-END FASCIA PANEL 6" × 21" × 2¾" 15cm × 53cm × 6cm UMBRIANO, SERIES, PITCHED & SMOOTH



UNIVERSAL BASE UNIT 19" x 14" x 2" 48.2cm x 35.5cm x 5.5cm



STANDARD FASCIA PANEL 6" x 18½" x 2¾" 15cm x 46.6cm x 6cm UMBRIANO, SERIES, PITCHED & SMOOTH



SURE TRACK CORNER INSERT L = 2"/5cm



UNIVERSAL COPING 19" x 14" x 2¾" 48.2cm x 35.5cm x 7cm See details on page 40

	Face F	eet Per	Linear F	Feet Per	Units Per		Per B	undle	Lbs Per	
Stones & Bundling	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Sure Track Standard Backer	33.91	0.323			105	3.096	3		23.208	2,436.8
Sure Track Large Backer	15.82	0.283			56	3.53	4		35.924	2,011.7
Standard Fascia Panel (Smooth)	61.52	0.732			84	1.365	6		18.015	1,513.3
Standard Fascia Panel (Pitched)	61.52	0.732			84	1.365	6		20.779	1,745.4
Corner Bundle (Smooth)	41.86						5		29.527	1,033.4
Closed-End Fascia Panel	29.15	0.833			35	1.201			20.595	
Half Fascia Panel	12.71	0.363			35	2.754			8.932	
Corner Bundle (Pitched)	41.86						5		33.693	1,179.0
Closed-End Fascia Panel	29.15	0.833			35	1.261			23.621	
Half Fascia Panel	12.71	0.363			35	2.754			10.073	
Universal Coping Bundle			75.91	1.58	48		8		57.308	2,747.2
Universal Base Unit	99.46		85.39	1.58	54		9		46.295	2,499.9

Notes: *Sold in full bundles only. Backer blocks and Universal Base units sold in natural color only. Product is shipped on skids. All measurements are nominal.

LEDGESTONE[™]





BUFF




PILLAR CAP 24" x 24" x 3½" 61cm x 61cm x 9cm





TECHNICAL ADVANTAGES Reala[™] Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.





FULLNOSE UNIT 12" x 24" x 1¾" 30.5cm x 61cm x 6cm







LARGE LEDGESTONE COPING 30" x 13½" x 2¾" 76cm x 34.3cm x 7cm NEW FOR 2019

LARGE LEDGESTONE COPING - Closed-End 30" x 13½" x 2¾" 76cm x 34.3cm x 7cm

NEW FOR 2019



36" LEDGESTONE STEP 36" x 18" x 6" 91.4cm x 45.7cm x 15.2cm



48" LEDGESTONE STEP 48" x 24" x 6" 122cm x 61cm x 15.2cm

72" LEDGESTONE STEP 72" x 24" x 6" 183cm x 61cm x 15cm


	Face F	eet Per	Linear F	Feet Per	Units Per		Per B	undle	Lbs Per	
Stones & Bundling	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Aurora Manufacturing										
Fullnose			26.00	2.00	13				55.62	723
Coping Closed End 24"			24.00	2.00	12				66	796
Coping 24"			24.00	2.00	12				64	772
Pillar Cap			10.00	2.00	5			5	172	862
Large Coping Closed End			30	2.50	12				93	1,116
Large Coping			30	2.50	12				94	1,128
Step - 36" x 18"			9.00	3.000	3				327	982
Step - 48" x 24"			12.00	4.000	3				574	1,721
Step - 72" x 24"			18.00	6.000	3				860	2,581


Notes: 4 Ledgestone[™] Closed-end coping units can be used to cap pillars larger than 20". That leaves a small opening for lighting. All caps require a skid that is refundable upon return in good condition. All measurements are nominal.


Internal Use Only. LDG CH

Oversized Pillar Coping Options


1/4″ 13″ **1**/4″ 18″







UNIVERSAL BASE



UNIVERSAL BASE UNIT 19" x 14" x 2" 48.2cm x 35.5cm x 5.5cm


	Face Feet Per Linear Feet Per		Units Per		Per Bundle		Lbs Per			
Stones & Bundling	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Universal Base Unit	99.46		85.39	1.58	54	9			46.295	2,500.0

Internal Use Only. UNB

ARCHITECTURAL PILLAR CAP







MIDNIGHT CHARCOAL



ARCHITECTURAL PILLAR CAP 28" x 28" x 4" 71.1cm x 71.1cm x 10cm

TAN

LIGHT GREY

	Face F	eet Per	Linear Feet Per		Units Per		Per B	undle	Lbs	Per
Stones & Bundling	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Architectural Pillar Cap	3.06	0.765			4				233.82	935.3

Notes: All measurements are nominal.

Internal Use Only. UNI NY

UNIVERSAL COPING




TAN

LIGHT GREY



MIDNIGHT CHARCOAL



UNIVERSAL COPING 19" x 14" x 2³/₄" 48.2cm x 35.5cm x 7cm

	Face F	eet Per	r Linear Feet Per		Units Per		Per Bundle		Lbs Per	
Stones & Bundling	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Universal Coping			75.91	1.58	48		8		57.308	2,747.2

Internal Use Only. UNC

NATURAL STONE

SANDSTONE







STONE CLIFF GREY

LIMESTONE







BLACK RIVER

HEARTHSTONE

WINTER MIST





12" x 24" x ⁷/₈" 30cm x 60cm x 2.2cm



18" x 24" x ⁷/₈" 45cm x 60cm x 2.2cm

NATURAL EDGE COPING AVAILABLE IN: BLACK RIVER, AUTUMN HARVEST, INDIAN COAST & STONE CLIFF GREY.



12" x 48" x 2" 30cm x 120cm x 5cm

12" x 72" x 2" 30cm x 183cm x 5cm

16" x 48" x 2" 41cm x 120cm x 5cm

16" x 72" x 2" 41cm x 183cm x 5cm NATURAL EDGE STEP AVAILABLE IN: BLACK RIVER, AUTUMN HARVEST, INDIAN COAST & STONE CLIFF GREY.



16" x 48" x 6" 41cm x 120cm x 15cm 16" x 72" x 6" 41cm x 183cm x 15cm



24" x 24" x ⁷/₈" 60cm x 60cm x 2.2cm

FULLNOSE COPING AVAILABLE IN: BLACK RIVER, AUTUMN HARVEST, INDIAN COAST & STONE CLIFF GREY.



12" x 48" x 2" 30cm x 120cm x 5cm

12" x 72" x 2" 30cm x 183cm x 5cm



24" x 36" x ⁷/₈" 60cm x 90cm x 2.2cm

PILLAR CAP AVAILABLE IN: BLACK RIVER, AUTUMN HARVEST, INDIAN COAST & STONE CLIFF GREY.



24" x 24 x 2.5" 60 cm x 60cm x 6.4cm

NATURAL STONE cont'd

Sandstone and Limestone Flagging Data

Stones & Bundling	Unit Thickness	SqFt/ Crate	SqFt/ Stone	Units/ SqFt	Units/ Crates	Lbs/ Unit	Lbs/ Crate
			-			/-	
12" x 24"	0.87" (2.2cm)	180	2	0.5161	90	23.13	2149
18" x 24"	0.87" (2.2cm)	186	3	0.3441	62	34.71	2,152
24" x 24"	0.87" (2.2cm)	160	4	0.2581	40	46.28	1,851
24" x 36"	0.87" (2.2cm)	180	6	0.1720	30	69.40	2,082

Natural Edge Coping Data

Stones & Bundling	Unit Thickness	Face Ft/ Crate	Linear Ft/ Crate	Linear Ft/ Unit	Units/ Crates	Lbs/ Unit	Lbs/ Crate
12" x 48"	2" (5cm)	-	80	4	20	105.82	2,116
12" x 72"	2" (5cm)	-	72	6	12	158.73	1,905
16" x 48"	2" (5cm)	-	64	4	16	141.09	2.258
16" x 72"	2" (5cm)	-	60	6	10	209.44	2,094

Steps Data

Stones & Bundling	Unit Thickness	Face Ft/ Crate	Linear Ft/ Crate	Linear Ft/ Unit	Units/ Crates	Lbs/ Unit	Lbs/ Crate
16" x 48"	6" (15cm)	32	24	4	6	421.08	2,526
16" x 72"	6" (15cm)	32	24	6	4	628.31	2,513

Fullnose Coping Data

Stones & Bundling	Unit Thickness	Face Ft/ Crate	Linear Ft/ Crate	Linear Ft/ Unit	Units/ Crates	Lbs/ Unit	Lbs/ Crate
12" x 48"	2" (5cm)	-	80	4	20	105.82	2,116
12" x 72"	2" (5cm)	-	72	6	12	158.73	1,905

Pillar Cap Data

Stones & Bundling	Unit Thickness	Face Ft/ Crate	Linear Ft/ Crate	Linear Ft/ Unit	Units/ Crates	Lbs/ Unit	Lbs/ Crate
24" x 24"	2.5" (6.5cm)	-	-	-	14	136.6	1,913.61

Notes: Natural Stone is available for purchase by Unilock Authorized Dealers only.

PORCELAIN

🕆 DEL CONCA USA



ARBOR BLANCO NEW FOR 2019



ARBOR GREY

NEW FOR 2019

GOTHAM GREY



ARBOR NATURAL NEW FOR 2019









EIKON GEA



EIKON TITANIO

GRAUSTEIN



24" x 24" x ¾" 60cm x 60cm x 2cm



Stones & Bundling	Unit Thickness	SqFt/ Unit	SqFt/ Box	Boxes/ Pallet	Units/ Box	SqFt/ Pallet	Lbs/ SqFt	Units/ Pallet	Lbs/ Box	Lbs/ Pallet
DelConca USA										
24" x 24" (60cm x 60cm):										
Arbor Blanco, Grey & Natural	.75" (2cm)	3.875	-	-	-	255.75	9.23	66	-	2,360
Gotham Beige, Grey & Nero	.75" (2cm)	3.875	-	-	-	255.75	9.23	66	-	2,360
16" x 32" (40cm x 80cm):										
Arbor Blanco, Grey & Natural	.75" (2cm)	3.445	6.89	24	2	165.36	9.04	48	62.3	1,541
Caesar										
24" x 24" (60cm x 60cm):										
Eikon Gea, Eikon Titanio & Graustein	.75" (2cm)	3.875	7.75	30	2	232.5	9	60	72.6	2,178

Notes: Refer to metric measurements; all imperial measurements are nominal. All porcelain tile is available for purchase by Unilock Authorized Dealers only. **Product is sold in full boxes only. For pedestal applications, please contact your Unilock Territory Manager.**

UNILOCK ELEMENTS



TUSCANY SPECIAL ORDER

The Tuscany pre-built fireplace is constructed from Brussels Dimensional System[™] (page 23) and Copthorne^{*} (page 8) accents.



BARCELONA SPECIAL ORDER

The Barcelona pre-built fireplace is constructed from Brussels Dimensional System (page 23) with Umbriano[°] (page 21) accent.



BELLA SPECIAL ORDER The Bella pre-built fireplace is constructed from Rivercrest' Wall (page 34).

Please note that all Elements products are Special Order and require lead time.



FIREPLACE Two piece set (base and chimney), comes with stainless fire box, pipe, and metal termination cap. (Upgraded termination cap available.) 5620 lbs.



WOOD BOXES Sold as a set of two and flank either side of the gas or standard fireplace. 3750 lbs per set.



HEARTH Hearth with gentle curved front. 1025 lbs.

SUNSET ROUND & SQUARE



ALMOND GROVE



LIMESTONE



SIERRA



The following accessories are sold separately for the Sunset Round Fire Pit. Contact your local Territory Manager for details.





Stones & Bundling	Stones per Course	Stones per Pallet	Diameter Outside of Stone	Diameter Inside of Stone	Diameter Pit Insert	Lbs/Unit	Lbs/Pallet	Kits/Bundle
Sunset - Uxbridge Manufacturing								
Sunset Square Fire Pit	12	48	43"	29"	27"	-	1357	1
Sunset Round Fire Pit	18	72	52"	36"	35"	-	1499	1

ROMANSTACK®



ALMOND GROVE



GRANITE

SIERRA



Stones & Bundling	Stones per Course	Stones per Pallet	Diameter Outside of Stone	Diameter Inside of Stone	Diameter Pit Insert	Lbs/Unit	Lbs/Pallet	Kits/Bundle
RomanStack - Uxbridge Manufacturing								
RomanStack Fire Pit	24	96	60"	44"	44"	-	1725	1

LINEO DIMENSIONAL FIRE PIT



ALMOND GROVE



LIMESTONE



SIERRA



FIRE PIT LID

Fire pit lid is sold separately and fits securely into the firepit.

Stones & Bundling	Stones per Course	Stones per Pallet	Diameter Outside of Stone	Diameter Inside of Stone	Diameter Pit Insert	Lbs/Unit	Lbs/Pallet	Kits/Bundle
Lineo - Uxbridge Manufacturing								
Lineo Square Fire Pit	12	48	43"	29"	27"	-	1357	1

RIVERCREST[®] FIRE PIT



BUFF



COASTAL SLATE



Fire pit grill is included and fits securely into the fire pit.

Stones & Bundling	Stones per Course	Stones per Pallet	Diameter Outside of Stone	Diameter Inside of Stone	Diameter Pit Insert	Lbs/Unit	Lbs/Pallet	Kits/Bundle
Rivercrest - Georgetown Manufacturing								
Rivercrest Fire Pit	4	12	54"	36"	-	126	1512	1

ACCESSORIES

UNICARE NATURAL STONE CLEANERS & SEALERS

For more information, visit www.unicare-products.com



UNICARE NATURAL STONE ACID CLEAN 1L and 5L

NEW!

Removal of:

Cement Staining
 Efflorescence

UNICARE NATURAL POWER CLEAN

• Iron Oxide (Rust) • Ce

Cement mortar
 Grout

Note: Never use hydrochloric or sulphuric acid based products. ONLY FOR ACID RESISTANT STONE. Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.

NEW!

Removal of: • Oil & Grease • Food Stains • General Dirt & Mud • Light cement contamination (on acid

Sap & certain plant stains

sensitive surfaces)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



UNICARE BIOCLEAN NEW! 1L and 5L

Removal of:

11 and 51

- Black spot algae
 Green algae
- Organic staining from bark & compost
- Plant stains from leaves, wood, trees, berries & flowers
- Colored stains from food spillages, tea, coffee and wine

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



UNICARE NATURAL STONE NATCOLORENHANCE SEALER NEW!

1L and 5L

Color Enhancement For Porous Stones

No surface coating, sheen or shine
 Breathable
 Lasts several years
 Easy to apply
Note: Carefully read all instructions and safety information on product label prior to application. For additional
safety information, see MSDS.



UNICARE NATURAL STONE NATMATTE SEALER NEW! 1L and 5L

For Porous Stones

No change of color
 No surface coating, sheen or shine at all
 Riven Sandstone & Smooth Sandstone Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.

CLEANERS



TECHNISEAL® PROFESSIONAL GRADE OIL/GREASE REMOVER

Description: Professional Grade Oil & Grease Remover is an industrial strength petroleum-based product remover. It lifts and absorbs embedded oil and grease stains as it dries from a liquid to a powder. Specially formulated for concrete pavers, slabs and walls, natural stone, poured or stamped concrete, etc., Professional Grade Oil & Grease Remover works without damaging or discoloring the material and is easy to use.Packaging 1 quart container Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



TECHNISEAL® EFFLORESCENCE REMOVER

Description: Unicare Paver Cleaner is specially formulated to dissolve efflorescence (whitish salt deposit) and remove ground-in dirt on paving stones and concrete, without discoloring or damaging surfaces. It cleans evenly, and enables the sealant to better penetrate the material to be treated. Packaging 1 gallon • Box of 4 x 1 US gallon

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



TECHNISEAL ORGANIC STAIN REMOVER

Description: Formulated to remove moss and mildew as well as tough organic stains such as dead leaves, blood, wine and non-greasy food stains on concrete pavers, slabs and walls, natural stone, etc; requires minimum scrubbing

Packaging 700g • Box of 6 x 700 g • 500 units per skid Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



TECHNISEAL SR SLURRY REMOVER FOR PAVERS AND SLABS

Description: This is the most effective product available for removing cement slurry and polymeric sand haze on concrete or clay pavers and slabs. 1 gallon of concentrated product cleans up to 600 sq.ft. Coverage will depend on surface condition and product dilution.

Packaging 1 gallon • Box of 4 x 1 US gallon

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.

SEALERS



BP PRO ENHANCING STABILIZING SEALER

Description: BP Pro Enhancing Stabilizing Sealer is designed specifically for use on block paving to stabilize joint sand and seal the paver surface. It is a water-based single component polymer that penetrates into the pores and seals the surface with a coating that gives you a semi-gloss finish. A green product that is solvent free and environmentally friendly, it is VOC, EPA, OSHA and FDA compliant. It is non-hazardous and non-toxic and can be used indoors and outdoors on new and existing projects. It can be applied immediately after completion, as it will not trap efflorescence and whiten. Easy to install and offering increased stain protection, it also reduces the formation of efflorescence. Packaging: 1 and 5 gallon available

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



BP NATURAL STABILIZING SEALER

Description: BP Natural Stabilizing Sealer is designed specifically for use on block paving to stabilize joint sand and seal the paver surface. It is a water-based single component polymer that penetrates into the pores and seals the surface with a coating that gives you a natural looking sheen. A green product that is solvent free and environmentally friendly, it is VOC, EPA, OSHA and FDA compliant. It is non-hazardous and non-toxic and can be used indoors and outdoors on new and existing projects. It can be applied immediately after completion, as it will not trap efflorescence and whiten. Easy to install and offering increased stain protection, it also reduces the formation of efflorescence. Packaging: 1 and 5 gallon available

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see MSDS.



BP PRO WET LOOK JOINT STABILIZING SEALER

Designed specifically for use on block paving to seal the paver surface and fuse the joint sand. It is a solventbased single component polymer that creates a semi-gloss finish. It has the consistency of a light oil and is clear in appearance. It has a strong odor when in its liquid state and dries to a transparent semi-gloss finish with a darkened wet look. It can be used outdoors on new and existing projects because it is UV stable. WetLook Stabilizing Sealer can be applied immediately because it is breathable and does not trap moisture and it has outstanding coverage. The product is easy to install and offers great stain and environment protection. Cured product is heat and freeze resistant. Packaging:

- 1 gallon container
- 36 cases per skid (of 1 gal)

- Box of 4 x 1 gallon containers (4 x 1 US gal)
 5 gallon pail (36 per skid)
- S gallon pair (50 per skid)
 SO-125 saft coverade per dall
- 55 gallon container (4 per skid) SPECIAL ORDER
- 50-125 sq.ft. coverage per gallon (approx.)*



UNILOCK CONCRETE ADHESIVE

10 oz. Caulk Tube: 20' at 1/4" Bead (Case of 12) 28 oz. Caulk Tube: 50' at 1/4" Bead (Case of 12) Ideal for step veneering and retaining wall cap securement.

SPECIFICATIONS - (Conforms to UN-STD. 1804, ASTM 2339-70 & FHA UM-60)

Color: Natural Sand Color Viscosity: Smooth Easy Gun Grade Mastic CLEANUP: Use mineral spirits or chlorinated solvents - read solvent supplier's caution notes for use of this product.

STORAGE: Store in cool place, rotate stock. Keep at 70⁰F for 24 hours before use in cold weather. Store cartridges upright. Product does not have a flash point after it dries.



TECHNISEAL STRUCTURE BOND (& GUN)

24 oz. Container: (Case of 12 / 84 boxes per pallet) Super-strength hardscape foam adhesive, specifically for the construction industry. Quick & easy precise application with the special "Gun II" dispenser; adjustable bead size. 3/8" bead size will yield up to 600ft. CLEANUP: Cured foam can only be removed mechanically. Use Structure Bond Gun Cleaner to clean gun upright. Product does not have a flash point after it dries.

SANDS



POLYBIND G2 SAND NEW NO DUST • HAZE FREE • NO BLOWER • ONE WATERING

Designed for paver joints up to 2".

PolyBind Complete G2 is made with calibrated sand that is mixed with sophisticated intelligent polymers, which neutralizes haze and dust. The polymeric sand application is now dust-free and haze-free. No blower is needed and the intelligent polymeric sand requires only one watering. it is recommended for a variety of uses including pool decks, patios, footpaths, driveways, parking spaces, pavements, etc. Available in Nevada Tan and Oxford Grey. It sets above the freezing temperature 32°F and can be used for joints up to a maximum of 2 in. 50 lb/bag Coverage: 65-85 sq. ft. per bag for narrow joints / larger joints will require more sand



TECHNISEAL® HP NEXTGEL POLYMERIC SAND

Designed for paver joints up to a maximum of 1 inch.

This paver sand is a high-performance polymer sand - it is the ideal product for heavy traffic and wet areas. Weeds and insects in paver joints is part of the past with this high-end product. This polymer sand is a mixture of graded sand (ASTM C144) and binder. It penetrates easily into joints, ensuring a fast and efficient jointing solution. This easy to use jointing sand will start to harden in minutes after water activation, and it quickly becomes resistant to erosion caused by water (rain, sprinklers and spray). Colors: Urban Grey, Granite Grey and Tan

Packaging: • 50 lb bag

• 65-85 sq.ft. coverage per bag for narrow joints, larger joints will require more sand • 56 bags per skid



POLYBIND G2 SAND

Designed for paver joints up to a maximum of 1 inch.

Polybind G2 Sand is a unique mixture of polymer binders and calibrated sand available in Nevada Tan & Oxford Grey. The installation of Polybind Sand is almost identical to using regular paver joint sand, except for the application of water. Once it sets, it becomes very firm and locks between the paver joints. This firm bond maintains pavers securely in place, being equally effective on both horizontal and sloped surfaces. Colors: Oxford Grey and Nevada Tan

Packaging: • 50 lb bag

• 65-85 sq.ft. coverage per bag for narrow joints, larger joints will require more sand 🛛 • 56 bags per skid



GATOR AQUA ROCK

Manufactured to meet ASTM No.9 requirements for permeable paver joint units. The calibrated gradation obtained from the fractured high-strength granite makes it the ideal product for the bedding course & jointing material to collect surface water run-off and help stabilize interlocking paver surfaces. Color: Granite Grey Packaging: • 50 lb bag

• 20-25 sq.ft. coverage per bag for a 60mm paver

• 56 bags per skid

** All Polybind Sand products are available by Special Order **

	SAND RECOMMENDA	TIONS BY PRODUCT	
Sands	Unicare [®] Plus Polymeric Sand	PolyBind HP	NEXTGEL G2
PAVER TYPE	For joints up to 1". May be sealed. Available in Tan or Grey Binding sand.	For joints greater than 1". Available in Nevada Tan and Oxford Grey.	For joints greater than 1". Available in Urban Grey, Granite Grey and Tan.
Copthorne*	✓+	\checkmark	✓
Courtstone*	✓+	\checkmark	\checkmark
Il Campo*	N/R	\checkmark	\checkmark
Richcliff"	✓+	N/R	N/R
Series*	N/R	\checkmark	\checkmark
Town Hall*	✓+	N/R	N/R
Treo™/Treo™ Classic	✓+		
Umbriano*	✓+	\checkmark	\checkmark
Westport [™] EZ Clean	✓+		
Tumbled Pavers	✓	\checkmark	\checkmark
Standard Pavers	✓	\checkmark	\checkmark

N/R - Not Recommended

Recommended

✓ + - Recommended with Extra Care (contact your Territory Manager for more information)

IMPORTANT NOTICE

1. <u>DO NOT USE</u> Polymeric Jointing Sand on the following products: Series* II Campo*

If joint stabilization is required, use ordinary jointing sand and apply a stabilizing sealer. Contact your local Unilock office for recommended sealants and application specifics.

2. **EXTRA CARE** must be exercised when using Polymeric Sand on the following products:

Courtstone® Copthorne® Richcliff® Senzo™ Town Hall® Tribeca Cobble™ Umbriano®

Unilock's Polymeric Jointing Sand can be used on these products but the fine polymers and binders in Unilock Polymeric Jointing Sand have a natural tendency to adhere to the surface and therefore extra diligence must be taken to pre-clean the surface prior to "wetting the sand in" and squeegee off the surface post application. Failure to do so will result in a "whitish haze" on the surface that is difficult to remove.

3. **IMPORTANT COMPACTION NOTICE**: Always pre-compact the pavers WITHOUT SAND IN THE JOINTS. This will facilitate proper leveling. Polymeric sand can then be swept into the joints. *Always use a compactor with a protective membrane attached to the bottom of the plate.*

Unilock Polymeric Jointing Sand, cleaners and sealers, <u>must</u> always be applied by a trained and experienced professional. Contact your local Unilock office for training and the most up-to-date best practices.

NOTICE: Unilock does not accept any responsibility for damage to the surface caused by the improper application and use of Unilock polymeric sand, sealers or cleaners.


EDGE RESTRAINTS

SnapEdge - One-Piece Edging That Does It All!

- Only one part required for straight runs or curved installations
- Built-in connector fastens one piece to the next convenient 96" size, makes them easy to transport
- Unique 'Snip and Flex' feature speeds installations of curves and corners without pre-planning
- The open design allows a root system to grow through SnapEdge, further reinforcing the installation



- Engineered to provide a strong, easyto-install edge restraint for concrete/clay pavers
- Nail hole bosses are full-length cylinders. Hammer blows will not fracture or force nail heads through edging



GATOR EDGE RIGID

Gator Edge Rigid is made with 100% Polypropylene Co-Polymer. This will give it great strength as well as providing greater flexibility. Rigid can be locked together with the "Twist & Lock" connection system.



Strong Lateral Support

A triangular angle at all key points has been engineered to provide a strong lateral support, essential for the load transfer on the paving units. The Rigid model can be modified into a Flex by simply cutting the connector between each triangular angle.



- 1 piece = 8 linear feet
- 1 mini-pack = 6 pieces = 48 linear feet
- 1 master-pack = 4 mini-packs = 192 linear feet
- 1 pallet = 28 master packs = 5,376 linear feet



- 1 piece = 8 linear feet
- 1 bundle = 24 pieces

- 1 bundle = 24pieces = 192 linear feet
- 1 pallet = 16 bundles = 3,072 linear feet

SILCASYSTEM




SILCASYSTEM

This system is ideal for applications where decking materials like wood lumber or composite lumber would have otherwise been the only choice. When connected to wood floor joists, Silca Grate™ grids provide a substructure (sub-floor) for a wide variety of decking materials: stone, brick pavers, slate, travertine pavers, marble or granite. Because it is engineered for strength and easy installation, this durable outdoor flooring makes it possible for residential do it yourself, as well as commercial architects, designers and builders, to create a new, exciting outdoor living space!

PermEdge - Permeable Paver Edge Restraint

- Comes fully assembled no field assembly required
- Installs on top of the stone chip setting bed
- One-piece design for straight and curved applications
- Integral section-to-section connector
- 100% recycled material





PAVERSAVER UNI MAT





PAVERSAVER UNI MAT

Universal Design - for use on most compactors

The PaverSaver Uni Mat is made out of a specially formulated urethane rubber. This material is soft enough to protect the paver surface and hard enough to minimally affect travel speed. The universal sizing fits most compactor plates and easily attaches and detaches from the compactor.

UNILYFT™



UniLyft.

- Install up to 700 sq. ft. per hour!
- Access tight or narrow areas
- Eliminate the need for a forklift on site
- Reduce labor costs
- Reduce shoulder, hand and knee pain and injury
- Improve your bottom line
- Financing available

Contact your local rep for details



LANDSCAPE FABRIC AND GRID SYSTEM



GEOGRID AND FABRICS Strata 150 - 22.22 sq. yds/roll Strata 200 - 200 sq. yds/roll Filter Fabric - 6.25' x 360'; 250 sq yds/roll




LANDSCAPE SPIKES 50lb case



UNILOCK DRIVEGRID[™] SYSTEM • 120' x 13' Roll, 1,572 Sq.Ft./Roll, 56 lb/Roll

WHY DRIVEGRID SYSTEM[™]?

- Easy to install
- Inexpensive
- Reduces overall project cost
- ✓ Proven Tensar[®] TriAx[®] Technology



SPECIAL ORDER TOOLS AND ACCESSORIES

Paver Extractor Paver Adjuster Paver Cart Paver Persuader Sand Pull Sand Pull Pro Screed Board EDCO Masonry Saw Diamond Blades Paver Guillotine Wall Guillotine Paver Scribe Quick Draw Paver Square Mammoth Mite 110V Bison Pedestal Systems AWS Pedestal Systems Elmich Pedestal Systems Strata Sleeve-It Geo Block 2 Rompox Flexible Jointing Mortars Permeable Paver Spacers Foam Slotted Roller

BASE THICKNESS CHART (GENERAL)

APPLICATION

PATIOS, WALKWAYS, POOL DECKS DRIVEWAYS

STEPS, PLANTERS, RAISED PATIO RETAINING WALLS UNDER 18" (45cm) RETAINING WALLS OVER 18" (45cm) **GRAVEL BASE** 4" - 6" (10cm-15cm) 8" - 12" (20cm - 30cm 6" (15cm) 6" (15cm) 6" (15cm) **BEDDING COURSE** 1" (2.5cm) 1" (2.5cm) 0 - 1/8" (0cm - 0.3cm) 0 - 1/8" (0cm - 0.3cm) 0 - 1/8" (0cm - 0.3cm)

BACKFILL WIDTH (WALLS ONLY)

8" - 12" (20cm - 30cm) 12" (30cm) 16" (50cm)

Soil condition - In areas with poor soil conditions, (eg., heavy clay, disturbed soils) increase the depth of the base to provide more stability. Where poor **soil conditions** exist it may be advisable to contact an engineer when constructing a retaining wall in excess of 24" in height.

Area = (Length) x (Width)

Area of a Circle = 3.14 x (Radius) x (Radius) Area of a Half Circle = 1.57 x (Radius) x (Radius) Area of a Quarter Circle = .78 x (Radius) x (Radius) Area of a Triangle = (1/2 Base) x (Height) Perimeter of a Circle = 6.28 x (Radius) Perimeter of a Half Circle = 3.14 x (Radius) Perimeter of a Quarter Circle = 1.57 x (Radius)

TYPICAL PAVER CROSS SECTION

Metric Equivalents

 1 inch = 2.5400 centimeters
 1 ce

 1 foot = 0.3048 meter
 1 me

 1 yard = 0.9144 meter
 1 me


 1 sq. foot = 929.030 sq.centimeters
 1

 1 sq. meter = 1.196 sq. yards
 27 cu feet = 1 cu. yard

1 centimeter = 0.3937 inch 1 meter = 39.3701 inches

Unilock Pavers





ASPECT RATIO

Simply defined, the aspect ratio is the overall length of a paver divided by its height.

LENGTH/HEIGHT = ASPECT RATIO

If an insufficient aspect ratio is used, any flexing or rocking caused by movement on the surface such as pedestrian or vehicular traffic, could result in breakage of the paver units. Not only is this breakage unsightly, but it can also compromise the integrity of the segmental system.

3 : 1 or less Heavy-Duty Vehicular 4 : 1 Light-Duty Vehicular over 5 : 1 Pedestrian

IMPORTANT NOTES

UNILOCK PAVER PATTERNS

This Product Data Guide contains an extensive reference to patterns and designs. The purpose of these pattern swatches is to help the designer plan unique and exceptional designs. The percentages of products shown are based on the pattern and not on bundle configurations. In fact, there may be situations in which a pattern has been created with one particular size of stone, but that stone only comes packaged with two other sizes. This means that the designer will have to plan how the other components are used in the overall plan. This is usually accomplished by adding a border or an accent. As a result, overages or shortages may occur in certain patterns. The designer and/or installer of Unilock products accepts all responsibility for design and all associated costs incurred as a result of applying any of Unilock's suggested design patterns in a project. Please plan your project and review your order carefully prior to ordering.

TRANSFERABLE LIFETIME GUARANTEE

Unilock provides a Transferable Lifetime Guarantee^{*} on the structural integrity of our paving stones, slabs and retaining wall units to the original purchaser of the product for residential use. Any materials installed and maintained to our guidelines, and subject to normal wear, that prove defective, will be replaced without cost. Color matching cannot be guaranteed and replacement labor is not included. Proof of purchase is required.

Excessive defective material (over the industry accepted normal of 2% for non-tumbled unit pavers) delivered to the purchaser will be replaced free of charge if a written claim is made within 5 days of delivery from the manufacturer. Such claims will not constitute reason for delaying payment. All goods shall be deemed accepted if completely installed. Inspect concrete products prior to opening bundle packaging to ensure that shape and color are as ordered. Unsatisfactory material must be available for inspection by Unilock to entitle the purchaser to any adjustment or credit. Inspect all concrete units during installation and set aside any which are chipped or cracked to use for any cut pieces required. The color of concrete products may vary significantly between production lots. Always install concrete units from several bundles simultaneously to ensure proper distribution of color. Prior to final compaction, inspect installed pavers for good color distribution. Relocate certain pavers, if necessary, to achieve desired color blend. Textured pavers and slabs require a buffer between the plate compactor and the paver surface to prevent scuffing.

*Transferable Lifetime Guarantee: Register your project within 60 days of your dated proof of purchase to ensure your Unilock Guarantee is fully transferable! Simply go online at unilock.com and follow instructions. Once processed, you will receive an original Transferable Warranty Certificate for your records.

PRODUCT HANDLING WARNING

Bundle Straps Under Tension - Use extreme caution when removing or handling straps. Always wear gloves, goggles, safety footwear, and protective clothing when removing or handling straps. Failure to do so may result in serious bodily injury or loss of sight. Cut all concrete products only in well ventilated areas. Inhalation of dust is a serious health risk. A "NIOSH" (US) or a "CSA" (CDN) approved respirator, safety goggles, hearing protectors, and gloves must be worn at all times. Always "wet-cut" or "wet grind" concrete products to minimize dust.

Do not stack bundled concrete products higher than 2 bundles high. Contents of the bundle may be unstable and subject to topple when stacked. Always use extreme caution and appropriate equipment when transporting or storing bundled concrete products. Failure to do so may result in serious bodily injury or death. Always obey gross vehicle weight (GVW) loading limitations and regulations.

Hazard Rating: Fire 0, Health 1, Reactivity 0. See MSDS Concrete Masonry (Pavers). Contact Unilock for complete sheet or view safety information at www.unilock.com.

Unilock assumes no liability or responsibility for loss or damage, resulting from the improper use or handling of our products, or from failure to follow instructions, warnings, and/or advisories on the product label, and on the MSDS sheet.

TRADEMARK AND LEGAL INFORMATION

Umbriano* is a trademark of Metten Stein + Design GmbH & Co KG used under license by Unilock.

Unilock Ltd. and Hengestone Holdings, Inc. are the owners or authorized users of all trademarks used in this publication unless otherwise specified.

Measurements throughout this portfolio are nominal.


*Colors shown in this catalog should be used only as a guide. Colors should always be chosen from actual samples. Contact your local Unilock representative for color availability in your area.


Not all products shown are available at all Unilock locations. Log on to www.unilock.com for availability.


©2017 Hengestone Holdings, Inc.


1-800-UNILOCK

LAYING PATTERNS












BRUSSELS BLOCK®




50% Standard



ł Brussels P - 67% Standard, 33% Half Stone










Artline A - 100% Random

BRUSSELS BLOCK®






Brussels B - 100% Standard




14% Half


С	OP-	гно	RNE	8	

Copthorne A - 100% Standard



Brussels E - 100% Half Stone







COURTSTONE®

Courtstone A - 100% Random


BHF B - 100% Random



FULLNOSE EDGER™









25% 4"x12"







Series - 100% Random




TRANSITION™



Series K - 50% 12"x12", 50% 6"x12"





HOLLANDSTONE[†] Hollandstone C - 100% Standard




Holl	and	dsto	one	e D	- 1	00	% \$	Sta	nda	ard	


Richcliff B - 100% Random






THORNBURY™ Г Thornbury A - 100% Random






Г Thornbury B - 100% Random




TRIBECA COBBLE™



TOWN HALL®



Town Hall B - 100% Standard



Tribeca Cobble - 100% Random


UMBRIANO®

Umbriano A -57% 16"x16", 29% 16"x8", 14% 8"x8"

Ì										
Ĩ			1							
Ĩ	1									
1	1			_						_
1										
1				-					-	_
Î		Г			-					
1			1	-						
1	Inc. lo.v			~		0/	101	 0.11		

Umbriano C - 54% 16"x16", 37% 8"x16", 9% 8"x8"

Town Hall C - 100% Standard




WESTPORT™

Westport B - 100% Random

Umbriano B - 67% 16"x16," 22% 16"x8", 11% 8"x8"

FINISHES



BRUSHED




COBBLESTONE



WEATHERED



DIMPLED AND WEATHERED




FLAGSTONE



SMOOTH

WASHED



SMOOTH - ZERO BEVEL



SPLIT



TIMEWORN



SPLIT AND WEATHERED

STANDARD

COLOR BLEND DESCRIPTIONS

COLOR NAME	DESCRIPTION	COLOR NAME	DESCRIPTION
Autumn Sunset	Brown Flake	Heritage Clay	Burnt Clay and Basalt
Basalt	Blue-Black	Heritage Red	Burgundy Red and Basalt
Bavarian Blend	White, Buff and Charcoal	Ice Grey	Grey and White
Black Granite	Black Granite and Charcoal	Limestone	Light Grey
Castano	Dark Brown and Burnt Brown blend	Midnight Sky	Charcoal and Black Flake
Coastal Slate	Grey and Tan	Nuvola	Dark Charcoal and Light Grey
Coffee Creek	Buff, Charcoal, Mauve	Opal	Light Grey and White
Copper Ridge	Copper and Buff	Pebble Taupe	Tan and Brown
Cremo	Cream and Buff	Rustic Red	Red and Charcoal
Crystal Rose	Light Charcoal, Fine Rose Quartz, Black	Sandstone	Light Buff
	Granite and Black Metallic	Sierra	Buff, Charcoal and Brown
Dawn Mist	Grey and Tan	Steel Blue	Grey and Blue
Fossil	Tan, Charcoal and Natural	Steel Mountain	Charcoal and Light Grey
Granite	Charcoal and Natural	Summer Wheat	Cream White with Pale Yellow and Beige Particles
Heritage Brown	Dark Brown and Salmon	Terra Cotta	Salmon and Charcoal
		Winter Marvel	White and Black Flake

PRODUCT DIRECTORY

Product Anchorlock Antara" Artline" Beacon Hill" Flagstone	Page 2 2 3	Finish S W	Pedestrian	Residential Vehicular	Commercial Vehicular	Environmental	For Borders &
Antara" Artline"	2 3				venicular		Accents
Artline™	3	14/	~	~	~		
		vv	~	~			✓ ✓
Beacon Hill [™] Flagstone		S	~	~			
	4	F	~	8cm			
Beacon Hill [™] Smooth	4	SM	~	8cm			
Bristol Valley [®] EASYCLEAN	5	S	~				
Brussels Fullnose [™]	5	W					`
Brussels Block [®]	6	W	~	~			~
Camelot™	6	S	~	~	~		~
Cassova	7	W	~	~			~
City Park Paver [™]	7	CU	v	~	~		
Copthorne [®]	8	Т	~	~			~
Courtstone	9	с	~	~			~
Dura-Mat [™]	9	S			~	v	
Eco-Line*	10	CU	v	~	~	~	
Eco-Optiloc [™]	10	CU	~		~		
Eco-Priora [™]	11	CU	v	· ·	~	· ·	J
Eco-Promenade [™]	12	CU	v	~	~	v	
Fullnose Edger [™]	5	S					
Hollandstone [™]	12	S	v	~	~		
Il Campo [*]	13	В	·	~	~		· ·
Mattoni	13	Т	~	~			
Natural Stone	41		~	•			~
Optiloc*	14	S	~	~	~		•
Porcelain	43	5	~	•	•		~
Promenade [™] Plank Paver	14	CU	~	~	~		•
Richcliff*	15	F	·	~	•		~
Senzo™	15	SM	~	~	~		
Series [™]	16	WS	~	~	~		· ·
Thornbury [™] Permeable	17	F	~	~	~	~	•
Thornbury [™] Smooth	17	SM	~	~	~		
Town Hall [™]	18	Т	~	· ·	~	· ·	
Transition™	18	F	~	~	~	Ţ	·
Treo [™] Classic	19	S	~	· ·	· ·		
Treo [™] EnduraColor [™]	19	F	~	~	· ·		
Tribeca Cobble [™]	20	F W/C	·	~	*		
Turfstone [™]	20	s vv/c	v	~	~	~	v
Umbriano [®]	20	SZ	~	7cm	8cm	•	
Uni Eco-Stone [™]	21	CU	~	✓			v
Westport [™] EASYCLEAN	22	F	v		· ·	v	

Retaining Walls

Product	Page	Finish	Gardens	Retaining Walls	Steps	Seatwalls	Pillars
Brussels Dimensional System [™]	23	W	v		~	~	J.
Concord Wall [™]	24	SP	~	~	~	~	v
DuraHold*	25	S		~			
DuraHold2*	26	S		~			
Estate Wall [°]	27	SP/W	~		~	~	~
Ledgestone™	39	S	~		~	~	~
Lineo [™] Dimensional Stone	33	SM	v		~	~	v
Rivercrest [*] Wall	34	F	v		~	~	v
Roman Wall*	35	SP/W	~	~	~	~	~
SienaStone [®]	36	SP		~	~	~	
U-Cara"	37	Various	v	~	~	~	v
Universal Base & Coping and Architectural Pillar Cap	40	S	~	~	~	~	¥

Finishes: B=Brushed; C=Cobblestone; CU=Custom; D=Dimpled; DW=Dimpled and Weathered; F=Flagstone; S=Standard; SM=Smooth; SZ=Smooth Zero Bevel; B=Brushed; C=Cobblestone; CU=Custom; D=Dimpled; DW=Dimpled and Weathered; F=Flagstone; S=Standard; SM=Smooth; SZ=Smooth Zero Bevel; B=Brushed; C=Cobblestone; CU=Custom; D=Dimpled; DW=Dimpled and Weathered; F=Flagstone; S=Standard; SM=Smooth; SZ=Smooth Zero Bevel; B=Brushed; C=Cobblestone; CU=Custom; D=Dimpled; DW=Dimpled and Weathered; F=Flagstone; S=Standard; SM=Smooth; SZ=Smooth Zero Bevel; B=Brushed; C=Cobblestone; CU=Custom; D=Dimpled; DW=Dimpled and Weathered; W=Flagstone; S=Standard; SM=Smooth; SZ=Smooth; Zero Bevel; B=Brushed; C=Cobblestone; CU=Custom; D=Dimpled; DW=Dimpled and Weathered; W=Flagstone; S=Standard; SM=Smooth; SZ=Smooth; Zero Bevel; B=Brushed; C=Cobblestone; CU=Custom; D=Dimpled; DW=Dimpled and Weathered; W=Flagstone; S=Standard; SM=Smooth; SZ=Smooth; Zero Bevel; B=Brushed; C=Custom; D=Dimpled; DW=Dimpled; WS=Washed; This application chart should only be used as a guide. Site condition SP=Split; SP/W= Split and Weathered; T=Timeworn; W=Weathered; WS=Washed This application chart should only be used as a guide. Site conditions, base materials, pattern and frequency of use may vary the performance of various types and styles of products.

NOTES

NOTES



BOSTON

(508) 278-4536

CLEVELAND (330) 927-4000 NEW YORK (845) 278-6700

BUFFALODETROIT(716) 822-6074(248) 437-7037

ONTARIO (416) 646-9000

CHICAGO (630) 892-9191 MILWAUKEE (262) 742-3890

UNILOCK.COM | 1-800-UNILOCK

©2018 Hengestone Holdings, Inc.