




2019 PRODUCT DATA



UNILOCK[®]
DESIGNED TO CONNECT.

UNILOCK® QUALITY GUARANTEED



GOOD CLASSIC

Our budget-friendly, Unilock Classic pavers and walls are manufactured to exceed ASTM standards for quality and strength. Available in classic shapes and styles, these products utilize a traditional **product mix of large and small aggregates**, that's consistent from top to bottom, with color mixed throughout.

BETTER ENDURACOLOR™

The refined surface of Unilock Enduracolor products is achieved with a **two step manufacturing process** that combines a base of coarser aggregates for a **stronger foundation**, with concentrated color and **wear-resistant finer aggregates on top**. This process protects the surface from the appearance of fading over time because the top layer prevents large, lighter color aggregates from ever showing through.

BEST ELEGANCE™

Deep, rich colors and a multitude of **unique Reala™ textures** combine to deliver the timeless beauty of Unilock Elegance. From the timeworn look of European cobblestones, to the classic luxury of riven natural stone slabs, our Elegance collection offers styles you can't get anywhere else and thanks to Ultima Concrete, the look you purchase is the look that will last, with up to **4x the strength** of poured in place concrete.



EXCLUSIVE UNILOCK TECHNOLOGIES

REALA™

Ultra realistic textures cast from Natural Stone, brick and historic cobblestones.

ULTIMA™

A proprietary manufacturing process creates pavers with up to four times the strength of poured concrete.

COLORFUSION™

A proprietary technology that disperses color randomly for a natural granite-like appearance.

EASYCLEAN™

Factory sealed to provide integral surface protection from stains

There are two Clean Factors (CF®) to choose from:

CLEAN FACTORS (CF)	CF 90	CF 100
Pavers are pre-sealed at the factory	*	*
Enhanced resistance to weathering	*	*
Reduced dirt absorption	*	**
Stains from leaves, coffee, ketchup, mustard, wine and BBQ oils are easier to remove	*	**

NEW FOR 2019



PAGE PAVERS

2	Anchorlock®
2	Artline™
3	Beacon Hill™ Flagstone & Smooth
4	Bristol Valley®
4	Brussels Block®
5	Copthorne®
5	Courtstone®
6	Dura-Mat™
6	Eco-Line®
7	Eco-Optiloc™
7	Eco-Priora™
8	Hollandstone™ / Double Holland™
8	Holland Premier®
9	Il Campo®
9	Mattoni
10	Natural Stone
12	Olde Greenwich Cobble®
11	Porcelain Tile
12	Promenade® Plank Paver
13	Richcliff®
13	Senzo™
14	Series™
14	Thornbury™
15	Town Hall®
15	Tribeca Cobble
16	Turfstone™
17	Umbriano®
16	Uni Eco-Stone®
18	Westport™ NEW

PAGE RETAINING WALLS

19	Brussels Dimensional System™
19	Brussels Fullnose™
20	Sunset Fire Pits
20	DuraHold2®
21	DuraHold®
22	Estate Wall®
23	Ledgestone™ Pillar Cap, Coping & Fullnose
24	Lineo™ Dimensional Stone
26	Mackinaw
27	Pisa2®
28	Rivercrest® Wall
30	RomanPisa®
31	SienaStone®
30	Split'n Stack®
32	U-Cara®

PAGE PRODUCT & INSTALLATION INFORMATION

34	Laying Patterns
37	Unilock Elements
38	Fire Rock Fireplace
39	Cleaners, Sealers and Sands
42	Edge Restraint
43	Drainage, Separation & Reinforcement
44	Calculation Chart
45	Important Notes
46	Finishes & Color Blends
47	Product Directory



This symbol indicates that the product facilitates the flow of water from the surface into the joints and into the ground below.

ANCHORLOCK®



STANDARD FINISH
CUSTOM FINISH
AVAILABLE



ANCHORLOCK
8⁷/₈" x 8⁷/₈" x 3¹/₈"
22.5cm x 22.5cm x 8cm
SPECIAL ORDER



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Standard		78.80	11.26			7	-	-	-	-	-	-	2.49	-	196	411	-	-	2,879
1/3 Stone	3 ¹ / ₈ " (8cm)	-	-	-	0.134	-	-	-	-	-	-	-	7.46	-	14	-	-	-	
Std Stone	3 ¹ / ₈ " (8cm)	-	-	-	0.418	-	-	-	-	-	-	-	2.39	-	182	-	-	-	

Notes: **Special Order from standard colors - Lead time required.** This product is optimized for mechanical installation. Full bundles only. All measurements are nominal. Colors shown should be used only as a guide. Colors should always be chosen from actual samples.

Internal Use Only. ANC MI

ARTLINE™

ENDURACOLOR™



GRANITE



SIERRA



BIRCH
NEW FOR 2019



IL CAMPO® FINISH
GRANITE BLEND
SPECIAL ORDER
MINIMUM QUANTITIES
APPLY



							Random Bundle Individual units cannot be sold separately.
6 ³ / ₄ " x 4 ⁷ / ₈ " x 2 ³ / ₄ " (16.9cm x 12.5cm x 7cm)	10 ⁵ / ₈ " x 4 ⁷ / ₈ " x 2 ³ / ₄ " (26.25cm x 12.5cm x 7cm)	13 ³ / ₈ " x 4 ⁷ / ₈ " x 2 ³ / ₄ " (33.75cm x 12.5cm x 7cm)	17 ³ / ₄ " x 4 ⁷ / ₈ " x 2 ³ / ₄ " (45cm x 12.5cm x 7cm)	8 ⁷ / ₈ " x 7 ¹ / ₂ " x 2 ³ / ₄ " (22.5cm x 18.75cm x 7cm)	13 ³ / ₈ " x 7 ¹ / ₂ " x 2 ³ / ₄ " (33.75cm x 18.75cm x 7cm)	17 ³ / ₄ " x 7 ¹ / ₂ " x 2 ³ / ₄ " (45cm x 18.75cm x 7cm)	

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Random Bundle:		93.25	11.66			8	-	-	-	-	0.483	-	192.9	2.06	-	192	373	-	2,986
A: 6-3/4" x 4-7/8"	2 ³ / ₄ " (7cm)	-	-	-	0.227	-	-	-	-	-	0.410	-	17.7	4.40	-	32	-	-	-
B: 10-3/8" x 4-7/8"	2 ³ / ₄ " (7cm)	-	-	-	0.353	-	-	-	-	-	0.410	-	27.6	2.83	-	32	-	-	-
C: 13-3/8" x 4-7/8"	2 ³ / ₄ " (7cm)	-	-	-	0.454	-	-	-	-	-	0.410	-	35.4	2.20	-	32	-	-	-
D: 17-3/4" x 4-7/8"	2 ³ / ₄ " (7cm)	-	-	-	0.605	-	-	-	-	-	0.410	-	47.2	1.65	-	32	-	-	-
E: 8-7/8" x 7-1/2"	2 ³ / ₄ " (7cm)	-	-	-	0.454	-	-	-	-	-	0.615	-	23.6	2.20	-	32	-	-	-
F: 13-3/8" x 7-1/2"	2 ³ / ₄ " (7cm)	-	-	-	0.681	-	-	-	-	-	0.615	-	17.7	1.47	-	16	-	-	-
G: 17-3/4" x 7-1/2"	2 ³ / ₄ " (7cm)	-	-	-	0.908	-	-	-	-	-	0.615	-	23.6	1.10	-	16	-	-	-

Notes: Product sold at factory in full bundle quantities. All measurements are nominal. Colors shown should be used only as a guide. Colors should always be chosen from actual samples. **Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Read the Polymeric Sand advisory on page 41.**

Internal Use Only. ART ON

FLAGSTONE




BAVARIAN BIRCH FOSSIL SIERRA


SMOOTH






BIRCH FOSSIL GRANITE BLEND OPAL BLEND



OPAL BLEND Available in 21" x 35" only
 STEEL GREY BLEND Available in 21" x 35" only



			Random Bundle Individual units cannot be sold separately
LARGE RECTANGLE 21 ¹ / ₄ " x 14 ¹ / ₈ " x 2 ³ / ₈ " 54cm x 36cm x 6cm	SQUARE 14 ¹ / ₈ " x 14 ¹ / ₈ " x 2 ³ / ₈ " 36cm x 36cm x 6cm	SMALL RECTANGLE 7 ¹ / ₁₆ " x 14 ¹ / ₈ " x 2 ³ / ₈ " 18cm x 36cm x 6cm	



XL UNIT
 21 x 35 x 2³/₈"
 53 x 88 x 6cm
 SOLD SEPARATELY
 Available in Opal Blend and Steel Grey Blend only

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Random Bundle:		93.62	10.40			9	-	-	-	-	-	-	-	0.77	-	72	285	-	2,569
Large Rectangle	2 ³ / ₈ " (6cm)	-	-	-	2.093	-	-	-	-	-	-	-	-	0.48	-	18	-	-	-
Small Rectangle	2 ³ / ₈ " (6cm)	-	-	-	0.698	-	-	-	-	-	-	-	-	1.43	-	27	-	-	-
Square	2 ³ / ₈ " (6cm)	-	-	-	1.395	-	-	-	-	-	-	-	-	0.72	-	27	-	-	-
XL Unit	2 ³ / ₈ " (6cm)	91.87	10.21		5.104	9	2	1.75	15.75	31.5	2.917	26.25	52.5	0.035	9	18	290	-	2,606

Notes: Product sold at factory in full bundle quantities. Product is shipped on skids. All measurements are nominal. Colors shown should be used only as a guide. Colors should always be chosen from actual samples. **Product is not intended for vehicular applications. Read the Polymeric Sand advisory on page 41. Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing.**

Internal Use Only.BHF / BHS MI



ALMOND GROVE



GRANITE



SIERRA



LARGE RECTANGLE
21¼" x 14½" x 2⅜"
54cm x 36cm x 6cm

SQUARE
14½" x 14½" x 2⅜"
36cm x 36cm x 6cm

SMALL RECTANGLE
7½" x 14½" x 2⅜"
18cm x 36cm x 6cm

Random Bundle
Individual units cannot
be sold separately

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Random Bundle		93.62	10.40			9	-	-	-	-	-	-	0.77	-	72	285	-	2,569	
Large Rectangle	2⅜" (6cm)	-	-	-	2.093	-	-	-	-	-	-	-	0.48		18	-	-	-	
Small Rectangle	2⅜" (6cm)	-	-	-	0.698	-	-	-	-	-	-	-	1.43		27	-	-	-	
Square	2⅜" (6cm)	-	-	-	1.395	-	-	-	-	-	-	-	0.72		27	-	-	-	

Notes: Product sold at factory in full bundle quantities. All measurements are nominal. Colors shown should be used only as a guide. Colors should always be chosen from actual samples. **Product is not intended for vehicular applications. Read the Polymeric Sand advisory on page 41.** Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing.

Internal Use Only. BRV MI

BRUSSELS BLOCK®



COFFEE CREEK



LIMESTONE



MAHOGANY ASH



SANDSTONE



XL STONE
8¼" x 13¼" x 2⅜"
20.8cm x 34.8cm x 7cm



STANDARD STONE
6⅞" x 8¾" x 2⅜"
17.3cm x 20.8cm x 7cm



HALF STONE
4½" x 6⅞" x 2⅜"
10.4cm x 17.8cm x 7cm



DESERT SAND
While supplies last

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Half	2⅜" (7cm)	99.79	12.47	14.26	0.198	8	7	0.580	24.6	172.0	0.339	42.05	294.3	5.05	72	504	399	456	3,195
Standard	2⅜" (7cm)	94.90	11.86	15.82	0.395	8	6	0.697	22.7	136.2	0.579	27.30	163.8	2.53	40	240	380	506	3,039
XL	2⅜" (7cm)	95.66	9.57	31.89	0.797	10	3	1.168	27.3	81.9	0.698	45.67	137.0	1.25	40	120	306	1,021	3,063

Notes: Product sold at factory in full bundle quantities. Ask your Unilock dealer about purchasing lesser quantities as necessary. All measurements are nominal. Colors shown should be used only as a guide. Colors should always be chosen from actual samples.

Internal Use Only. BBK MI



BURGUNDY RED BURNT CLAY OLD OAK BASALT STEEL BLUE
**NEW FOR 2019
 SPECIAL ORDER**



3 COLOR BLEND
 Sold Separately/Blended on Site



STANDARD
 2½" x 7⅞" x 2⅜"
 6.5cm x 20cm x 6cm

TECHNICAL ADVANTAGES

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

Ultima™ Concrete Technology

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.



Stones & Bundling	Unit		SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
2.5" x 8"	2⅝" (6cm)	89.20	11.15		0.15	8	-	0.697	-	127.95	0.227	-	393.7	6.73	-	600	294	-	2,349	

Notes: Product sold at factory in full bundle quantities on a returnable skid. All measurements are nominal. **Important:** Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. **Read the Polymeric Sand advisory on page 41.** Contact Unilock for information.

Internal Use Only. COP ON



BASALT BELGIAN BLUE DAWN MIST PEBBLE TAUPE



BASALT/
 BELGIAN BLUE
 Sold Separately/
 Blended on Site

DAWN MIST/
 PEBBLE TAUPE
 Sold Separately/
 Blended on Site

TECHNICAL ADVANTAGES

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

Ultima™ Concrete Technology

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.



Unit	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
XL RECTANGLE	5⅞" x 8⅜" x 2⅜"	13cm x 21.5cm x 6cm																		
LARGE RECTANGLE	5⅞" x 7¼" x 2⅜"	13cm x 18.5cm x 6cm																		
RECTANGLE	5⅞" x 6½" x 2⅜"	13cm x 16.5cm x 6cm																		
SMALL RECTANGLE	5⅞" x 5¾" x 2⅜"	13cm x 14.5cm x 6cm																		
SQUARE	5⅞" x 5⅞" x 2⅜"	13cm x 13cm x 6cm																		

Random Bundle
 Individual units cannot
 be sold separately

Stones & Bundling	Unit		SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Random Bundle		98.30	12.29			8	-	-	-	-	-	-	221.5	3.91	-	384	291	-	2,326	
Large Rectangle	2⅝" (6cm)	-	-	-	0.259	-	-	-	-	-	0.427	-	38.8	3.86	-	64	-	-	-	
Rectangle	2⅝" (6cm)	-	-	-	0.231	-	-	-	-	-	0.427	-	34.6	4.33	-	64	-	-	-	
Small Rectangle	2⅝" (6cm)	-	-	-	0.203	-	-	-	-	-	0.427	-	30.4	4.93	-	64	-	-	-	
Square	2⅝" (6cm)	-	-	-	0.182	-	-	-	-	-	0.427	-	27.3	5.50	-	64	-	-	-	
XL Rectangle	2⅝" (6cm)	-	-	-	0.301	-	-	-	-	-	0.427	-	90.3	3.32	-	128	-	-	-	

Notes: Product sold at factory in full bundle quantities on a returnable skid. All measurements are nominal. **Important:** Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. **Read the Polymeric Sand advisory on page 41.** Contact Unilock for information. Colors shown should be used only as a guide. Colors should always be chosen from actual samples.


Internal Use Only. CRT ON



NATURAL



STANDARD
19¾" x 19¾" x 4"
50cm x 50cm x 10cm
SPECIAL ORDER



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Standard	4" (10cm)	78.40	11.20		2,800	7	-	-	-	-	-	-	-	0.36	-	28	320	-	2,242

Notes: Sold in full bundles only. Product is shipped on skids. All measurements are nominal. Colors shown should be used only as a guide. Colors should always be chosen from actual samples.

Internal Use Only. DMT ON



Eco-Line is Special Order only.

				Individual units cannot be sold separately Random Bundle
14" x 3 5/16" x 4" (35.7cm x 8.4cm x 10cm)	12 1/2" x 3 5/16" x 4" (31.7cm x 8.4cm x 10cm)	11" x 3 5/16" x 4" (27.7cm x 8.4cm x 10cm)	9 3/8" x 3 5/16" x 4" (23.7cm x 8.4cm x 10cm)	
14" x 4 1/2" x 4" (35.7cm x 11.4cm x 10cm)	12 1/2" x 4 1/2" x 4" (31.7cm x 11.4cm x 10cm)	11" x 4 1/2" x 4" (27.7cm x 11.4cm x 10cm)	9 3/8" x 4 1/2" x 4" (23.7cm x 11.4cm x 10cm)	



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Pickering Manufacturing																			
Random Bundle	4" (10cm)	66.20	11.03			6	-	-	-	-	-	-	-	-	-	144	504	-	3,027

Notes: Special Order Only, Minimum Quantities Apply. Multiple finish and color options are available. Please contact your Unilock Territory Manager for further information. All measurements are nominal. **Important: A urethane rubber paver mat must be used to prevent scuffing. Approved for vehicular applications**

Internal Use Only. EOL ON



STANDARD FINISH



STANDARD
10¼" x 10¼" x 3⅞"
26cm x 26cm x 8cm
SPECIAL ORDER



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Standard	3⅞" (8cm)	64.33	9.19		0.511	7	-	-	-		-	-	-	1.96	-	126	336	-	2,353

Notes: **Special Order from standard colors - lead time required.** This product is optimized for mechanical installation. Product sold at factory in full bundle quantities. All measurements are nominal. Colors shown should be used only as a guide. Colors should always be chosen from actual samples.

Internal Use Only, EOP MI

ECO-PRIORA™ STANDARD



BEECHWOOD
STANDARD FINISH
(NOT ENDURACOLOR™)

STANDARD FINISH



RECTANGLE
5" x 10" x 3⅞"
12cm x 24cm x 8cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
5" x 10"	3⅞" (8cm)	74.60	10.66		0.304	7	-	0.773	-	96.5	0.387	-	192.9	3.28	-	245	360	-	2,518

Notes: ***Special Order from standard colors- Lead time required.** Product sold at factory in full bundle quantities. All measurements are nominal. The color Beechwood is not Enduracolor. Colors shown should be used only as a guide. Colors should always be chosen from actual samples.

Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Specially graded aggregates must be used for the joints. Contact Unilock for information.

Internal Use Only, EPA ON

HOLLANDSTONE™ / DOUBLE HOLLAND™



BEECHWOOD



RUSTIC RED **



SANDSTONE



ST. CLAIR



TERRA COTTA **



HOLLANDSTONE
4" x 8" x 2 3/8"
10cm x 20cm x 6cm



DOUBLE HOLLAND
8" x 8" x 2 3/8"
20cm x 20cm x 6cm
Rustic Red &
Terra Cotta only




Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Michigan Manufacturing																			
8" x 8"	2 3/8" (6cm)	94.3	10.48	15.72	0.440	9	6	0.67	23.62	141.73	0.67	23.62	141.73	2.29	36	216	294	442	2,650
4" x 8"	2 3/8" (6cm)	106.40	11.82	17.73	0.22	9	6	0.67	26.57	159.45	0.33	53.15	318.9	4.57	81	486	317	475	2,850
4" x 8"	3 1/8" (8cm)	82.5	11.79	13.75	0.22	7	6	0.67	20.67	124.02	0.33	41.34	248.04	4.58	63	378.01	426	497	2,985
Ontario Manufacturing																			
4" x 8"	2 3/8" (6cm)	109.26	10.93	21.85	0.220	10	5	0.67	32.81	164.04	0.33	65.62	328.08	4.58	100	500	300	600	2,999

Colors shown should be used only as a guide. Colors should always be chosen from actual samples. Hollandstone is available in all listed colors. Double Hollandstone is available in marked colors (**). Notes: Hollandstone and Double Holland are all dimensionally compatible. 3 1/8" (8cm) product produced on a job lot basis. Minimum quantities apply. Contact your territory manager. See terms and conditions of sale. Product sold at factory in full bundle quantities. Ask your Unilock dealer about purchasing lesser quantities as necessary. All measurements are nominal.

Internal Use Only. HOL MI/ON

HOLLAND PREMIER™

ENDURACOLOR™



CHARCOAL



GRANITE



FOSSIL



HOLLAND PREMIER
4" x 8" x 2 3/8"
10cm x 20cm x 6cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
4" x 8"	2 3/8" (6cm)	106.40	11.82	17.73	0.219	9	6	0.667	26.57	159.4	0.334	53.15	318.9	4.57	81	486	317	475	2,850

Notes: ***Sold in full bundles only.** Read the Polymeric Sand advisory on page 41. **Important:** Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. All measurements are nominal.

Internal Use Only. HPR MI



DARK CHARCOAL




4 x 8 x 2³/₄"
10cm x 20cm x 7cm



GRANITE BLEND
AVAILABLE IN
PROMENADE SIZES

SPECIAL ORDER
MINIMUM QUANTITIES
APPLY

See page 12 for
more information.



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
4"x8"	2 ³ / ₄ " (7cm)	106.11	11.79	17.69	0.218	9	6	0.655	27.0	162.0	-	-	-	4.58	81	486	336	503	3,019

Notes: Can be mechanically installed. All measurements are nominal. Colors shown should be used only as a guide. Colors should always be chosen from actual samples. **Important:** Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. [Read the Polymeric Sand advisory on page 41.](#) Contact Unilock for information.

Internal Use Only. ILC ON/CH

MATTONI



DARK CHARCOAL



SABLE BLEND



COCOA BROWN



2¹/₄" x 9¹/₂" x 2³/₄"
6cm x 24cm x 7cm

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
2.25"x9.25"	2 ³ / ₄ " (7cm)	89.28	11.16	-	0.155	8	-	0.787	-	113.4	0.197	-	453.5	6.45	-	576	357	-	2,859

Notes: Sold in full bundles only. Product is shipped on skids. All measurements are nominal. [Read the Polymeric Sand advisory on page 41.](#) **Important:** Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Contact Unilock for information.

NATURAL STONE




INDIAN COAST SANDSTONE



STONE CLIFF GREY SANDSTONE



BLACK RIVER LIMESTONE



12" x 24" x 7/8"
30cm x 60cm
x 2.2cm



18" x 24" x 7/8"
45cm x 60cm
x 2.2cm



24" x 24" x 7/8"
60cm x 60cm
x 2.2cm



24" x 36" x 7/8"
60cm x 90cm
x 2.2cm

Sandstone and Limestone Slab Data

Stones & Bundling	Unit Thickness	SqFt/ Crate	SqFt/ Stone	Units/ SqFt	Units/ Crates	Lbs/ Unit	Lbs/ Crate
12" x 24"	0.87" (2.2cm)	180	2	0.5161	90	23.13	2149
18" x 24"	0.87" (2.2cm)	186	3	0.3441	62	34.71	2,152
24" x 24"	0.87" (2.2cm)	160	4	0.2581	40	46.28	1,851
24" x 36"	0.87" (2.2cm)	180	6	0.1720	30	69.40	2,082



Natural Edge and Fullnose Coping are available in the 2 Sandstone Colors - Indian Coast & Stone Cliff Grey, and in Limestone Black River.

All 4 edges of coping are rockfaced.

All Unilock Natural Stone is sold by Full Crate Only.

Fullnose Coping Data

Stones & Bundling	Unit Thickness	Face Ft/ Crate	Linear Ft/ Crate	Linear Ft/ Unit	Units/ Crates	Lbs/ Unit	Lbs/ Crate
12" x 48"	2" (5cm)	-	80	4	20	105.82	2,116

Natural Edge Coping Data

Stones & Bundling	Unit Thickness	Face Ft/ Crate	Linear Ft/ Crate	Linear Ft/ Unit	Units/ Crates	Lbs/ Unit	Lbs/ Crate
12" x 48"	2" (5cm)	-	80	4	20	105.82	2,116

Notes: The fine finishes of Unilock Natural Stone benefit most from application of breathable, penetrating sealants. Black River Limestone in particular, requires the use of proper sealants to keep its color true.

PORCELAIN TILE



TRAVSTONE BEIGE



TRAVSTONE NOCE



GOTHAM NERO



GOTHAM BEIGE



GOTHAM GREY

All Porcelain Tile is Special Order and is sold by Full Crate only.



ARBOR BIANCO
NEW FOR 2019



ARBOR GRAY
NEW FOR 2019



ARBOR NATURAL
NEW FOR 2019



LASCALA BEIGE
NEW FOR 2019



LASCALA GRAY
NEW FOR 2019



LASCALA NOCE
NEW FOR 2019



24" x 24" x 3/4"
60cm x 60cm x 2cm



16" x 32" x 3/4"
60cm x 60cm x 2cm
*** ARBOR & LASCALA ONLY**



Stones & Bundling	Unit Thickness	SqFt/ Unit	SqFt/ Box	Boxes/ Pallet	Units/ Box	SqFt/ Pallet	Lbs/ SqFt	Units/ Pallet	Lbs/ Box	Lbs/ Pallet
DelConca USA										
<i>24" x 24" (60cm x 60cm):</i>										
Travstone Beige & Noce	.75" (2cm)	3.875	-	-	-	255.75	9.23	66	-	2,360
Gotham Beige, Grey & Nero	.75" (2cm)	3.875	-	-	-	255.75	9.23	66	-	2,360
<i>16" x 32" (40cm x 60cm):</i>										
Arbor Bianco, Gray & Natural LaScala Beige, Gray & Noce	.75" (2cm)	3.445	6.89	24	2	165.36	9.04	48	62.3	1,541

Notes: Refer to metric measurements; all imperial measurements are nominal. **Product is sold in full crates only. For pedestal applications, please contact your Unilock Territory Manager.**

OLDE GREENWICH COBBLE®



BEECHWOOD



TERRA COTTA



SMALL RECTANGLE
2 3/8" x 4 3/4" x 2 3/8"
6cm x 12cm x 6cm

SQUARE
4 3/4" x 4 3/4" x 2 3/8"
12cm x 12cm x 6cm

Square Bundle
Individual units cannot
be sold separately

MEDIUM RECTANGLE
4 3/4" x 7" x 2 3/8"
12cm x 18cm x 6cm

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Rectangle	2 3/8" (6cm)	78.10	9.76		0.232	8	-	0.590	-	133.0	0.394	-	196.0	4.30	-	336	273	-	2,186
Random Bundle		77.90	9.74			8	-	0.393	-	-	0.344	-	-	7.39	-	576	273	-	2,183
Small Rectangle	2 3/8" (6cm)	-	-	-	0.078	-	-	0.394		28.3	0.197		57.0	12.90		144	-	-	-
Square	2 3/8" (6cm)	-	-	-	0.155	-	-	0.394		171.0	0.394		171.0	6.45		432	-	-	-

Notes: Product sold at factory in full bundle quantities. All measurements are nominal. Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. Colors shown should be used only as a guide. Colors should always be chosen from actual samples. Contact your Unilock representative for additional information.

Internal Use Only. OGC MI

PROMENADE® PLANK PAVER

ENDURACOLOR



OPAL



STEEL GREY



GRANITE BLEND
IL CAMPO FINISH
SPECIAL ORDER
(MINIMUMS APPLY)



BLACK GRANITE
SERIES™ FINISH
SPECIAL ORDER
(MINIMUMS APPLY)



8" x 24" x 4"
(20cm x 60cm x 10cm)
Special Order - Lead Time Required



4" x 16" x 4"
(10cm x 40cm x 10cm)



4" x 12" x 4"
(10cm x 30cm x 10cm)
Special Order - Lead Time Required

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Series 3000 Finish - Georgetown Manufacturing/All other colors/finishes - Pickering Manufacturing																			
8" x 24"	4" (10cm)	51.67	10.33		1.292	5	-	-	-	-	0.656	-	78.7	0.77	-	40	478	-	2,391
4" x 16"	4" (10cm)	51.67	10.33		0.431	5	-	-	-	-	0.328	-	157.5	2.32	-	120	488	-	2,440
4" x 12"	4" (10cm)	58.13	11.63		0.323	5	-	-	-	-	0.328	-	177.2	3.10	-	180	532	-	2,659

Notes: Sold in full bundles only on a refundable skid. **Important: A urethane rubber paver mat must be used to prevent scuffing. Read the Polymeric Sand advisory on page 41.** See your Unilock Sales Representative for choices of colors and finishes to complement your design requirements. All measurements are nominal.


Internal Use Only. PMD ON



DAWN MIST

PEBBLE TAUPE

DAWN MIST/PEBBLE TAUPE
Sold Separately/
Blended on Site



RECTANGLE
12" x 9" x 2 3/8"
30cm x 22.6cm x 6cm

SQUARE
9" x 9" x 2 3/8"
22.6cm x 22.6cm x 6cm

SMALL RECTANGLE
6" x 9" x 2 3/8"
15cm x 22.6cm x 6cm

Random Bundle
Individual units cannot
be sold separately.



LARGE RECTANGLE
21 x 12 x 2 3/8"
52.8 x 30.2 x 6cm
SOLD SEPARATELY
SPECIAL ORDER ONLY

TECHNICAL ADVANTAGES

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

Ultima™ Concrete Technology

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Random Bundle		90.30	11.29			8	-	-	-	-	-	-	-	1.77	-	160	309	-	2,472
Large Rectangle	2 3/8" (6cm)	-	-	-	0.730	-	-	-	-	-	-	-	-	1.37	-	64	-	-	-
Small Rectangle	2 3/8" (6cm)	-	-	-	0.365	-	-	-	-	-	-	-	-	2.74	-	64	-	-	-
Square	2 3/8" (6cm)	-	-	-	0.550	-	-	-	-	-	-	-	-	1.82	-	32	-	-	-
Large Rectangle	2 3/8" (6cm)	82.39	-	-	1.716	-	-	-	-	-	-	-	-	-	-	48	-	-	2,410

Notes: Product sold at factory in full bundle quantities on a returnable skid. All measurements are nominal. Colors shown should be used only as a guide. Colors should always be chosen from actual samples. **Important:** Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. **Read the Polymeric Sand advisory on page 41.** Contact Unilock for information.

Internal Use Only. RIC ON



CASTANO
SPECIAL ORDER

CREMA
SPECIAL ORDER

NUVOLA
SPECIAL ORDER



LARGE SQUARE
16" x 16" x 2 3/4"
41.6cm x 41.6cm x 7cm
While Supplies Last

RECTANGLE
8" x 16" x 2 3/4"
20.8cm x 41.6cm x 7cm

SQUARE
8" x 8" x 2 3/4"
20.8cm x 20.8cm x 7cm
While Supplies Last

PRODUCT TECHNOLOGY

EasyClean™ Stain Resistance - CF 100

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
16"x16"	2 3/4" (7cm)	82.67	10.33		1.722	8	-	1.26		65.51	1.26		65.51	0.58	-	48	331	-	2,647
8"x16"	2 3/4" (7cm)	82.67	10.33	13.78	0.861	8	6	1.262	10.9	65.5	0.656	21	126.0	1.16	16	96	331	441	2,647
8"x8"	2 3/4" (7cm)	82.67	10.33	13.78	0.431	8	6	0.631	21.8	131.0	0.631	21.84	131.0	2.32	32	192	331	441	2,647

Notes: Product sold at factory in full bundle quantities. Product is shipped on skids. Colors shown should be used only as a guide. Colors should always be chosen from actual samples. All measurements are nominal. **Important:** Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. **Read the Polymeric Sand advisory on page 41.**

Internal Use Only. SZO ON



BLACK GRANITE
Stock Color



4" x 8" x 2¾"
10cm x 20cm x 7cm & 8cm



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
4"x8"	2¾" (7cm)	94.56	11.82	15.76	0.22	8	6	0.67	23.62	141.73	0.33	47.24	283.46	4.57	72	432	399	532	3,191

Notes: Custom colors and finishes available; subject to minimum quantity requirements. Colors shown should be used only as a guide. Colors should always be chosen from actual samples. Minimum quantities apply. See terms and conditions of sale. All measurements are nominal. Important: Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. [Read the Polymeric Sand advisory on page 41.](#) Contact Unilock for information.

Internal Use Only. S3K ON



BIRCH



BAVARIAN



SIERRA



			Random Bundle Individual units cannot be sold separately
LARGE RECTANGLE 13¾" x 16½" x 2¾" (35cm x 42cm x 7cm)	MEDIUM RECTANGLE 13¾" x 8¾" x 2¾" (35cm x 21cm x 7cm)	SMALL RECTANGLE 6⅞" x 8¾" x 2¾" (17.3cm x 21cm x 7cm)	

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Random Bundle		88.61	11.08			8	-	-	-	-	-	-	-	1.08	-	96	355	-	2,837
Large Rectangle	2¾" (7cm)	-	-	-	1.582	-	-	-	-	-	-	-	-	0.63	-	32	-	-	-
Medium Rectangle	2¾" (7cm)	-	-	-	0.791	-	-	-	-	-	-	-	-	1.26	-	32	-	-	-
Small Rectangle	2¾" (7cm)	-	-	-	0.392	-	-	-	-	-	-	-	-	2.55	-	32	-	-	-

Notes: Product designed to be a permeable paver. Product sold at factory in full bundle quantities. Colors shown should be used only as a guide. Colors should always be chosen from actual samples. Contact Unilock for information. All measurements are nominal. **Important:** A urethane rubber paver mat must be used to prevent scuffing. [Read the Polymeric Sand advisory on page 41.](#)

Internal Use Only. THB ON



BURGUNDY RED



BURNT CLAY



OLD OAK



3 COLOR BLEND
Sold Separately/
Blended on Site



BASALT



STANDARD
4" x 9¾" x 2¾"
10cm x 25cm x 7cm

TECHNICAL ADVANTAGES

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

Ultima™ Concrete Technology

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Rectangle	2¾" (7cm)	88.41	11.05		0.276	8	-	0.842	-	105.0	0.337	-	262.5	3.62	-	320	361	-	2,888

Notes: Product sold at factory in full bundle quantities. Colors shown should be used only as a guide. Colors should always be chosen from actual samples. All measurements are nominal. **Important:** Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. **Read the Polymeric Sand advisory on page 41.** Contact Unilock for information.

Internal Use Only. TWH ON



COBALT GREY



PEPPERED GRANITE



		
LARGE RECTANGLE 5½" x 12" x 2¾" (13cm x 30.5cm x 7cm)	RECTANGLE 5½" x 9" x 2¾" (13cm x 23cm x 7cm)	SMALL RECTANGLE 5½" x 7" x 2¾" (13cm x 17.5cm x 7cm)

Random Bundle
Individual units cannot be sold separately

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Random Bundle		97.53	12.19			8	-	-	-	129.7	-	-	-	-	-	304	398	-	3,186
Large Rectangle	2¾" (7cm)	-	-	-	0.427	-	-	1.001		37.5	-	-	-	2.34		88	-	-	-
Rectangle	2¾" (7cm)	-	-	-	0.322	-	-	0.755		37.5	-	-	-	3.11		88	-	-	-
Small Rectangle	2¾" (7cm)	-	-	-	0.245	-	-	0.574		54.6	-	-	-	4.08		128	-	-	-

Notes: **Sold in full bundles only.** All measurements are nominal. **Important:** Textured surfaces require a buffer between the plate compactor and the paver surface to prevent scuffing. **Read the Polymeric Sand advisory on page 41.** Contact Unilock for information.

Internal Use Only. TRC NY



STANDARD
16" x 24" x 3 1/8"
40cm x 60cm x 8cm
SPECIAL ORDER





NATURAL
SPECIAL ORDER

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
16" x 24"	3 1/8" (8cm)	80.00	10.00		2.500	8	-	-	-	-	-	-	-	-	0.40	-	32	247	-	1,975

Notes: Product sold at factory in full bundle quantities. Colors shown should be used only as a guide. Colors should always be chosen from actual samples. All measurements are nominal.

Internal Use Only. TFS MI



STANDARD FINISH

STANDARD FINISH

WASHED FINISH

BRUSHED FINISH

CUSTOM COLORS & FINISHES AVAILABLE



UNI ECO-STONE
4 1/2" x 9" x 3 1/8"
11.5cm x 23cm x 8cm
SPECIAL ORDER



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per			
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle	
Standard	3 1/8" (8cm)	67.00	9.57		0.273	7	-	-	-	-	-	-	-	-	3.66	-	245	349	-	2,445

Colors: **Special Order from standard colors - Lead time required.** Colors shown should be used only as a guide. Colors should always be chosen from actual samples. Notes: This product is optimized for mechanical installation. Product sold at factory in full bundle quantities. All measurements are nominal.

Internal Use Only. UES MI



FRENCH GREY



MIDNIGHT SKY



WINTER MARVEL



SUMMER WHEAT



TECHNICAL ADVANTAGES

EasyClean™ Stain Resistance - CF 90

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.

ColorFusion™ Technology


A proprietary technology that disperses color randomly for a natural, granite-like appearance.



24" x 24" x 2 3/4"
60cm x 60cm x 7cm



12" x 24" x 2 3/4"
30cm x 60cm x 7cm



16" x 16" x 2 3/4"
40cm x 40cm x 7cm



8" x 16" x 2 3/4"
20cm x 40cm x 7cm



LARGE RECTANGLE
21" x 14" x 2 3/8"
52.5cm x 35cm x 6cm



SQUARE
14" x 14" x 2 3/8"
35cm x 35cm x 6cm



SMALL RECTANGLE
7" x 14" x 2 3/8"
17.5cm x 35cm x 6cm

Random Bundle
Individual units cannot be sold separately

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per				
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle		
Random Bundle:		94.2	10.47	-	-	9	-	-	-	-	-	-	-	-	-	0.76	-	72	287	-	2,584
Large Rectangle	2 3/8" (6cm)	-	-	-	1.98	-	-	1.72	-	20.67	1.15	-	31	0.51	-	18	-	-	-	-	-
Small Rectangle	2 3/8" (6cm)	-	-	-	0.66	-	-	1.15	-	15.5	0.57	-	31	1.52	-	27	-	-	-	-	-
Square	2 3/8" (6cm)	-	-	-	1.320	-	-	1.15	-	31	1.15	-	31	0.76	-	27	-	-	-	-	-
12" x 24"	2 3/4" (7cm)	93	11.63	-	1.94	8	-	1.97	-	47.24	0.98	-	94.49	0.52	-	48	393	-	-	-	3,142
16 x 16"	2 3/4" (7cm)	82.67	10.33	-	1.72	8	-	1.31	-	62.99	1.31	-	62.99	0.58	-	48	350	-	-	-	2,797
24" x 24"	2 3/4" (7cm)	62	7.75	-	3.88	8	-	1.97	-	31.5	1.97	-	31.5	0.26	-	16	258	-	-	-	2,062
8" x 16"	2 3/4" (7cm)	82.67	10.33	-	0.86	8	-	1.31	-	62.99	0.66	-	125.98	1.16	-	96	343	-	-	-	2,746

Notes: Random Bundle, 24" x 24" and 12" x 24" products are not intended for vehicular applications. All measurements are nominal. Product is not sectionable. Sold on a refundable skid. **Important: A urethane rubber paver mat must be used to prevent scuffing. Read the Polymeric Sand advisory on page 41.** Contact Unilock for information.

Internal Use Only. UMB ON






GRANITE
NEW FOR 2019



BEECHWOOD
NEW FOR 2019



			Individual units cannot be sold separately Random Bundle
LARGE RECTANGLE 10 x 15 x 2¾" 25.4 x 38 x 7cm	SQUARE 10 x 10 x 2¾" 25.4 x 25.4 x 7cm	RECTANGLE 5 x 10 x 2¾" 12.7 x 25.4 x 7cm	

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Random Bundle	-	94.19	11.77	-	-	8	-	-	-	-	-	-	-	1.70	-	160	367	-	2,940
Large Rectangle	2¾" (7cm)	-	-	-	1.01	-	-	-	-	-	-	-	-	0.99	-	32	-	-	-
Square	2¾" (7cm)	-	-	-	0.67	-	-	-	-	-	-	-	-	1.49	-	56	-	-	-
Rectangle	2¾" (7cm)	-	-	-	0.34	-	-	-	-	-	-	-	-	2.97	-	72	-	-	-


Notes: Product sold at factory in full bundle quantities. **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. WPT CH

BRUSSELS DIMENSIONAL SYSTEM™



COFFEE CREEK LIMESTONE MAHOGANY ASH SANDSTONE DESERT SAND
While supplies last



9" UNIT
9" (6") x 4" x 8"
22.9cm(15.2cm) x 10cm x 20cm

12" UNIT
12" (9") x 4" x 8"
30cm(22.5cm) x 10cm x 20cm

15" UNIT
15" (12") x 4" x 8"
37.5cm(30cm) x 10cm x 20cm

STANDARD/CORNER
4" x 8" x 12"
30cm x 10cm x 20cm

COPING
12" (9") x 3" x 12"
30.5cm (22.9cm) x 7.6cm x 30.5cm

Individual units cannot be sold separately



Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Coping	24.00	0.250	81.00	0.844	96	4.00	8	4	30	2,902
Corner	32.00	0.333	96.00	1.000	96	3.00	6	4	30	3,020
Wall Tapered	30.00		88.95		90		5		27	2,462
09" Unit	7.50	0.250	22.53	0.751	30	4.00				
12" Unit	9.90	0.330	29.52	0.984	30	3.03				
15" Unit	12.60	0.420	36.90	1.230	30	2.38				

Notes: Colors shown should be used only as a guide. Colors should always be chosen from actual samples. Maximum height 27"-31.5" including the unit in the ground (depending on site conditions). To construct higher walls, contact a Unilock representative. Product is installed using Unilock Adhesive to secure corners and top row units. *20.9 sq. ft. face per bundle based on random pattern creating 12" solid wall. 32 sq. ft. face per bundle based on running bond creating 8" deep wall. **Coping End Caps are tapered on one side and straight on the other. Pins not available in Michigan market. Unilock adhesive should be used to secure units. Maximum height for planter wall is 16" under optimal conditions. Wall units and Standard/Corner units sold at factory in full bundle quantities. Ask your Unilock dealer about purchasing lesser quantities as necessary. All measurements are nominal.

Internal Use Only. BDS MI

BRUSSELS FULLNOSE™



COFFEE CREEK DESERT SAND LIMESTONE MAHOGANY ASH



STANDARD
6" x 12" x 2 3/4"
15cm x 30cm x 7cm



SANDSTONE



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Standard	2 3/4" (7cm)	96.00	12.00	24.00	0.500	8	4	1.016	23.6	96	-	-	-	2.00	48	192	384	769	3,075

Notes: Can be used to create mantels for outdoor fireplaces and counter edging for outdoor counters. Units can be adhered to pool edge using Unilock Concrete Adhesive, or with mortar. Always observe proper construction techniques when adhering pavers to a surface. Consult your local pool contractors for installation specifics. All measurements are nominal. Colors shown should be used only as a guide. Colors should always be chosen from actual samples.

Internal Use Only. BFN MI

SUNSET FIRE PITS (BRUSSELS DIMENSIONAL SYSTEM)



Coffee Creek Limestone Mahogany Ash Sandstone Desert Sand



Round
(shown in Mahogany Ash)



9" UNIT
9" (6") x 4" x 8"
22.9cm(15.2cm) x
10cm x 20cm

Square Fire Pit no longer sold in kit form. These can be constructed with Brussels Dimensional Standard Corner units + the available Square Fire Pit Insert (insert diameter 38").



Round Fire Pit units can also be used to construct tree rings, small curved planters, etc.

Stones & Bundling	Stones per Course	Stones per Pallet	Outside Diameter of Stone	Inside Diameter of Stone	Diameter of Pit Insert	Lbs / Pallet	Kits / Bundle
Round Fire Pit	20	60	52"	36"	34"	1125	1

Note: Round Fire Pit insert sold separately.

DURAHOLD2®



NATURAL



STANDARD 72" x 12" x 14" 183cm x 30cm x 36cm **SPECIAL ORDER**
 COPING 72" x 12" x 14" 183cm x 30cm x 36cm **SPECIAL ORDER**
 CLOSED-END COPING 72" x 12" x 14" 183cm x 30cm x 36cm **SPECIAL ORDER**
 TIE-BACK 72" x 12" x 14" 183cm x 30cm x 36cm **SPECIAL ORDER**
 CORNER 90° 36" x 12" x 14" 90cm x 30cm x 36cm (Right Corner Shown) **SPECIAL ORDER**

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Coping Closed End 72"	24.10	6.024	24.10	6.024	4	0.17	2	-	884	3,536
Coping 72"	24.10	6.024	24.10	6.024	4	0.17	2	-	884	3,536
Corner 90°	20.00	5.000	-	-	4	0.20	2	-	460	1,840
Wall Standard	24.10	6.024	24.10	6.024	4	0.17	2	-	940	3,760
Wall Tieback	4.71	1.176	4.00	1.000	4	0.85	2	-	938	3,752

Notes: **ALL DURAHOLD2 IS SPECIAL ORDER ONLY** - Full bundles only. Colors shown should be used only as a guide. Colors should always be chosen from actual samples. *Closed-end coping units are available and are closed on both ends so that they may be used as lefts or rights. Tie-back units are reinforced with steel. Refer to terms and conditions for placement rates.

For DuraHold® and DuraHold2, Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide you with this preliminary site engineering. Contact your local Unilock representative for details. Retaining wall engineering software is also available free of charge at www.unilock.com.



NATURAL



STANDARD
72" x 12" x 24"
183cm x 30cm x 60cm
SPECIAL ORDER



CORNER 90°
60" x 12" x 24"
152cm x 30cm x 60cm
SPECIAL ORDER



COPING
72" x 12" x 24"
183cm x 30cm x 60cm
SPECIAL ORDER



CLOSED-END COPING
72" x 12" x 24"
183cm x 30cm x 60cm
SPECIAL ORDER



TIE-BACK
72" x 12" x 24"
183cm x 30cm x 60cm
SPECIAL ORDER



½ COPING
36" x 12" x 24"
91.5cm x 30cm x 60cm
SPECIAL ORDER



CORNER 45°
60" x 12" x 24"
152cm x 30cm x 60cm
(Right Corner Shown)
SPECIAL ORDER




½ STANDARD
36" x 12" x 24"
91.5cm x 30cm x 60cm
SPECIAL ORDER




Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Coping Closed End 72"		6.024	6.02	6.024	1	0.17			1,560	1,560
Half Coping		3.003	3.00	3.003	1	0.33			780	780
Corner 45° Left		7.042	-	-	1	0.14			1,480	1,480
Corner 90° Left		7.042	-	-	1	0.14			1,320	1,320
Coping 72"		6.024	6.02	6.024	1	0.17			1,560	1,560
Wall Half		3.003	3.00	3.003	1	0.33			800	800
Wall Standard		6.024	6.02	6.024	1	0.17			1,680	1,680
Wall Tieback		2.000	-	2.000		0.50			1,660	

Notes: **ALL DURAHOLD IS SPECIAL ORDER ONLY** - Full Bundles Only. Colors shown should be used only as a guide. Colors should always be chosen from actual samples. *Closed-end coping units are available and are closed on both ends so that they may be used as left or right. Tie-back units are reinforced with steel. 1/2 Standard units are slightly tapered and can be used to create a 45 foot radius. Refer to terms conditions for placement rates. Unilock, through Risi Stone® Systems International, can provide you with preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide you with this engineering. Contact your local representative for details. Retaining wall engineering software is also available free of charge at www.unilock.com. All measurements are nominal.

Internal Use Only. DH1 ON



Cross sections are examples, and must not be used for construction.



Cross sections are examples, and must not be used for construction.

ESTATE WALL®




SANDSTONE



SIERRA



CORNER
12½" x 6" x 9"
31.75cm x 15cm x 22.9cm



COPING
12" x 3" x 12"
30cm x 7.5cm x 22.9cm



LARGE WEDGE
16" x 6" x 9"
40cm x 15cm x 22.9cm



MEDIUM WEDGE
12" x 6" x 9"
30cm x 15cm x 22.9cm



SMALL WEDGE
8" x 6" x 9"
20cm x 15cm x 22.9cm

Random Bundle
Individual units cannot
be sold separately.




Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
6" Random Bundle	31.25		62.30		60		5		49	2,926
Large Wedge	12.50	0.625	24.92	1.246	20	1.60				
Medium Wedge	10.42	0.521	20.98	1.049	20	1.92				
Small Wedge	8.34	0.417	16.40	0.820	20	2.40				
Corner Unit 6"	20.83	0.521	41.60	1.040	40	1.92	5	4	54	2,179
Coping 12"	18.75	0.260	72.00	1.000	72	4.00	8	3	33	2,392


Notes: Colors shown should be used only as a guide. Colors should always be chosen from actual samples. Maximum height for vertical installation - 24" including the unit in the ground (under optimum conditions). Maximum height for setback installation - 31.5" including the unit in the ground (under optimum conditions). Wall bundle has 5 end units in each bundle. End caps not sold separately. Brussels XL, Fullnose™ or Ledgestone™ complement as a possible coping. All measurements are nominal.

Internal Use Only. EWL ON

TYPICAL RETAINING WALL CROSS SECTION



TYPICAL SEAT WALL CROSS SECTION



Radius achieved using only the tapered units from a "random bundle"			
Radius (inches)	31"	38"	48"
Unit sequence	ALL SMALL UNITS	SMALL & MEDIUM UNITS	ALL THREE UNITS
S= Straight Wall Standard Unit	uses all units in bundle	Note: These sequences will have left over units. Plan to use the left over units in other parts of the project.	

Curved walls or steps can be constructed from a 31" outside radius when using all small units, 38" radius when using medium and small units, and a 48" radius can be constructed using all three wall units.

LEDGESTONE™ PILLAR CAP, COPING, FULLNOSE & STEPS



BUFF



GREY

TECHNICAL ADVANTAGE

Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.



PILLAR CAPS




PILLAR CAP - 24"
24" x 24" x 3.5"
61cm x 61cm x 8.75cm



PILLAR CAP (LINEO)
29" X 29" X 4"
74cm x 74cm x 10cm

STANDARD COPING




COPING UNIT
12" x 24" x 2 3/4"
30.5cm x 61cm x 7cm




CLOSED-END COPING
12" x 24" x 2 3/4"
30.5cm x 61cm x 7cm

FULLNOSE COPING




FULLNOSE UNIT
12" x 24" x 1 3/4"
30.5cm x 61cm x 4.5cm
While Supplies Last



FULLNOSE COPING
12 x 24 x 2 1/4"
30.5 x 61 x 6cm

NEW LARGE COPING



LARGE COPING UNIT
NEW FOR 2019
30 x 13.5 x 2 3/4"
122 x 61 x 7cm



LARGE CLOSED-END COPING
NEW FOR 2019
30 x 13.5 x 2 3/4"
122 x 61 x 7cm

STEPS



72" LEDGESTONE STEP
72" x 24" x 6"
183cm x 61cm x 15cm
SPECIAL ORDER



48" LEDGESTONE STEP
48" x 24" x 6"
122cm x 61cm x 15cm
SPECIAL ORDER IN GREY



36" LEDGESTONE STEP
36" x 18" x 6"
91.5cm x 46cm x 15cm
SPECIAL ORDER IN GREY

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Pillar Cap 24" x 24"			-	-	5				159	795
Pillar Cap (Lineo) - 29"			-	-	5				302	1,510
Coping 24"			24.00	2.000	12				64	772
Coping Closed End 24"			24.00	2.000	12				66	796
Fullnose Coping 24" x 1 3/4"			32.00	2.000	16				42	667
Fullnose Coping 30" x 2 1/4"			26.00	2.00	13				55.62	723
Large Coping 30"			30	2.50	12				94	1,128
Large Closed-End Coping 30"			30	2.50	12				93	1,116
Step - 72" x 24"			18.00	6.000	3				860	2,581
Step - 48" x 24"			12.00	4.000	3				574	1,721
Step - 36" x 18"			9.00	3.000	3				327	982

Notes: 4 Ledgestone end coping units can also be used to cap pillars larger than 20". That leaves a small opening for lighting. All caps require a skid that is refundable upon return in good condition. Coping is rock-faced on the front and the back; Closed-End coping and steps are rock-faced on three sides. Steps are rock faced on three sides. Both step units and pillar caps can be sold by the unit. All measurements are nominal.

Internal Use Only. LDG CH

LINEO DIMENSIONAL STONE™



MAHOGAN Y ASH



MIDNIGHT CHARCOAL
Now available in both
Random Wall and
Pillar Bundles.



LIMESTONE



SANDSTONE



For Lineo Pillars, Unilock recommends using 28½" Pillar Cap for a refined look. See page 23 for Buff and Grey color swatches.



PILLAR UNIT
16" X 4" X 8"
40cm X 10cm X 20cm



PILLAR CAP
28.5" X 28.5" X 4"
72cm X 72cm X 10cm



XL RECTANGLE
24" x 4" x 8"
60cm x 10cm x 20cm



LARGE RECTANGLE
20" x 4" x 8"
50cm x 10cm x 20cm



RECTANGLE
16" x 4" x 8"
40cm x 10cm x 20cm



SMALL RECTANGLE
12" x 4" x 8"
30cm x 10cm x 20cm

Random Bundle
Individual units cannot
be sold separately

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Pillar Cap 28-1/2" x 28-1/2"	-	-	-	-	5	-	-	-	302	1,510
Pillar Unit	47.81	0.664	95.10	1.321	72	1.51	3		39	2,821
Wall Random Bundle:	29.92		88.56		60				44	2,643
XL Rectangle	10.00	0.667	29.52	1.968	15	1.50				
Large Rectangle	8.34	0.556	24.60	1.640	15	1.81				
Rectangle	6.66	0.444	19.68	1.312	15	2.25				
Small Rectangle	4.92	0.328	14.76	0.984	15	3.10				

Notes: Product sold at factory in full bundle quantities. Colors shown should be used only as a guide. Colors should always be chosen from actual samples. All measurements are nominal. Spacing strips are shipped with random wall bundles to create even spacing between units. Ask your Unilock representative for installation tips. Pillar Caps (28½") are also available and are referred to as Lineo Pillar Caps. See Ledgestone Pillar Cap description above.



Internal Use Only. LDS MI

Lineo Dimensional Stone

Max Wall Height = 16"
Max Pillar Height = 48"





Assembly Notes:

1. Assemble only on frost free gravel base minimum 6" thick.
2. Use only non-shrinking concrete adhesive.
3. Space plastic shadow strips and T-inserts as per diagram to prevent soil wash-through or to prevent visible light on seating walls.
4. Do not glue strips or T's. The glue will not adhere to the plastic.
5. Always mound glue high enough that both layers of concrete will make contact with the glue.
6. Note: There is no specified pattern. Place units for most pleasing appearance. Avoid double stacked joints.
7. Use 16" Pillar units to construct pillars and/or walls.
8. Shadow spacers are not recommended for use between coping and wall units.
9. Shadow Spacers are not required for units embedded below grade.



Lineo Dimensional Stone

Lineo Dimensional Stone is a decorative wall stone intended for low seat walls and garden walls. (It is not an engineered wall system.) The stability of this wall will be affected by the amount and quality of adhesive used. Use concrete adhesives liberally in large dapples. *Use adhesives with a minimal shrinkage factor.*



MACKINAW



For coping options, we recommend using Natural Stone or Ledgestone.

GRINDSTONE



LARGE WEDGE
28½"(25½) x 5½" x 9"
72(65)cm x 14cm x 23cm



MEDIUM WEDGE
20"(17) x 5½" x 9"
51(43)cm x 14cm x 23cm



SMALL WEDGE
11½"(8½) x 5½" x 9"
29(22)cm x 14cm x 23cm



**CORNER/PILLAR
DOUBLE UNIT**
17½" x 5½" x 9"
44cm x 14cm x 23cm



UNIVERSAL BASE UNIT
19" x 14" x 2"
48.2cm x 35.5cm x 5.5cm



Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Random Wall Bundle	17	-	37	-	24		3	-	-	1,990
Large Wedge	6.2	1.03	13.5	2.25	6	0.97	-	-	120.59	-
Medium Wedge	8.5	0.71	18.5	1.54	12	1.41	-	-	82.01	-
Small Wedge	2.3	0.38	5	0.83	6	2.63	-	-	47.05	-
Corner/Pillar Double Unit	15.05	1.26	32.54	2.72	12	0.79	3	-	152.37	1,828
Universal Base Unit			85.39	1.581	54		9		46	2,500

Notes: Product sold at factory in full bundle quantities. Colors shown should be used only as a guide. Colors should always be chosen from actual samples. **Pillar Caps (32"x32")** are available in Natural Limestone for this wall system. All measurements are nominal.

Internal Use Only. MAK MI

MACKINAW RADIUS CHART			
Outside Radius (inches)	36"	59"	68"
Unit sequence	Only 11.5" units	11.5", 20", 28.5"	20", 28.5", 20", etc.

Notes: Any leftover pieces should be used on other parts of a project.



BEECHWOOD

CHARCOAL

GRANITE



RUSTIC RED

SANDSTONE

ST. CLAIR



TAPERED
8" x 6" x 12"


CORNER
12" x 6" x 8"

12" COPING
12" x 3" x 12"

20cm x 15cm x 30cm

30cm x 15cm x 20cm

30cm x 7.5cm x 30cm




Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Coping 12" (double unit)	21.00	0.500	84.00	2,000	42	2.00	7	2	65	2,750
Corner Unit (double unit)	20.17	1.681	-	-	12	0.60	3	4	110	1,320
Wall Xtra Tapered (dbl unit)	20.00	0.667	40.00	1,333	30	1.50	3	2	86	2,580



Notes: Colors shown should be used only as a guide. Colors should always be chosen from actual samples. Tapered units will allow for a minimum 5ft. outside radius. To achieve this radius, you must use stones of the same taper on one layer, and stones of the opposite taper on the next layer. Higher walls can be achieved using geogrid reinforcement. 12" Coping bundle has 14 units of Closed-end coping (7 left and 7 right). Closed-end 12" coping not sold separately. Product sold at factory in full bundle quantities. Ask your dealer about purchasing lesser quantities as necessary. Unilock through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide you with this preliminary site engineering. Contact your local Unilock representative for details. Retaining wall engineering software is also available free of charge at www.unilock.com.

Internal Use Only. PS2 MI

GRAVITY WALL



GEOGRID REINFORCED



Pisa 2/Roman Pisa® Calculations

Pisa2 Wall

- Step 1: Height of wall (includes buried course) x Length of wall = Square Face Feet
- Step 2: Square Face Feet x 1.55 (units per face feet) = Number of Double Units
- Step 3: Number of Double Units x Cost per Double Unit = Cost of Material

Pisa2 Corner

- Step 1: Height of wall in inches x Number of 90 degree corners in wall = Total Combined Inches
- Step 2: Total Combined Inches / 6 (height of unit) = Single Corner Units Required
- Step 3: Single Corner Units / 2 (sold by dbl. unit) = Double Units Purchased
- Step 4: Double Units x Cost per Double Unit = Cost of Material

Note: Unilock provides these calculation formulas as a service for estimating material requirements. Unilock will not be held responsible in any way for resulting product overage or shortage.



COASTAL SLATE

BUFF



STANDARD UNIT 1 8" x 9-10" x 2¼" 20cm x 23-25cm x 5.7cm	STANDARD UNIT 2 12" x 9-10" x 2¼" 31cm x 23-25cm x 5.7cm	STANDARD UNIT 3 12" x 9-10" x 2¼" 31cm x 23-25cm x 5.7cm	STANDARD UNIT 4 17" x 9-10" x 2¼" 42.5cm x 23-25cm x 5.7cm

Random Bundle
Individual units cannot be sold separately

JUMPER UNIT 1 8" x 9-10" x 4½" 20cm x 23-25cm x 11.4cm	JUMPER UNIT 2 12" x 9-10" x 4½" 31cm x 23-25cm x 11.4cm	JUMPER UNIT 3 12" x 9-10" x 4½" 31cm x 23-25cm x 11.4cm	JUMPER UNIT 4 17" x 9-10" x 4½" 42.5cm x 23-25cm x 11.4cm

Jumper Bundle
Individual units cannot be sold separately

PILLAR UNIT 20" x 20" x 4½" 50cm x 50cm x 11.4cm Center opening - 9"x9"	PILLAR UNIT Pillar Cap sold separately; see LedgeStone 24"x24" Pillar Cap on page 23

LONG CORNER UNIT 17" x 9-10" x 2¼" 45cm x 23-25cm x 5.7cm	SHORT CORNER UNIT 14½" x 9-10" x 2¼" 37.5cm x 23-25cm x 5.7cm

Corner Bundle
Individual units cannot be sold separately

RIVERCREST FIRE PIT



UNIVERSAL BASE UNIT
19" x 14" x 2"
48.2cm x 35.5cm x 5.5cm


Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Corner Unit Bundle:	16.21				40				29	1,232
Long Corner Unit	8.52	0.426			20	2.35				
Short Corner Unit	7.69	0.385			20	2.60				
Pillar 20" x 20"					8				117	934
Wall Jumper Bundle:	24.30		65.34		64				39	2,495
Jumper Unit 1	3.93	0.245	10.50	0.656	16	4.07				
Jumper Unit 2	6.09	0.380	16.27	1.017	16	2.63				
Jumper Unit 3	6.09	0.380	16.27	1.017	16	2.63				
Jumper Unit 4	8.20	0.513	22.30	1.394	16	1.95				
Wall Standard Bundle:	24.30		130.69		128		8		15	1,902
Standard Unit 1	3.93	0.123	20.99	0.656	32	8.15				
Standard Unit 2	6.09	0.190	32.54	1.017	32	5.26				
Standard Unit 3	6.09	0.190	32.54	1.017	32	5.26				
Standard Unit 4	8.20	0.256	44.61	1.394	32	3.90				
Universal Base Unit			85.39	1.581	54		9		46	2,500

Stones & Bundling	Stones per Course	Stones per Pallet	Diameter Outside of Stone	Diameter Inside of Stone	Diameter Pit Insert	Lbs/Pallet	Kits/Bundle
Georgetown Manufacturing							
Rivercrest Round Fire Pit	4	12	54"	36"	34.5	1512	1

Notes: Colors shown should be used only as a guide. Colors should always be chosen from actual samples. Random wall units sold at factory in full bundle quantities only. Rivercrest® is recommended for walls under 2ft. Ideal for straight or curved walls, seat walls, pillars, tree rings, planters, firepits and grill islands. Integrated connectors require no pins or clips. Minimum radius using equal amounts of each unit is 1.25m / 4.1ft. Using only units 1 & 3, a 1.055m / 3.5ft radius can be achieved. Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. Contact your local Unilock representative for details. Retaining wall engineering software is also available free of charge at www.unilock.com.


For more information please consult the Rivercrest installation booklet.

Internal Use Only. RVC ON




Starting a Wall

Course 1




Long Corner Unit 4

Straight Wall - Align A-A / B-B




Cluster Set 1 - 70%/30%

Course 2






Short Corner Unit 2

Curved Wall - Align A-B / B-A






Cluster Set 1 - 70% / 30%

Utilizing the following Cluster Sets will create a wall with a 70% Standard to 30% Jumper ratio, and will use all Standard blocks equally throughout the wall. This will produce a wall with lots of jumpers, and short spans in between. Remember to match side A|A or B|B for straight walls and A/B or B/A for curved walls.




Cluster Set 2 - 60% / 40%

Utilizing the following Cluster Sets will create a wall with a 60% Standard to 40% Jumper ratio, and will use all Standard blocks equally throughout the wall. This will produce a wall with lots of jumpers, and short spans in between. Remember to match side A|A or B|B for straight walls and A/B or B/A for curved walls.



Constructing the Wall

Construct the wall by using a Cluster then Jumper, Cluster, Jumper, Etc., alternating the order of the Cluster Set. It is important make sure you utilize all the Clusters evenly throughout the wall to reduce waste. Add an extra Jumper block between clusters every so often to help randomize the wall.



For more information please consult the Rivercrest® installation manual.

ROMANPISA®



BEECHWOOD



GRANITE



ROMAN COPING
12" x 3" x 12"
30cm x 7.5cm x 30cm



TAPERED
8" x 6" x 12"
20cm x 15cm x 30cm



CORNER
12" x 6" x 8"
30cm x 15cm x 20cm

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Coping 12"	21.00	0.250	84.00	1.000	84	4.00	7	4	33	2,750
Corner Unit (double unit)	40.13	1.6700	-	-	24	0.60	3	4	110	2,640
Wall Xtra Tapered (dbl unit)	20.00	0.67	40.00	1.333	30	1.50	3	4	86	2,580

Notes: Colors shown should be used only as a guide. Colors should always be chosen from actual samples. Tapered units will allow for a minimum 5ft. outside radius. Higher walls can be achieved using geogrid reinforcement. **Tumbled 12" coping bundles include closed-end tumbled coping not sold separately. Product sold at factory in full bundle quantities. Ask your dealer about purchasing lesser quantities as necessary.

Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. Contact your local Unilock representative for details. Retaining wall engineering software is also available free of charge at www.unilock.com.

Internal Use Only. RPA MI

SPLIT'N STACK®



BEECHWOOD
WHILE SUPPLIES
LAST



RUSTIC RED
WHILE SUPPLIES
LAST



SANDSTONE
WHILE SUPPLIES
LAST



ST. CLAIR
WHILE SUPPLIES
LAST



WEDGE UNIT/COPING
8" x 4" x 8" x 6"
20cm x 10cm x 20cm x 15cm



Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Coping	30.00	0.200	87.50	0.583	150	5.00	5		19	2,850

Notes: Colors shown should be used only as a guide. Colors should always be chosen from actual samples. Maximum height - 24" (under optimum conditions) including material below grade. Radius - minimum outside radius 29". All measurements are nominal.


Internal Use Only. STK MI



NATURAL

BROWN **

NATURAL **



STANDARD 925
48" x 7¼" x 36½"
120cm x 18.5cm x 92.5cm
SPECIAL ORDER



STANDARD 500
48" x 7¼" x 20"
120cm x 18.5cm x 50cm
SPECIAL ORDER



CORNER 90° (left & right)
43½" x 7¼" x 20"
110cm x 18.5cm x 50cm
SPECIAL ORDER



CORNER 45° (left & right)
43½" x 7¼" x 20"
110cm x 18.5cm x 50cm
SPECIAL ORDER



COPING
48" x 7¼" x 20"
120cm x 18.5cm x 50cm
SPECIAL ORDER



CLOSED-END COPING **
48" x 7¼" x 20"
120cm x 18.5cm x 50cm
Available in Brown and Natural




Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Coping Closed End 48"	14.42	2,400	24.00	4,000	6	0.42	3		570	3,420
Coping 48"	14.42	2,400	24.00	4,000	6	0.42	3		570	3,420
Corner 90° (double unit)	19.11	6.37			3	0.16	3		1140	3,420
Wall 500 - 48"	14.42	2,400	24.00	4,000	6	0.42	3		570	3,420
Wall 925 - 48"	7.21	2,400	12.00	4,000	3	0.42	3		1140	3,420


Notes: *Special Order - Lead Time Required. **48" Closed-End Coping is available as a Stock Item in Brown and Natural Only. Colors shown should be used only as a guide. Colors should always be chosen from actual samples. Closed-End Coping units can be used to construct steps. Closed-End Coping Corner units available (special order, lead time required). Wall, Corner and Coping units are available in Natural color only (special order, lead time required). Custom Colors available (minimums apply). All measurements are nominal.

Unilock, through Risi Stone® Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide you with preliminary site engineering. Contact your local Unilock representative for details. Retaining wall engineering software is also available free of charge from www.unilock.com.

Internal Use Only. SST ON



Cross sections are examples, and must not be used for construction.



Cross sections are examples, and must not be used for construction.




LOOK INSIDE!

U-Cara fascia panels hang easily on the patented Sure Track™ backer block.



U-Cara Fascia panels can be placed anywhere along the Sure Track Backer Block, allowing for a variety of patterns, color and texture combinations not possible with other systems.



The U-Cara Multi-Face Wall System represents a revolution in wall design.

This patented system, exclusive to Unilock, is comprised of two basic components:

- | Sure Track™ backer blocks provide dimensionally accurate structure
- | U-Cara fascia panels provide unlimited design options



GRANITE
PITCHED FACE

NATURAL BLEND
PITCHED FACE

SIERRA
PITCHED FACE



GRANITE
SMOOTH FACE

NATURAL BLEND
SMOOTH FACE

SIERRA
SMOOTH FACE

UNIVERSAL COPING COLORS



CHARCOAL

GRAY

TAN



SURE TRACK
STANDARD BACKER
6" x 8" x 6"
15cm x 20cm x 15cm



SURE TRACK
LARGE BACKER
6" x 7" x 12"
15cm x 17.5cm x 30cm



UNIVERSAL
BASE UNIT
19" x 14" x 2"
48.2cm x 35.5cm x 5.5cm



SURE TRACK
CORNER INSERT
L = 2" / 5cm



STANDARD FASCIA
HALF PANEL
6" x 9¼" x 2¾"
15cm x 23.3cm x 6cm
PITCHED & SMOOTH



CLOSED-END FASCIA
PANEL
6" x 21" x 2¾"
15cm x 53cm x 6cm
PITCHED & SMOOTH



STANDARD FASCIA
PANEL
6" x 18½" x 2¾"
15cm x 46.6cm x 6cm
PITCHED & SMOOTH



UNIVERSAL
COPING
19" x 14" x 2¾"
48.2cm x 35.5cm x 7cm
Available in EnduraColor™
finish in Charcoal, Natural
Blend & Sand

CORNER BUNDLE


Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Sure Track Standard Backer	33.91	0.323	70	0.667	105	3.1	3	-	23	2,437
Sure Track Large Backer	15.82	0.283	32.67	0.583	56	3.54	4	-	36	2,012
Standard Fascia Panel (Smooth)	61.52	0.732	129.5	1.542	84	1.37	6	-	18	1,513
Standard Fascia Panel (Pitched)	61.52	0.732	129.5	1.542	84	1.37	6	-	21	1,745
Corner Bundle (Smooth)	52.875	1.26	105.525	2.513	42 Sets	0.775	6	-	30	1,240
Closed-End Fascia Panel	37.5	0.883			42				20.595	864.99
Half Fascia Panel	15.25	0.373			42				8.932	375.14
Corner Bundle (Pitched)	52.875	1.26	105.525	2.513	42 Sets	0.775	6	-		1,415
Closed-End Fascia Panel	37.5	0.883			42				23.621	992.1
Half Fascia Panel	15.25	0.373			42				10.073	423.1
Universal Coping Bundle	17.43	0.363	76	1.583	48	2.75	8	-	57	2,747
Universal Base Unit	-	-	85.5	1.583	54	-	9	-	46	2,500

Notes: Sold in full bundles only. Product is shipped on skids. All measurements are nominal. **Sure Track Large Backers, when used as corners or in a pillar application, can achieve 42 face feet per bundle or .757 ff/unit.**

Internal Use Only. UCA


LAYING PATTERNS

ARTLINE™




Artline A


BEACON HILL FLAGSTONE™ / BRISTOL VALLEY®



BHF/BRV A - 40% Large Rectangle, 40% Square, 20% Small Rectangle




BHF/BRV B - 40% Large Rectangle, 40% Square, 20% Small Rectangle




BHF/BRV H - 40% Random Bundle, 60% XL


BRUSSELS BLOCK®




Brussels AF - 40% XL, 40% Standard, 20% Half



Brussels O - 33% Half Stone, 67% Standard




Brussels P - 67% Standard, 33% Half




Brussels X - 57% XL, 29% Standard, 14% Half

BRUSSELS BLOCK®




Brussels Y - 57% XL, 29% Standard, 14% Half




Brussels Z - 67% XL, 20% Standard, 13% Half


COPTHORNE®




Cophorne A - 100% Standard



Cophorne B - 100% Standard




Cophorne C - 100% Standard




Cophorne D - 100% Standard

COURSTONE®




CRT A - 16% Square, 18% Sm.Rec., 19% Rec., 22% Lg.Rec., 25% XLRec.


OLDE GREENWICH COBBLE®



Greenwich C - 30% Medium Rectangle, 60% Square, 10% Small Rectangle




OGC H - 53% Med Rec. 39% Square, 8% Sm Rec.




Greenwich H - 53% Medium Rectangle, 47% Square Bundle


RICHCLIFF®



Richcliff A - 100% Random




Richcliff B - 100% Random




Richcliff C - 100% Random


SENZO™



Senzo A - 67% Rectangle, 33% Square




Senzo D - 89% Rectangle, 11% Square




Senzo A - 100% Rectangle


THORNBURY™



Thornbury B - 49% Large Rec., 34% Medium Rec., 17% Small Rec.




Thornbury C - 49% Large Rec., 34% Medium Rec., 17% Small Rec.




Thornbury A - 49% Large Rec., 34% Medium Rec., 17% Small Rec.

TRIBECA COBBLE




Tribeca Cobble - Random Bundle

TOWN HALL®




Town Hall B - 100% Standard




Town Hall D - 100% Standard

UMBRIANO®




Random Bundle A - 40% Large Rectangle, 40% Square, 20% Small Rectangle




Umbriano E - 33% 24" x 24", 33% 12" x 24", 15% 16" x 16", 15% 16" x 8", 4% 8" x 8"


WESTPORT




Westport A - 40% Large Rectangle, 20% Small Rectangle, 40% Square



Natural Stone C - 67% 24" x 24", 33% 12" x 24"



Natural Stone - 45% 24" x 24", 33% 18" x 24", 22% 12" x 24"



Natural Stone F - 34% 24" x 36", 24% 24" x 24", 18% 18" x 24", 24% 12" x 24"

BASE THICKNESS CHART (GENERAL)

APPLICATION	GRAVEL BASE	BEDDING COURSE	BACKFILL WIDTH (WALLS ONLY)
PATIOS, WALKWAYS, POOL DECKS	4"- 6" (10cm - 15cm)	1" (2.5cm)	
DRIVEWAYS	8" - 12" (20cm - 30cm)	1" (2.5cm)	
STEPS, PLANTERS, RAISED PATIOS	6" (15cm)	0 - 1/8" (0cm-.3cm)	8"- 12" (20cm - 30cm)
RETAINING WALLS UNDER 18" (45cm)	6" (15cm)	0 - 1/8" (0cm-.3cm)	12" (30cm)
RETAINING WALLS OVER 18" (45cm)	6" (15cm)	0 - 1/8" (0cm -.3cm)	16" (50cm)

Soil condition - In areas with poor soil conditions, (e.g., heavy clay, disturbed soils) increase the depth of the base to provide more stability. Where poor soil conditions exist, it may be advisable to contract an engineer when constructing a retaining wall in excess of 24" in height.

Area = (Length) x (Width)

Area of a Circle = $3.14 \times (\text{Radius}) \times (\text{Radius})$

Area of a Half Circle = $1.57 \times (\text{Radius}) \times (\text{Radius})$

Area of a Quarter Circle = $.78 \times (\text{Radius}) \times (\text{Radius})$

Area of a Triangle = $(1/2 \text{ Base}) \times (\text{Height})$

Perimeter of a Circle = $6.28 \times (\text{Radius})$

Perimeter of a Half Circle = $3.14 \times (\text{Radius})$

Perimeter of a Quarter Circle = $1.57 \times (\text{Radius})$

Metric Equivalents

1 inch = 2.5400 centimeters

1 foot = 0.3048 meter

1 yard = 0.9144 meter

1 sq. foot = 929.030 sq.centimeters

1 sq. meter = 1.196 sq. yards

27 cu feet = 1 cu. yard

1 centimeter = 0.3937 inch

1 meter = 39.3701 inches

UNILOCK ELEMENTS

PRE-BUILT FIREPLACES FROM UNILOCK

FEATURES:

- | Installs in less time
- | Built to exacting standards
- | Coordinates beautifully with new or existing Unilock paving stones
- | Built with UL-approved fireboxes and grills (gas units available)

TUSCANY FIREPLACE

Shown with optional hearth and wood boxes

Sierra with Copthorne® 3-color blend accent.



CUSTOM SOLUTIONS

Custom designed solutions allow you to embellish with pavers, making it easy to match your patio borders and banding for that cohesive look and feel.



All Element fireplaces are pre-built in the factory and can be installed in any location accessible by forklift.

ADDITIONAL ELEMENTS



BRICK OVEN



GRILL ISLAND



MODA
SPECIAL ORDER

Bella and Moda are sold as shown. No available hearth or wood boxes, and no ability to customize.



BELLA
SPECIAL ORDER



The Moda pre-built fireplace is constructed from Lineo Dimensional Stone and Series™ accent.

The Bella pre-built fireplace is constructed from Rivercrest® Wall.

Units and colors may not be exactly as shown.

UNILOCK ELEMENTS


Tuscany Fireplace



Weights:

Fireplace Top	2815 lbs
Fireplace Bottom	3995 lbs
Wood Box (set of 2)	3785 lbs
Arched Hearth	1070 lbs

Typical Cross Section for Concrete Pad Installation



Guarantee: The standard Unilock guarantee applies to the units used to construct Unilock Elements. (See Unilock literature for details.) Third party grills and fireboxes carry their respective manufacturer's warranty and may change without notice.

Note: Unilock reserves the right to change model designs, accessories and colors without notice. Unilock will not be responsible for improper use or handling that results in property damage. Some models may not be exactly as shown. Fireplaces come complete with UL- approved stainless steel fireboxes. Check local building codes and regulations prior to ordering and installing Unilock Elements.

CLEANERS, SEALERS & SANDS

PAVER CLEANERS



POLYBIND™ SHAMPOO

CLN047(1 Gallon) & CLN078 (5 Gallon)

Polybind Shampoo removes ground-in dirt from the surface of concrete pavers and natural stones. It will make pavers, patio slabs, walls and natural stones look clean and vibrant. Using Polybind Shampoo before sealer application will assure you of a deeper penetration into the cleaned surface. No muriatic acid in product - washes off with water.

Packaging • 1 & 5 gallon available • Box of 4 x 1 US gallon (24-1 gal boxes & 48-5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



POLYBIND™ OIL & GREASE CLEANER

CLN050

Polybind Oil & Grease Cleaner is effective in removing oil and grease from the surface of concrete pavers and natural stones. Easy to use - dissolves, dislodges and removes oil and grease. No hydrochloric acid in product - washes off with water.

Packaging • 1 quart container (6 per carton, 24 cartons per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



POLYBIND™ EFFLORESCENCE CLEANER

CLN045 (1 Gallon) & CLN046 (5 Gallon)

Polybind Efflorescence Remover will remove any efflorescence stains trapped in the concrete paver and natural stone pores. It will make the pavers look more clean and vibrant. This efflorescence cleaning is a necessary step before a sealer is applied. The sealer will be able to get a deeper penetration into the now-clean pores.

Packaging • 1 & 5 gallon • Box of 4 x 1 US gallon (24-1 gal boxes & 48-5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



POLYBIND™ RUST CLEANER

CLN051

Polybind Rust Cleaner is effective in removing rust from the surface of concrete pavers. Contains no muriatic acid.

Packaging • 1 quart container (6 per carton, 24 cartons per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



POLYBIND™ RUBBER, PAINT & TAR REMOVER

CLN049

Polybind Rubber, Paint & Tar Remover is effective in removing rubber, paint and tar from the surface of concrete pavers and natural stone. Easily washes off with water and is easy to use.

Packaging • 1 quart container (6 per carton, 24 cartons per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



POLYBIND™ SEALER STRIPPER

CLN068 (1 gallon) & CLN069 (5 gallon)

Polybind Sealer Stripper is extremely effective for removing either water-based or solvent-based sealers from concrete pavers or stone. It is environmentally responsible (water-based), yet it removes multiple layers in a single application. It is a paste which is easily applied with a brush or roller.

Packaging • 1 & 5 gallon (Box of 4 x 1 US gallon (24-1 gallon boxes & 48-5 gallon pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

SEALERS

SEALERS



POLYBIND™ WET LOOK SEALER SB

SEAL143 (1 gallon) & SEAL144 (5 gallon)

Polybind Wet Look Sealer is made from acrylic-based polymers. It penetrates deep into the concrete paver and natural stone pores, thus reducing the oil and dirt penetration, as well as protecting them from the corrosion of de-icing salt.

Packaging • 1 and 5 gallon available • Box of 4 x 1 US gallon (24-1 gal boxes & 48-5 gal pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



POLYBIND™ ECO SEAL ZERO GLOSS WB

SEAL149 (1 gallon) & SEAL150 (5 gallon)

Polybind Eco Seal Zero Gloss is 100% pure, high-grade acrylic used to seal concrete pavers, clay pavers and natural stone. It penetrates deep into the pavers and natural stone pores, thus reducing oil and dirt penetration as well as protecting them from the corrosion of de-icing salt.

Packaging • 1 & 5 gallon • Box of 4 x 1 US gallon (24-1 gallon boxes & 48-5 gallon pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

SEALERS (Continued)

SEALERS



POLYBIND™ ECO SEAL HIGH GLOSS SEALER + COLOR ENHANCER WB

SEAL185 (1 gallon) & SEAL186 (5 gallon)

Polybind Eco Seal High Gloss is 100% pure, high-grade acrylic used to seal concrete pavers, clay pavers and natural stone. It penetrates deep into the pavers and natural stone pores, thus reducing oil and dirt penetration as well as protecting them from the corrosion of de-icing salt. It provides a high-gloss finish as well as vibrant color enhancement.

Packaging • 1 & 5 gallon • Box of 4 x 1 US gallon (24-1 gallon boxes & 48-5 gallon pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



POLYBIND ECO LOW GLOSS SEALER + COLOR ENHANCER WB

SEAL178 (1 gallon) & SEAL179 (5 gallon)

Polybind Eco Low Gloss Sealer + Color Enhancer is 100% pure high-grade acrylic for concrete pavers. It penetrates deep into the concrete paver pores, reducing oil and dirt penetration as well as corrosion from de-icing salt.

Packaging • 1 & 5 gallon available • Box of 4 x 1 US gallon (24-1 gallon boxes & 48-5 gallon pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



POLYBIND™ RESEALER SB

SEAL155 (1 gallon) & SEAL156 (5 gallon)

Polybind Resealer penetrates the existing sealer and reactivates it to create rejuvenated protection of the paver surface, thus reducing oil and dirt penetration as well as protecting it from the corrosion of de-icing salt.

Packaging • 1 & 5 gallon • Box of 4 x 1 US gallon (24-1 gallon boxes & 48-5 gallon pails per pallet)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

ADHESIVE



POLYBIND XTRA PERFORMANCE (XP) POLYURETHANE ADHESIVE

ADH035 (10 oz) & ADH038 (28 oz)

10 oz. Tube = 20' at 1/4" bead (12/case, 90 cases/pallet) & 28 oz. Tube = 52' at 1/4" bead (12/case, 90 cases/pallet)

Polybind XP Adhesive is formulated for fast cure time, extra bond strength and durability. Applications include concrete pavers and walls, overlays, pool copings, steps and wall caps, wetcast and natural stones. It can be applied above 32° and on either dry or damp surfaces. Drying times vary depending on factors such as humidity, porosity, temperature and materials bonded together.

SANDS



NEW POLYBIND G2 COMPLETE SAND

SAND152 (Tan), SAND153 (Gray), SAND154 (Black), SAND155 (Ivory - Special Order in Full Skid Quantities Only)

Designed for paver joints up to a maximum of 4 inches. Drainage & Non-Drainage Applications (Overlays).

No Dust - No Haze - No Blower - One Watering. G2 Complete Sand is the cleanest, fastest and easiest polymeric sand installed in the industry. It can be used with concrete pavers, wetcast and natural stones, and is recommended for use in patios, pool decks, walkways, driveways, parking spaces, etc.

Packaging: • 50 lb bag • 56 bags per skid • 65-85 sq.ft. coverage per bag for narrow joints; larger joints will require more sand



SUREBOND JOINTING SAND

SAND001-1 (Tan) & SAND140 (Gray) This jointing sand will properly complete the interlocking of the segmental pavers because it is clean, angular and meets ASTM-C144 specifications. This type of sand is more stable in the paver joints and has the optimal gradation to ensure long term performance of the pavement system. Recommended for joints up to 3/4". Washed, screened & dried

Packaging: • 50 lb bag - 56 bags per skid

SANDS (Continued)

Sands	Polybind Complete G2 Sand
PAVERS \ FEATURES	For joints up to 4". May be sealed. Available in Tan, Gray or Black. Binding sand.
Copthorne®	✓
Courtstone®	✓
Il Campo®	N/R
Richcliff®	✓
Rivenstone™	✓
Senzo™	✓
Series™	N/R
Thornbury™	✓
Town Hall®	✓
Tribeca Cobble™	N/R
Umbriano®	✓
Unigranite®	N/R
Natural Stone	✓
Tumbled Pavers	✓
Standard Pavers	✓

SUGGESTED POLYMERIC SAND COVERAGE BY PRODUCT

Product	Coverage per Bag
Artline	60-65 sf
Beacon Hill	55-60 sf
Bristol Valley	55-60 sf
Brussels Block	80-85 sf
Copthorne	50-60 sf
Courtstone	30-40 sf
Hollandstone	70-75 sf
Mattoni	30 sf
Olde Greenwich Cobble	30-35 sf
Promenade	20 sf
Richcliff	45-50 sf
Senzo	60-65 sf
Series	60-65 sf
Thornbury	40-45 sf
Town Hall	40-45 sf
Tribeca Cobble	40-45 sf
Umbriano 6cm Random	55-60 sf
Umbriano 7cm	60-65 sf
Westport	40-45 sf

Installation practices may affect the amount of sand used per product. Review IMPORTANT NOTICE below.

N/R - Not Recommended ✓ - Recommended

✓* - These pavers have a very narrow or slightly angled edge (chamfer) limiting sand penetration in the joint and causing possible weak bonding areas. The life cycle performance could be affected.

IMPORTANT NOTICE

1. **DO NOT USE** Polymeric Jointing Sand on the following products:

Series™ Il Campo® Tribeca Cobble

If joint stabilization is required, use ordinary jointing sand and apply a stabilizing sealer. Contact your local Unilock office for recommended sealants and application specifics.

2. **EXTRA CARE** must be exercised when using Polymeric Sand on the following products:

Courtstone® Copthorne® Richcliff® Town Hall® Umbriano®

Polymeric Jointing Sand can be used on these products but the fine polymers and binders in Polymeric Jointing Sand have a natural tendency to adhere to the surface and therefore extra diligence must be taken to pre-clean the surface prior to "wetting the sand in" and squeegee off the surface post application. Failure to do so will result in a "whitish haze" on the surface that is difficult to remove.

3. **IMPORTANT COMPACTION NOTICE:** Always pre-compact the pavers WITHOUT SAND IN THE JOINTS. This will facilitate proper leveling. Polymeric Sand can then be swept into the joints. *Always use a compactor with a protective membrane attached to the bottom of the plate.*

Polymeric Jointing Sand, cleaners and sealers, must always be applied by a trained and experienced professional. Contact your local Unilock office for training and the most up-to-date best practices.


NOTICE: Unilock does not accept any responsibility for damage to the surface caused by the improper application and use of polymeric sand, sealers or cleaners. Unilock will not accept responsibility for alternate suppliers of polymeric sand, jointing sand, cleaners and sealers.

EDGE RESTRAINT

SnapEdge - One-Piece Edging That Does It All!

EDGE001

- Only one part required for straight runs or curved installations
- Built-in connector fastens one piece to the next - convenient 96" size, makes them easy to transport
- Unique 'Snip and Flex' feature speeds installations of curves and corners without pre-planning
- The open design allows a root system to grow through SnapEdge, further reinforcing the installation
- Engineered to provide a strong, easy-to-install edge restraint for concrete/clay pavers
- Nail hole bosses are full-length cylinders. Hammer blows will not fracture or force nail heads through edging



Product Information:

8' (96") length pcs.

Sidewall: 1 7/8"

Pieces per Pallet: 672 (5,376 In. ft.)

Pieces per Bundle: 24 (192 In. ft.)

Bundles per Pallet: 28

Pallet Weight: 1395 lbs.

Pallet Size: 98" l x 48"w x 50" h

Polybind Edge Edging

EDGE056 - Rigid / EDGE061 - Tile Edge

- Rigid has Twist & Lock connection system
- Rigid can be changed to a partial Flex by cutting the bridge support
- Tile Edge provides stability and strong lateral support for all porcelain tile installations



Rigid Edge



Tile Edge

Product Information:

Rigid:

8' (96") length pcs.

Sidewall: 1-3/4"

Pieces per Bundle: 24 (192 In. ft.)

Pieces per Pallet: 672 (5376 In. ft.)

Tile:


8' (96") length pcs.

Sidewall: 5/8"

Pieces per Bundle: 24 (192 In. ft.)


Pieces per Pallet: 384 (3072 In. ft.)

TIPS FOR QUICK AND EASY INSTALLATION WITHOUT PRE-PLANNING




Remove boss
For a sharp inside corner remove one or two nail hole bosses and bend to desired shape.

Sharp Inside Corner




'Snip' Support
For a sharp outside corner snip support and bend.

Sharp Outside Corner




Wall Seal
'Bend' Snap Edge to form a better seal against walls, etc., (gaps allow sand leaks and paver failure).

Proper Wall Installation




'Snip' supports and bend.

Gentle Outside Curves



'Snip' and bend. Overlap supports.

Gentle Inside Curves



Tongue Slot
Fasten Snap Edge lengths together by inserting tongue on one piece into slot on adjoining piece.

Pieces Snap Together

DRAINAGE, SEPARATION AND REINFORCEMENT



UNILOCK DRIVEGRID™ SYSTEM

- 120' x 13' Roll - 1,572 sq. ft./56 lbs per roll



GATOR GRID 30-30

Gator Grid 30-30, a biaxial geogrid, provides strength, longevity, excellent stress transfer and prevents failure to the internal structure of landing areas, retaining walls and steep slopes. It has a high molecular weight as well as high-tenacity polyester yards which are woven in tension and finished with a PVC coating.

Packaging & Unilock SKU • 4' x 50' - FAB070 / 6' x 150' - FAB072



GATOR FABRIC NON-WOVEN 3.5

Gator Fabric Non-Woven 3.5 geotextile is ideal for drainage, filtration and will allow water flow in a paver or retaining wall application. It is designed for soil separation for added stability, has high strength and is dimensionally stable.

Packaging & Unilock SKU • 4' x 100' - FAB038 / 6' x 100' - FAB040



GATOR FABRIC WOVEN 5

Gator Fabric Woven 5 is a woven geotextile made from polypropylene yarns and can achieve higher tensile strength at low elongation. It is an excellent heavy-loading geotextile, ideal for driveways, alleyways, pathways and retaining walls.

Packaging & Unilock SKU • 4' x 100' - FAB049 / 6.25' x 300' - FAB052



GATOR FABRIC POLYSPUN 8

Gator Fabric Polyspun 8 geotextile is specially formulated to resist deterioration in garden and landscape applications. It creates a barrier to reduce weed growth and allows water, fertilizer and air to pass through.

Packaging & Unilock SKU • 6' x 100' • FAB064

GATOR BASE



FEATURES: For Pedestrian use only. Replaces concrete foundations and is used to replace 6" of crushed stone. The interlocking panels distribute all dynamic and static loads to a very wide area, practically eliminating any pressure on the ground.

GATOR Base is a unique evolution in base technology. Evacuates water through channels along a 1 slope. Manufactured using lightweight high-density polypropylene. Environmentally friendly and 100% recyclable. Extremely durable, will not degrade in the ground. Designed with LOCK-N-GO tongue and groove system.

Packaging: 10 units per pack, 12 packs per box, 120 units per pallet

CALCULATIONS

BEDDING MATERIALS CHART (APPROXIMATE IMPERIAL TONS)

Square Feet	Bedding Course											
	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"	12"
50	0.3	0.5	0.8	1.0	1.3	1.5	1.8	2.0	2.3	2.5	2.8	3.0
100	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0
150	0.8	1.5	2.3	3.0	3.8	4.5	5.3	6.0	6.8	7.5	8.3	9.0
200	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0
250	1.3	2.5	3.8	5.0	6.3	7.5	8.8	10.0	11.36	12.5	13.8	15.0
300	1.5	3.0	4.5	6.0	7.5	9.0	10.5	12.0	13.5	15.0	16.5	18.0
350	1.8	3.5	5.3	7.0	8.8	10.5	12.3	14.0	15.8	17.5	19.3	21.0
400	2.0	4.0	6.0	8.0	10.0	12.0	14.0	16.0	18.0	20.2	22.0	24.0
450	2.3	4.5	6.8	9.8	11.3	13.5	15.8	18.0	20.3	22.5	24.8	27.0
500	2.5	5.0	7.5	10.0	12.5	15.0	17.5	20.0	22.5	25.0	27.5	30.0
550	2.8	5.5	8.3	11.0	13.8	16.5	19.3	22.0	24.8	27.5	30.3	33.0
600	3.0	6.0	9.0	12.0	15.0	18.0	21.0	24.0	27.0	30.0	33.0	36.0
650	3.3	6.5	9.8	13.0	16.3	19.5	22.8	26.0	29.3	32.5	35.8	39.0
700	3.5	7.0	10.5	14.0	17.5	21.0	24.5	28.0	31.5	35.0	38.5	42.0
750	3.8	7.5	11.36	15.0	18.8	22.5	26.3	30.0	33.8	37.5	41.3	45.0
800	4.0	8.0	12.0	16.0	20.0	24.0	28.0	32.0	36.0	40.0	44.0	48.0
850	4.3	8.5	12.8	17.0	21.3	25.5	29.8	34.0	38.3	42.5	46.8	51.0
900	4.5	9.0	13.5	18.0	22.5	27.0	31.5	36.0	40.5	45.0	49.5	54.0
950	4.8	9.5	14.3	19.0	23.8	28.5	33.3	38.0	42.8	47.5	52.3	57.0
1000	5.0	10.0	15.0	20.0	25.0	30.0	35.0	40.0	45.0	50.0	55.0	60.0

Actual volume may vary due to type of materials, moisture content, and compaction. Calculation charts and formulas are provided as a service by Unilock for estimating material requirements. Unilock will not be held responsible in any way for resulting product overage or shortage.

BASE DEPTH CHARTS (CUBIC YARDS)

Square Feet	Bedding Course											
	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"	12"
50	0.2	0.3	0.5	0.6	0.8	0.9	1.1	1.2	1.4	1.5	1.7	1.9
100	0.3	0.6	0.9	1.2	1.5	1.9	2.2	2.5	2.8	3.1	3.4	3.7
150	0.5	0.9	1.4	1.9	2.3	2.8	3.2	3.7	4.2	4.6	5.1	5.6
200	0.6	1.2	1.9	2.5	3.1	3.7	4.3	4.9	5.6	6.2	6.8	7.4
250	0.8	1.5	2.3	3.1	3.9	4.6	5.4	6.2	6.9	7.7	8.5	9.3
300	0.9	1.9	2.8	3.7	4.6	5.6	6.5	7.4	8.3	9.3	10.2	11.1
350	1.1	2.2	3.2	4.3	5.4	6.5	7.6	8.6	9.7	10.8	11.9	13.0
400	1.2	2.5	3.7	4.9	6.2	7.4	8.6	9.9	11.1	12.3	13.6	14.8
450	1.4	2.8	4.2	5.6	6.9	8.3	9.7	11.1	12.5	13.9	15.3	16.7
500	1.5	3.1	4.6	6.2	7.7	9.3	10.8	12.3	13.9	15.4	17.0	18.5
550	1.7	3.4	5.1	6.8	8.5	10.2	11.9	13.6	15.3	17.0	18.7	20.4
600	1.9	3.7	5.6	7.4	9.3	11.1	13.0	14.8	16.7	18.5	20.4	22.2
650	2.0	4.0	6.0	8.0	10.0	12.0	14.0	16.0	18.1	20.1	22.1	24.1
700	2.2	4.3	6.5	8.6	10.8	13.0	15.1	17.3	19.4	21.6	23.8	25.9
750	2.3	4.6	6.9	9.3	11.6	13.9	16.2	18.5	20.8	23.1	25.5	27.8
800	2.5	4.9	7.4	9.9	12.3	14.8	17.3	19.8	22.2	24.7	27.2	29.6
850	2.6	5.2	7.9	10.5	13.1	15.7	18.4	21.0	23.6	26.2	28.9	31.5
900	2.8	5.6	8.3	11.1	13.9	16.7	19.4	22.2	25.0	27.8	30.6	33.3
950	2.9	5.9	8.8	11.7	14.7	17.6	20.5	23.5	26.4	29.3	32.3	35.2
1000	3.1	6.2	9.3	12.3	15.4	18.5	21.6	24.7	27.8	30.9	34.0	37.0

Actual volume may vary due to type of materials, moisture content, and compaction. Calculation charts and formulas are provided as a service by Unilock for estimating material requirements. Unilock will not be held responsible in any way for resulting product overage or shortage.

IMPORTANT NOTES

UNILOCK PAVER PATTERNS

This Product Data Guide contains an extensive reference to patterns and designs. The purpose of these pattern swatches is to help the designer plan unique and exceptional designs. The percentages of products shown are based on the pattern and not on bundle configurations. In fact, there may be situations in which a pattern has been created with one particular size of stone, but that stone only comes packaged with two other sizes. This means that the designer will have to plan how the other components are used in the overall plan. This is usually accomplished by adding a border or an accent. As a result, overages or shortages may occur in certain patterns. The designer and/or installer of Unilock products accepts all responsibility for design and all associated costs incurred as a result of applying any of Unilock's suggested design patterns in a project. Please plan your project and review your order carefully prior to ordering.

TRANSFERABLE LIFETIME GUARANTEE

Unilock provides a Transferable Lifetime Guarantee* on the structural integrity of our paving stones, slabs and retaining wall units to the original purchaser of the product for residential use. Any materials installed and maintained to our guidelines, and subject to normal wear, that prove defective, will be replaced without cost. Color matching cannot be guaranteed and replacement labor is not included. Proof of purchase is required.

Excessive defective material (over the industry accepted normal of 2% for non-tumbled unit pavers) delivered to the purchaser will be replaced free of charge if a written claim is made within 5 days of delivery from the manufacturer. Such claims will not constitute reason for delaying payment. All goods shall be deemed accepted if completely installed. Inspect concrete products prior to opening bundle packaging to ensure that shape and color are as ordered. Unsatisfactory material must be available for inspection by Unilock to entitle the purchaser to any adjustment or credit. Inspect all concrete units during installation and set aside any which are chipped or cracked to use for any cut pieces required. The color of concrete products may vary significantly between production lots. Always install concrete units from several bundles simultaneously to ensure proper distribution of color. Prior to final compaction, inspect installed pavers for good color distribution. Relocate certain pavers, if necessary, to achieve desired color blend.

*Transferable Lifetime Guarantee: Register your project within 60 days of your dated proof of purchase to ensure your Unilock Guarantee is fully transferable! Simply go online at unilock.com and follow instructions. Once processed, you will receive an original Transferable Warranty Certificate for your records.

PRODUCT HANDLING WARNING

Bundle Straps Under Tension - Use extreme caution when removing or handling straps. Always wear gloves, goggles, safety footwear, and protective clothing when removing or handling straps. Failure to do so may result in serious bodily injury or loss of sight. Cut all concrete products only in well ventilated areas. Inhalation of dust is a serious health risk. A "NIOSH" (US) or a "CSA" (CDN) approved respirator, safety goggles, hearing protectors, and gloves must be worn at all times. Always "wet-cut" or "wet grind" concrete products to minimize dust.

Do not stack bundled concrete products higher than 2 bundles high. Contents of the bundle may be unstable and subject to topple when stacked. Always use extreme caution and appropriate equipment when transporting or storing bundled concrete products. Failure to do so may result in serious bodily injury or death. Always obey gross vehicle weight (GVW) loading limitations and regulations.

Hazard Rating: Fire 0, Health 1, Reactivity 0. See MSDS Concrete Masonry (Pavers). Contact Unilock for complete sheet or view safety information at www.unilock.com.

Unilock assumes no liability or responsibility for loss or damage, resulting from the improper use or handling of our products, or from failure to follow instructions, warnings, and/or advisories on the product label, and on the MSDS sheet.

TRADEMARK AND LEGAL INFORMATION

Umbriano® are trademarks of Metten Stein + Design GmbH & Co KG used under license by Unilock.


Unilock Ltd. and Hengestone Holdings, Inc. are the owners or authorized users of all trademarks used in this publication unless otherwise specified.

Measurements throughout this portfolio are nominal.

*Colors shown in this catalog should be used only as a guide. Colors should always be chosen from actual samples. Contact your local Unilock representative for color availability in your area.

Not all products shown are available at all Unilock locations. Log on to www.unilock.com for availability.


FINISHES



BRUSHED



COBBLESTONE



WEATHERED




DIMPLED AND WEATHERED




FLAGSTONE




SMOOTH



WASHED



SMOOTH - ZERO BEVEL



SPLIT



TIMEWORN



SPLIT AND WEATHERED



STANDARD

Color Blend Descriptions

COLOR NAME	DESCRIPTION
Almond Grove	Tan, Buff and Charcoal
Basalt	Blueish-Black
Bavarian	Brown, Cream and Charcoal
Beechwood	Tan and Charcoal
Belgian Blue	Blueish-Gray
Birch	Dark Brown, Light Brown & Cream
Black Granite	Black Granite and Charcoal
Castano	Dark Brown and Burnt Brown Blend
Cocoa Brown	Solid Dark Brown
Coastal Slate	Grey and Tan
Coffee Creek	Sandstone, Brown and Charcoal
Crema	Cream and Buff
Dawn Mist	Grey and Tan
Desert Sand	Salmon, Buff and Charcoal
Fossil	Light and Dark Grey, Chamois and White Accents
French Grey	Light Grey with White Flake
Granite	Natural and Charcoal
Grindstone	Buff and Grey
Heritage Brown	Dark Brown and Salmon

COLOR NAME	DESCRIPTION
Limestone	Light Gray and Charcoal
Mahogany	Brown and Charcoal
Mahogany Ash	Mid Brown and Light Charcoal
Midnight Sky	Charcoal and Black Flake
Natural Blend	Light Grey and Medium Grey
Nevada	Chamois and Natural
Opal Blend	Light Grey & White
Pebble Taupe	Tan with Light Brown
Rustic Red	Red and Charcoal
Sable Blend	Cream Tan Brown
Sandstone	Buff and Tan
Sierra	Charcoal, Russet and Buff
St. Clair	Salmon and Brown
Steel Grey Blend	Dark Charcoal & Grey
Steel Blue	Pale Charcoal
Summer Wheat	Cream White with Pale Yellow & Beige Particles
Sycamore	Brown, Buff and Charcoal
Terra Cotta	Salmon and Charcoal
Winter Marvel	White and Black Flake

Colors shown in this brochure should be used only as a guide. Colors should always be chosen from actual samples.

PRODUCT DIRECTORY

UNIT PAVERS

Product	Page	Finish	Pedestrian	Residential Vehicular	Commercial Vehicular	Environmental	For Borders & Accents
Anchorlock [®]	2	S			✓		
Artline™	2	S	✓				
Beacon Hill Flagstone™	3	F	✓				
Beacon Hill Smooth™	3	SM	✓				
Bristol Valley [®]	4	S	✓				
Brussels Block [®]	4	W	✓	✓			✓
Copthorne [®]	5	T	✓	✓			✓
Courtstone [®]	5	C	✓	✓			✓
Double Holland™	8	S	✓	✓	✓		✓
Dura-Mat™	6	S		✓		✓	
Eco-Line [®]	6	S	✓	✓	✓	✓	
Eco-Optiloc™	7	S	✓	✓	✓	✓	
Eco-Priora™	7	B	✓	✓	✓	✓	
Holland Premier [®]	8	S	✓	✓			✓
Hollandstone™	8	S	✓	✓	✓		✓
Il Campo [®]	9	B	✓	✓	✓		✓
Mattoni	9	T	✓	✓	✓		✓
Natural Stone	10	SM	✓				
Olde Greenwich Cobble [®]	12	S	✓	✓	✓		✓
Optiloc [®]	12	S	✓	✓	✓		
Porcelain	11	SM	✓				
Promenade [®] Paver	12	S	✓	✓	✓		✓
Richcliff [®]	13	F	✓	✓			✓
Senzo™	13	SM	✓				✓
Series™	14	WS	✓	✓	✓		✓
Thornbury™	14	F	✓	✓		✓	
Town Hall [®]	15	T	✓	✓	✓	✓	✓
Tribeca Cobble	15	C	✓	✓			✓
Turfstone™	16	S		✓		✓	
Umbriano [®]	17	SZ	✓	✓	✓		✓
Uni Eco-Stone [®]	16	S				✓	
Westport	18	F	✓	✓			✓

RETAINING WALLS

Product	Page	Finish	Gardens	Retaining Walls	Steps	Seatwalls	Pillars
Brussels Dimensional System™	19	W	✓	✓	✓	✓	✓
DuraHold2 [®]	20	S		✓			
DuraHold [®]	21	S		✓			
Estate Wall [®]	22	SP/W	✓	✓	✓	✓	✓
Lineo™ Dimensional Stone	24	SZ	✓	✓			
Mackinaw	26						
Pisa2 [®]	27	SP	✓	✓	✓	✓	✓
Rivercrest [®] Wall	28	F	✓		✓	✓	✓
RomanPisa [®]	30	SP/W	✓	✓	✓	✓	✓
SienaStone [®]	31	SP		✓	✓		
SplitN'STACK [®]	30	SP	✓				
U-Cara [®]	32		✓	✓		✓	✓

Finishes:

B=Brushed; C=Cobblestone; D=Dimpled; DW=Dimpled and Weathered; F=Flagstone; S=Standard; SM=Smooth; SZ=Smooth Zero Bevel; SP=Split; SP/W=Split and Weathered; T=Timeworn; W=Weathered; WS=Washed

This application chart should only be used as a guide. Site conditions, base materials, pattern and frequency of use may vary the performance of various types and styles of products.



BOSTON
(508) 278-4536

CLEVELAND
(330) 927-4000

NEW YORK
(845) 278-6700

BUFFALO
(716) 822-6074

DETROIT
(248) 437-7037

ONTARIO
(416) 646-9000

CHICAGO
(630) 892-9191

MILWAUKEE
(262) 742-3890

UNILOCK.COM | 1-800-UNILOCK

©2019 Hengestone Holdings, Inc.